

**Nuclide Analysis Results of Fish and Shellfish (The Ocean Area Within 20km Radius of Fukushima Daiichi NPS)  
<1/12> (excl. inner port area)**

(Data summarized on July 18)

Name of Sample (Region)	Place of Sampling (Place No.)	Date of Sampling	Radioactivity Density[Bq/kg (Raw)] (Half-life)		
			Cs-134 (Approx. 2 years)	Cs-137(Approx. 30 years)	Cs (Sum)
Stingray (muscle)	Around 1km Offshore of Ota River (T-S1)	June 28, 2014	ND(3.6)	7.2	7.2
Northern dogfish (muscle)	Around 1km Offshore of Ota River (T-S1)	June 28, 2014	ND(3.1)	ND(3.5)	ND
Blue crab (muscle)	Around 1km Offshore of Ota River (T-S1)	June 28, 2014	ND(3.5)	ND(4.5)	ND
Common skete (muscle)	Around 1km Offshore of Ota River (T-S1)	June 28, 2014	16	46	62
Sebastes cheni (muscle)	Around 1km Offshore of Ota River (T-S1)	June 28, 2014	22	71	93
Banded dogfish (muscle)	Around 1km Offshore of Ota River (T-S1)	June 28, 2014	ND(3.1)	ND(3.0)	ND
Microstomus achne (muscle)	Around 1km Offshore of Ota River (T-S1)	June 28, 2014	4.0	11	15
Ovalipes punctatus (muscle)	Around 1km Offshore of Ota River (T-S1)	June 28, 2014	ND(3.9)	4.0	4.0
Flatfish (muscle)	Around 1km Offshore of Ota River (T-S1)	June 28, 2014	ND(4.2)	ND(4.5)	ND
Dasyatis matsubarai (muscle)	Around 1km Offshore of Ota River (T-S1)	June 28, 2014	ND(2.9)	ND(3.0)	ND

\* "ND" indicates that the measurement result is below the detection limit, which is shown parenthesis.

\* Standard Value (after April 1, 2012) Cs-134+Cs-137: 100Bq/kg

\* Analysis was conducted by Tokyo Power Technology Ltd..

**Nuclide Analysis Results of Fish and Shellfish (The Ocean Area Within 20km Radius of Fukushima Daiichi NPS)  
<2/12> (excl. inner port area)**

(Data summarized on July 18)

Name of Sample (Region)	Place of Sampling (Place No.)	Date of Sampling	Radioactivity Density[Bq/kg (Raw)] (Half-life)		
			Cs-134 (Approx. 2 years)	Cs-137(Approx. 30 years)	Cs (Sum)
Smooth dogfish (muscle)	Around 1km Offshore of Ota River (T-S1)	June 28, 2014	ND(3.8)	9.6	9.6
Marbled sole (muscle)	Around 1km Offshore of Ota River (T-S1)	June 28, 2014	ND(3.5)	3.4	3.4
Dory (muscle)	Around 1km Offshore of Ota River (T-S1)	June 28, 2014	ND(3.8)	ND(3.6)	ND
Greenling (muscle)	Around 3km Offshore of Odaka Ward (T-S2)	June 28, 2014	ND(3.4)	12	12
Northern dogfish (muscle)	Around 3km Offshore of Odaka Ward (T-S2)	June 28, 2014	ND(3.3)	ND(3.7)	ND
Common skate (muscle)	Around 3km Offshore of Odaka Ward (T-S2)	June 28, 2014	7.1	15	22.1
Microstomus achne (muscle)	Around 3km Offshore of Odaka Ward (T-S2)	June 28, 2014	4.5	18	22.5
Ovalipes punctatus (whole)	Around 3km Offshore of Odaka Ward (T-S2)	June 28, 2014	ND(3.1)	ND(4.2)	ND
Flatfish (muscle)	Around 3km Offshore of Odaka Ward (T-S2)	June 28, 2014	ND(3.2)	ND(3.6)	ND
Dasyatis matsubara (muscle)	Around 3km Offshore of Odaka Ward (T-S2)	June 28, 2014	ND(3.7)	ND(3.3)	ND

\* "ND" indicates that the measurement result is below the detection limit, which is shown parenthesis.

\* Standard Value (after April 1, 2012) Cs-134+Cs-137: 100Bq/kg

\* Analysis was conducted by Tokyo Power Technology Ltd..

**Nuclide Analysis Results of Fish and Shellfish (The Ocean Area Within 20km Radius of Fukushima Daiichi NPS)  
<3/12> (excl. inner port area)**

(Data summarized on July 18)

Name of Sample (Region)	Place of Sampling (Place No.)	Date of Sampling	Radioactivity Density[Bq/kg (Raw)] (Half-life)		
			Cs-134 (Approx. 2 years)	Cs-137(Approx. 30 years)	Cs (Sum)
Marbled sole (muscle)	Around 3km Offshore of Odaka Ward (T-S2)	June 28, 2014	4.2	12	16.2
Chub mackerel (muscle)	Around 3km Offshore of Odaka Ward (T-S2)	June 28, 2014	ND(3.3)	ND(3.9)	ND
Northern dogfish (muscle)	Around 3km Offshore of Ukedo River (T-S3)	June 19, 2014	ND(4.0)	ND(3.8)	ND
Common skete (muscle)	Around 3km Offshore of Ukedo River (T-S3)	June 19, 2014	6.4	20	26.4
Sea bass (muscle)	Around 3km Offshore of Ukedo River (T-S3)	June 19, 2014	22	67	89
Microstomus achne (muscle)	Around 3km Offshore of Ukedo River (T-S3)	June 19, 2014	9.7	32	41.7
Ovalipes punctatus (whole)	Around 3km Offshore of Ukedo River (T-S3)	June 19, 2014	ND(3.8)	ND(3.8)	ND
Flatfish (muscle)	Around 3km Offshore of Ukedo River (T-S3)	June 19, 2014	ND(4.0)	5.5	5.5
Yellowtail (muscle)	Around 3km Offshore of Ukedo River (T-S3)	June 19, 2014	ND(3.4)	ND(3.4)	ND
Marbled sole (muscle)	Around 3km Offshore of Ukedo River (T-S3)	June 19, 2014	4.2	14	18.2

\* "ND" indicates that the measurement result is below the detection limit, which is shown parenthesis.

\* Standard Value (after April 1, 2012) Cs-134+Cs-137: 100Bq/kg

\* Analysis was conducted by Tokyo Power Technology Ltd..

**Nuclide Analysis Results of Fish and Shellfish (The Ocean Area Within 20km Radius of Fukushima Daiichi NPS)  
<4/12> (excl. inner port area)**

(Data summarized on July 18)

Name of Sample (Region)	Place of Sampling (Place No.)	Date of Sampling	Radioactivity Density[Bq/kg (Raw)] (Half-life)		
			Cs-134 (Approx. 2 years)	Cs-137(Approx. 30 years)	Cs (Sum)
Northern dogfish (muscle)	Around 3km Offshore of Fukushima Daiichi NPS (T-S4)	June 19, 2014	ND(3.1)	ND(3.4)	ND
Lophius litilon (muscle)	Around 3km Offshore of Fukushima Daiichi NPS (T-S4)	June 19, 2014	ND(3.3)	ND(3.9)	ND
Common skate (muscle)	Around 3km Offshore of Fukushima Daiichi NPS (T-S4)	June 19, 2014	17	41	58
Sea bass (muscle)	Around 3km Offshore of Fukushima Daiichi NPS (T-S4)	June 19, 2014	ND(3.6)	9.4	9.4
Banded dogfish (muscle)	Around 3km Offshore of Fukushima Daiichi NPS (T-S4)	June 19, 2014	ND(3.4)	ND(3.7)	ND
Microstomus achne (muscle)	Around 3km Offshore of Fukushima Daiichi NPS (T-S4)	June 19, 2014	10	26	36
Ovalipes punctatus (whole)	Around 3km Offshore of Fukushima Daiichi NPS (T-S4)	June 19, 2014	ND(3.5)	ND(4.3)	ND
Flatfish (muscle)	Around 3km Offshore of Fukushima Daiichi NPS (T-S4)	June 19, 2014	ND(4.5)	ND(3.6)	ND
Dasyatis matsubarae (muscle)	Around 3km Offshore of Fukushima Daiichi NPS (T-S4)	June 19, 2014	ND(3.7)	ND(3.9)	ND
Common horse mackerel (muscle)	Around 3km Offshore of Fukushima Daiichi NPS (T-S4)	June 19, 2014	ND(3.3)	ND(3.3)	ND

\* "ND" indicates that the measurement result is below the detection limit, which is shown parenthesis.

\* Standard Value (after April 1, 2012) Cs-134+Cs-137: 100Bq/kg

\* Analysis was conducted by Tokyo Power Technology Ltd..

**Nuclide Analysis Results of Fish and Shellfish (The Ocean Area Within 20km Radius of Fukushima Daiichi NPS)  
<5/12> (excl. inner port area)**

(Data summarized on July 18)

Name of Sample (Region)	Place of Sampling (Place No.)	Date of Sampling	Radioactivity Density[Bq/kg (Raw)] (Half-life)		
			Cs-134 (Approx. 2 years)	Cs-137(Approx. 30 years)	Cs (Sum)
Littlemouth flounder (muscle)	Around 3km Offshore of Fukushima Daiichi NPS (T-S4)	June 19, 2014	ND(3.4)	7.7	7.7
Marbled sole (muscle)	Around 3km Offshore of Fukushima Daiichi NPS (T-S4)	June 19, 2014	9.2	34	43.2
Northern dogfish (muscle)	Around 2km Offshore of Kido River (T-S5)	June 22, 2014	ND(3.6)	ND(3.9)	ND
Blue crab (whole)	Around 2km Offshore of Kido River (T-S5)	June 22, 2014	ND(4.4)	ND(4.4)	ND
Common skete (muscle)	Around 2km Offshore of Kido River (T-S5)	June 22, 2014	12	38	50
Japanese eagle ray (muscle)	Around 2km Offshore of Kido River (T-S5)	June 22, 2014	7.3	17	24.3
Microstomus achne (muscle)	Around 2km Offshore of Kido River (T-S5)	June 22, 2014	26	73	99
Flatfish (muscle)	Around 2km Offshore of Kido River (T-S5)	June 22, 2014	ND(4.1)	3.7	3.7
Northern dogfish (muscle)	2F Premises Offshore 2km vicinity(T-S7)	June 22, 2014	ND(3.5)	ND(4.2)	ND
Blue crab (whole)	2F Premises Offshore 2km vicinity(T-S7)	June 22, 2014	3.5	7.7	11.2

\* "ND" indicates that the measurement result is below the detection limit, which is shown parenthesis.

\* Standard Value (after April 1, 2012) Cs-134+Cs-137: 100Bq/kg

\* Analysis was conducted by Tokyo Power Technology Ltd..

**Nuclide Analysis Results of Fish and Shellfish (The Ocean Area Within 20km Radius of Fukushima Daiichi NPS)  
<6/12> (excl. inner port area)**

(Data summarized on July 18)

Name of Sample (Region)	Place of Sampling (Place No.)	Date of Sampling	Radioactivity Density[Bq/kg (Raw)] (Half-life)		
			Cs-134 (Approx. 2 years)	Cs-137(Approx. 30 years)	Cs (Sum)
Schlegel's black rockfish (muscle)	2F Premises Offshore 2 km vicinity(T-S7)	June 22, 2014	38	110	148
Common skete (muscle)	2F Premises Offshore 2 km vicinity(T-S7)	June 22, 2014	37	110	147
Sea bass (muscle)	2F Premises Offshore 2 km vicinity(T-S7)	June 22, 2014	ND(3.3)	ND(3.5)	ND
Banded dogfish (muscle)	2F Premises Offshore 2 km vicinity(T-S7)	June 22, 2014	ND(3.8)	ND(4.1)	ND
Microstomus achne (muscle)	2F Premises Offshore 2 km vicinity(T-S7)	June 22, 2014	33	86	119
Flatfish (muscle)	2F Premises Offshore 2 km vicinity(T-S7)	June 22, 2014	ND(2.2)	7.9	7.9
Smooth dogfish (muscle)	2F Premises Offshore 2 km vicinity(T-S7)	June 22, 2014	4.9	11	15.9
Marbled sole (muscle)	2F Premises Offshore 2 km vicinity(T-S7)	June 22, 2014	4.1	13	17.1
Northern dogfish (muscle)	Around 4km Offshore of Kumagawa (T-S8)	June 15, 2014	ND(4.0)	ND(4.0)	ND
Blue crab (whole)	Around 4km Offshore of Kumagawa (T-S8)	June 15, 2014	ND(3.0)	ND(4.2)	ND

\* "ND" indicates that the measurement result is below the detection limit, which is shown parenthesis.

\* Standard Value (after April 1, 2012) Cs-134+Cs-137: 100Bq/kg

\* Analysis was conducted by Tokyo Power Technology Ltd..

**Nuclide Analysis Results of Fish and Shellfish (The Ocean Area Within 20km Radius of Fukushima Daiichi NPS)  
<7/12> (excl. inner port area)**

(Data summarized on July 18)

Name of Sample (Region)	Place of Sampling (Place No.)	Date of Sampling	Radioactivity Density[Bq/kg (Raw)] (Half-life)		
			Cs-134 (Approx. 2 years)	Cs-137(Approx. 30 years)	Cs (Sum)
Lepidotrigla microptera (muscle)	Around 4km Offshore of Kumagawa (T-S8)	June 15, 2014	ND(3.3)	ND(3.8)	ND
Lophius litilon (whole)	Around 4km Offshore of Kumagawa (T-S8)	June 15, 2014	4.2	11	15.2
Common skete (muscle)	Around 4km Offshore of Kumagawa (T-S8)	June 15, 2014	100	270	370
Sea bass (muscle)	Around 4km Offshore of Kumagawa (T-S8)	June 15, 2014	11	36	47
Microstomus achne (muscle)	Around 4km Offshore of Kumagawa (T-S8)	June 15, 2014	14	34	48
Ovalipes punctatus (whole)	Around 4km Offshore of Kumagawa (T-S8)	June 15, 2014	ND(4.1)	ND(4.4)	ND
Flatfish (muscle)	Around 4km Offshore of Kumagawa (T-S8)	June 15, 2014	ND(4.2)	7.9	7.9
Sea robin (muscle)	Around 4km Offshore of Kumagawa (T-S8)	June 15, 2014	ND(3.7)	6.1	6.1
Smooth dogfish (muscle)	Around 4km Offshore of Kumagawa (T-S8)	June 15, 2014	ND(3.1)	ND(4.5)	ND
Littlemouth flounder (muscle)	Around 4km Offshore of Kumagawa (T-S8)	June 15, 2014	4.4	14	18.4

\* "ND" indicates that the measurement result is below the detection limit, which is shown parenthesis.

\* Standard Value (after April 1, 2012) Cs-134+Cs-137: 100Bq/kg

\* Analysis was conducted by Tokyo Power Technology Ltd..

**Nuclide Analysis Results of Fish and Shellfish (The Ocean Area Within 20km Radius of Fukushima Daiichi NPS)  
<8/12> (excl. inner port area)**

(Data summarized on July 18)

Name of Sample (Region)	Place of Sampling (Place No.)	Date of Sampling	Radioactivity Density[Bq/kg (Raw)] (Half-life)		
			Cs-134 (Approx. 2 years)	Cs-137(Approx. 30 years)	Cs (Sum)
Marbled sole (muscle)	Around 4km Offshore of Kumagawa (T-S8)	June 15, 2014	6.2	14	20.2
Stone flounder (muscle)	Around 15km Offshore of Odaka Ward (T-B1)	June 25, 2014	5.6	12	17.6
Lepidotrigla microptera (muscle)	Around 15km Offshore of Odaka Ward (T-B1)	June 25, 2014	ND(3.2)	5.2	5.2
Lophius litilon (whole)	Around 15km Offshore of Odaka Ward (T-B1)	June 25, 2014	ND(3.9)	ND(4.1)	ND
Common skete (muscle)	Around 15km Offshore of Odaka Ward (T-B1)	June 25, 2014	48	130	178
Crimson sea bream (muscle)	Around 15km Offshore of Odaka Ward (T-B1)	June 25, 2014	ND(3.4)	ND(3.4)	ND
Microstomus achne (muscle)	Around 15km Offshore of Odaka Ward (T-B1)	June 25, 2014	4.8	17	21.8
Flatfish (muscle)	Around 15km Offshore of Odaka Ward (T-B1)	June 25, 2014	ND(3.8)	ND(3.2)	ND
Littlemouth flounder (muscle)	Around 15km Offshore of Odaka Ward (T-B1)	June 25, 2014	ND(4.7)	3.7	3.7
Marbled sole (muscle)	Around 15km Offshore of Odaka Ward (T-B1)	June 25, 2014	ND(3.2)	ND(4.1)	ND

Stone flounder (muscle)

\* Standard Value (after April 1, 2012) Cs-134+Cs-137: 100Bq/kg

\* Analysis was conducted by Tokyo Power Technology Ltd..



**Nuclide Analysis Results of Fish and Shellfish (The Ocean Area Within 20km Radius of Fukushima Daiichi NPS)  
<9/12> (excl. inner port area)**

(Data summarized on July 18)

Name of Sample (Region)	Place of Sampling (Place No.)	Date of Sampling	Radioactivity Density[Bq/kg (Raw)] (Half-life)		
			Cs-134 (Approx. 2 years)	Cs-137(Approx. 30 years)	Cs (Sum)
Roundnose flounder (muscle)	Around 15km Offshore of Odaka Ward (T-B1)	June 25, 2014	ND(3.0)	ND(3.2)	ND
Greenling (muscle)	Around 18km Offshore of Ukedo River (T-B2)	June 25, 2014	ND(3.7)	ND(3.1)	ND
Lepidotrigla microptera (muscle)	Around 18km Offshore of Ukedo River (T-B2)	June 25, 2014	ND(3.6)	ND(3.7)	ND
Lophius litilon (whole)	Around 18km Offshore of Ukedo River (T-B2)	June 25, 2014	ND(2.8)	ND(4.0)	ND
Common skete (muscle)	Around 18km Offshore of Ukedo River (T-B2)	June 25, 2014	6.0	15	21
Loliginid (whole)	Around 18km Offshore of Ukedo River (T-B2)	June 25, 2014	ND(3.8)	ND(3.4)	ND
Crimson sea bream (muscle)	Around 18km Offshore of Ukedo River (T-B2)	June 25, 2014	ND(3.5)	ND(3.6)	ND
Cloudy catshark (muscle)	Around 18km Offshore of Ukedo River (T-B2)	June 25, 2014	ND(3.8)	5.1	5.1
Microstomus achne (muscle)	Around 18km Offshore of Ukedo River (T-B2)	June 25, 2014	ND(3.9)	7.8	7.8
Flatfish (muscle)	Around 18km Offshore of Ukedo River (T-B2)	June 25, 2014	ND(4.5)	ND(3.2)	ND

\* "ND" indicates that the measurement result is below the detection limit, which is shown parenthesis.

\* Standard Value (after April 1, 2012) Cs-134+Cs-137: 100Bq/kg

\* Analysis was conducted by Tokyo Power Technology Ltd..

**Nuclide Analysis Results of Fish and Shellfish (The Ocean Area Within 20km Radius of Fukushima Daiichi NPS)  
<10/12> (excl. inner port area)**

(Data summarized on July 18)

Name of Sample (Region)	Place of Sampling (Place No.)	Date of Sampling	Radioactivity Density[Bq/kg (Raw)] (Half-life)		
			Cs-134 (Approx. 2 years)	Cs-137(Approx. 30 years)	Cs (Sum)
Korean flounder (muscle)	Around 18km Offshore of Ukedo River (T-B2)	June 25, 2014	ND(3.6)	ND(3.6)	ND
Common Japanese conger (muscle)	Around 18km Offshore of Ukedo River (T-B2)	June 25, 2014	ND(3.2)	ND(4.0)	ND
Littlemouth flounder (muscle)	Around 18km Offshore of Ukedo River (T-B2)	June 25, 2014	ND(3.8)	5.2	5.2
Marbled sole (muscle)	Around 18km Offshore of Ukedo River (T-B2)	June 25, 2014	5.9	14	19.9
Chestnutoctopus (muscle)	Around 18km Offshore of Ukedo River (T-B2)	June 25, 2014	ND(4.4)	ND(3.7)	ND
Slippery sole (muscle)	Around 18km Offshore of Ukedo River (T-B2)	June 25, 2014	ND(3.8)	3.7	3.7
Greenling (muscle)	Around 10km Offshore of 1F (T-B3)	June 16, 2014	ND(3.9)	6.2	6.2
Northern dogfish (muscle)	Around 10km Offshore of 1F (T-B3)	June 16, 2014	ND(3.2)	ND(4.0)	ND
Stone flounder (muscle)	Around 10km Offshore of 1F (T-B3)	June 16, 2014	ND(3.9)	7.1	7.1
Lepidotrigla microptera (muscle)	Around 10km Offshore of 1F (T-B3)	June 16, 2014	ND(3.8)	4.2	4.2

\* "ND" indicates that the measurement result is below the detection limit, which is shown parenthesis.

\* Standard Value (after April 1, 2012) Cs-134+Cs-137: 100Bq/kg

\* Analysis was conducted by Tokyo Power Technology Ltd..

**Nuclide Analysis Results of Fish and Shellfish (The Ocean Area Within 20km Radius of Fukushima Daiichi NPS)  
<11/12> (excl. inner port area)**

(Data summarized on July 18)

Name of Sample (Region)	Place of Sampling (Place No.)	Date of Sampling	Radioactivity Density[Bq/kg (Raw)] (Half-life)		
			Cs-134 (Approx. 2 years)	Cs-137(Approx. 30 years)	Cs (Sum)
Common skete (muscle)	Around 10km Offshore of 1F (T-B3)	June 16, 2014	24	71	95
Microstomus achne (muscle)	Around 10km Offshore of 1F (T-B3)	June 16, 2014	3.9	11	14.9
Flatfish (muscle)	Around 10km Offshore of 1F (T-B3)	June 16, 2014	ND(3.6)	7.9	7.9
Sea robin (muscle)	Around 10km Offshore of 1F (T-B3)	June 16, 2014	ND(3.9)	ND(3.8)	ND
Littlemouth flounder (muscle)	Around 10km Offshore of 1F (T-B3)	June 16, 2014	ND(3.7)	ND(4.3)	ND
Marbled sole (muscle)	Around 10km Offshore of 1F (T-B3)	June 16, 2014	ND(3.3)	9.4	9.4
Roundnose flounder (muscle)	Around 10km Offshore of 1F (T-B3)	June 16, 2014	ND(4.1)	ND(3.2)	ND
Greenling (muscle)	Around 10km Offshore of 2F (T-B4)	June 16, 2014	ND(4.1)	7.5	7.5
Northern dogfish (muscle)	Around 10km Offshore of 2F (T-B4)	June 16, 2014	ND(3.5)	ND(3.4)	ND
Stone flounder (muscle)	Around 10km Offshore of 2F (T-B4)	June 16, 2014	ND(4.0)	ND(3.7)	ND

\* "ND" indicates that the measurement result is below the detection limit, which is shown parenthesis.

\* Standard Value (after April 1, 2012) Cs-134+Cs-137: 100Bq/kg

\* Analysis was conducted by Tokyo Power Technology Ltd..

**Nuclide Analysis Results of Fish and Shellfish (The Ocean Area Within 20km Radius of Fukushima Daiichi NPS)  
<12/12> (excl. inner port area)**

(Data summarized on July 18)

Name of Sample (Region)	Place of Sampling (Place No.)	Date of Sampling	Radioactivity Density[Bq/kg (Raw)] (Half-life)		
			Cs-134 (Approx. 2 years)	Cs-137(Approx. 30 years)	Cs (Sum)
Lepidotrigla microptera (muscle)	Around 10km Offshore of 2F (T-B4)	June 16, 2014	ND(4.0)	ND(3.6)	ND
Lophius litilon (whole)	Around 10km Offshore of 2F (T-B4)	June 16, 2014	ND(5.0)	ND(4.4)	ND
Common skete (muscle)	Around 10km Offshore of 2F (T-B4)	June 16, 2014	17	44	61
Microstomus achne (muscle)	Around 10km Offshore of 2F (T-B4)	June 16, 2014	7.9	26	33.9
Flatfish (muscle)	Around 10km Offshore of 2F (T-B4)	June 16, 2014	ND(4.0)	ND(3.9)	ND
Littlemouth flounder (muscle)	Around 10km Offshore of 2F (T-B4)	June 16, 2014	ND(4.0)	ND(3.6)	ND
Marbled sole (muscle)	Around 10km Offshore of 2F (T-B4)	June 16, 2014	11	22	33
Dory (muscle)	Around 10km Offshore of 2F (T-B4)	June 16, 2014	ND(3.7)	ND(4.4)	ND
Roundnose flounder (muscle)	Around 10km Offshore of 2F (T-B4)	June 16, 2014	ND(3.2)	3.9	3.9

\* "ND" indicates that the measurement result is below the detection limit, which is shown parenthesis.

\* Standard Value (after April 1, 2012) Cs-134+Cs-137: 100Bq/kg

\* Analysis was conducted by Tokyo Power Technology Ltd..