Reference

Radioactivity Density of the Seawater in the Port of Fukushima Daiichi NPS<1/2>

(Data summarized on December 26)

Place of Sampling	Sha	allow Draft	: Quay at 1F *		Inside Unit 1-4 Water Intake Canal (North) at Fukushima Daiichi NPS (North side of the East Seawall Break)				Inside Unit 1-4 Water Intake Canal (South) at Fukushima Daiichi NPS (in front of Impermeable Wall)				② Density Limit Specified by the Reactor Regulation
Time of Sampling	Dec 25, 2014 7:18 AM		N/A		Dec 25, 2014 8:11 AM		Dec 25, 2014 8:03 AM		Dec 25, 2014 8:05 AM		N/A		(Bq/L) (The density limit in the water outside the
Detected Nuclides (Half-life)	①Density of Sample (Bq/L)	Scaling Factor (1)/2)	①Density of Sample (Bq/L)	Scaling Factor (1/2)	①Density of Sample (Bq/L)	Scaling Factor (1)/2)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (1)/2)	①Density of Sample (Bq/L)	Scaling Factor (1)/2)	areas is provided in section 6 of Appendix 2.)
I-131 (Approx. 8 days)	ND	-	-	-	ND	-	ND	-	ND	-	-	-	40
Cs-134 (Approx. 2 years)	ND	-	-	-	2.0	0.03	11	0.18	6.4	0.11	-	-	60
Cs-137 (Approx. 30 years)	ND	-	-	-	5.0	0.06	40	0.44	22	0.24	-	-	90

^{*} The density specified by the Reactor Regulation is converted from Bq/cm^3 to Bq/L.

^{*} Data of other nuclides is under evaluation.

^{*} In the case of 2 nuclides or more, the sum of scaling factors to density limits is compared to 1.

^{* &}quot;ND" indicates that the measurement result is below the detection limit.

I-131: Approx. 3Bq/L, Cs-134: Approx.2Bq/L, Cs-137: Approx.2Bq/L As the detection limit may vary depending on the detectors and sample properties, there are cases where nuclides below the detection limit are detected. * The sampling will be performed after opening and closing of the silt fence.

Reference

Radioactivity Density of the Seawater in the Port of Fukushima Daiichi NPS<2/2>

(Data summarized on December 26)

Place of Sampling	Port Entrar	nce of Fuk	ushima Daiichi N	PS*									② Density Limit Specified by the Reactor
Time of Sampling	Dec 24, 2014 11:35 AM		N/A										Regulation (Bq/L) (The density limit in the water outside the
Detected Nuclides (Half-life)	①Density of Sample (Bq/L)	Scaling Factor (1)/2)	surrounding monitored areas is provided in section 6 of Appendix 2.)										
I-131 (Approx. 8 days)	ND	-	-	-									40
Cs-134 (Approx. 2 years)	ND	-	-	-									60
Cs-137 (Approx. 30 years)	ND	-	-	-									90

^{*} The density specified by the Reactor Regulation is converted from Bq/cm^3 to Bq/L.


I-131: Approx. 1Bq/L, Cs-134: Approx.1Bq/L, Cs-137: Approx.1Bq/L As the detection limit may vary depending on the detectors and sample properties, there are cases where nuclides below the detection limit are detected. * * At these points, sampling is carried out once a week. (As for the port entrance, also sampled on the day the silt fence was opened/shut or covering work was carried out in the port.)

^{*} Data of other nuclides is under evaluation.


^{*} In the case of 2 nuclides or more, the sum of scaling factors to density limits is compared to 1.

^{* &}quot;ND" indicates that the measurement result is below the detection limit.


Radioactivity Density of the Seawater in Front of the Shallow Draft Quay at 1F (Bq/L)




Radioactivity Density of the Seawater at the North of Unit 1-4 Water Intake (North of East Seawater Break of Fukushima Daiichi NPS (Bq/L)



Radioactivity Density of the Seawater at Unit 4 Screen at Fukushima Daiichi NPS (Bq/L)



Radioactivity Density of the Seawater at the South of Unit 1-4 Water Intake (in front of Impermeable Wall) at Fukushima Daiichi NPS (Bq/L)



Radioactivity Density of the Seawater at the Port Entrance of Fukushima Daiichi NPS (Bq/L)

