

Nuclide Analysis Results of Fish <Port Area of Fukushima Daiichi Nuclear Power Station>

(Data summarized on July 13)

Name of Sample (Region)	Place of Sampling (Place No.)	Date of Sampling	Radioactivity Concentration [Bq/kg (Raw)] (Half-life)		
			Cs-134 (Approx. 2 years)	Cs-137 (Approx. 30 years)	CS (Sum)
Drumfish (muscle)	Port area of Fukushima Daiichi NPS(Near the north breakwater)	June 8, 2017	ND(4.9)	13	13
Flatfish (muscle) No.1	Port area of Fukushima Daiichi NPS(Near the port entrance)	June 4, 2017	ND(5.5)	17	17
Marbled sole (muscle)	Port area of Fukushima Daiichi NPS(Near the port entrance)	June 4, 2017	ND(4.4)	26	26
Flatfish (muscle) No.2	Port area of Fukushima Daiichi NPS(Near the port entrance)	June 14, 2017	ND(4.4)	14	14
Schlegel's black rockfish (muscle)	Port area of Fukushima Daiichi NPS(Near the port center)	June 20, 2017	160	1000	1160

*When analyzed results are less than detection limits of radioactivity concentrations, the values are showed as "ND." Detection limits of individual nuclides are shown in parenthesis.

*Since April 1, 2012, the baseline is the sum of radioactivity concentrations of Cs-134 and Cs-137, which is 100Bq/kg.