

[Appendix] Monitoring data by a monitoring car at Fukushima Daiichi Nuclear Power Station

Measurement Date : 03/17/2011

Measurement Time	Measured Place	γ Ray	Neutron Ray	Wind Direction	Wind Velocity (m/s)
11:50 PM	West Gate	288.9 μ Sv/h	under 0.01 μ Sv/h	northwest	1.0
11:40 PM	West Gate	287.8 μ Sv/h	under 0.01 μ Sv/h	northwest	1.3
11:30 PM	West Gate	288.7 μ Sv/h	under 0.01 μ Sv/h	northwest	1.2
11:20 PM	West Gate	288.8 μ Sv/h	under 0.01 μ Sv/h	north-northwest	0.7
11:10 PM	West Gate	289.0 μ Sv/h	under 0.01 μ Sv/h	northwest	0.9
11:00 PM	West Gate	289.0 μ Sv/h	under 0.01 μ Sv/h	northwest	0.9
10:50 PM	West Gate	289.5 μ Sv/h	under 0.01 μ Sv/h	north-northwest	1.2
10:40 PM	West Gate	289.6 μ Sv/h	under 0.01 μ Sv/h	northwest	1.3
10:30 PM	West Gate	289.7 μ Sv/h	under 0.01 μ Sv/h	northwest	1.0
10:20 PM	West Gate	289.9 μ Sv/h	under 0.01 μ Sv/h	west-northwest	1.3
10:10 PM	West Gate	290.4 μ Sv/h	under 0.01 μ Sv/h	northwest	1.5
10:00 PM	West Gate	290.4 μ Sv/h	under 0.01 μ Sv/h	northwest	1.4
9:50 PM	West Gate	290.9 μ Sv/h	under 0.01 μ Sv/h	northwest	1.5
9:40 PM	West Gate	291.1 μ Sv/h	under 0.01 μ Sv/h	northwest	1.5
9:30 PM	West Gate	291.2 μ Sv/h	under 0.01 μ Sv/h	northwest	1.8
9:20 PM	West Gate	291.3 μ Sv/h	under 0.01 μ Sv/h	west	1.7
9:10 PM	West Gate	291.7 μ Sv/h	under 0.01 μ Sv/h	northwest	1.6
9:00 PM	West Gate	291.9 μ Sv/h	under 0.01 μ Sv/h	northwest	0.9
8:40 PM	West Gate	292.2 μ Sv/h	under 0.01 μ Sv/h	west-northwest	1.2
7:10 PM	North of Main Building	3626.0 μ Sv/h	under 0.01 μ Sv/h	west-northwest	2.7
7:00 PM	North of Main Building	3630.0 μ Sv/h	under 0.01 μ Sv/h	west-southwest	2.7
6:50 PM	North of Main Building	3638.0 μ Sv/h	under 0.01 μ Sv/h	west-northwest	2.4
6:40 PM	North of Main Building	3638.0 μ Sv/h	under 0.01 μ Sv/h	northwest	2.9
6:30 PM	North of Main Building	3643.0 μ Sv/h	under 0.01 μ Sv/h	west-northwest	2.7
6:20 PM	North of Main Building	3645.0 μ Sv/h	under 0.01 μ Sv/h	west	2.6
6:10 PM	North of Main Building	3641.0 μ Sv/h	under 0.01 μ Sv/h	northwest	2.4
6:00 PM	North of Main Building	3649.0 μ Sv/h	under 0.01 μ Sv/h	west-northwest	2.1
5:50 PM	North of Main Building	3650.0 μ Sv/h	under 0.01 μ Sv/h	west	2.7
5:40 PM	North of Main Building	3639.0 μ Sv/h	under 0.01 μ Sv/h	west-northwest	3.6
5:30 PM	North of Main Building	3667.0 μ Sv/h	under 0.01 μ Sv/h	northwest	3.4
5:20 PM	North of Main Building	3672.0 μ Sv/h	under 0.01 μ Sv/h	northwest	3.3
5:10 PM	North of Main Building	3675.0 μ Sv/h	under 0.01 μ Sv/h	northwest	2.8
5:00 PM	North of Main Building	3676.0 μ Sv/h	under 0.01 μ Sv/h	west	3.1
4:15 PM	North of Main Building	3691.0 μ Sv/h	under 0.01 μ Sv/h	west	4.1
4:10 PM	North of Main Building	3695.0 μ Sv/h	under 0.01 μ Sv/h	west	4.3
4:00 PM	North of Main Building	3698.0 μ Sv/h	under 0.01 μ Sv/h	west	4.3
3:50 PM	North of Main Building	3700.0 μ Sv/h	under 0.01 μ Sv/h	west	5.2
3:30 PM	West Gate	309.7 μ Sv/h	under 0.01 μ Sv/h	west	3.1
3:00 PM	West Gate	309.1 μ Sv/h	under 0.01 μ Sv/h	west	3.2
2:30 PM	West Gate	310.3 μ Sv/h	under 0.01 μ Sv/h	west	3.5
2:10 PM	West Gate	311.1 μ Sv/h	under 0.01 μ Sv/h	northwest	5.8
2:00 PM	North of Main Building	3810.0 μ Sv/h	under 0.01 μ Sv/h	west	5.2
1:40 PM	North of Main Building	4165.0 μ Sv/h	under 0.01 μ Sv/h	west	4.7
1:30 PM	North of Main Building	4175.0 μ Sv/h	under 0.01 μ Sv/h	northwest	4.5
1:20 PM	West Gate	309.1 μ Sv/h	under 0.01 μ Sv/h	west	3.1
1:10 PM	West Gate	309.3 μ Sv/h	under 0.01 μ Sv/h	west	3.5
1:00 PM	West Gate	309.7 μ Sv/h	under 0.01 μ Sv/h	west	3.8
0:30 PM	West Gate	310.7 μ Sv/h	under 0.01 μ Sv/h	west	3.5
0:00 PM	West Gate	311.0 μ Sv/h	under 0.01 μ Sv/h	west	3.5
11:30 AM	West Gate	312.3 μ Sv/h	under 0.01 μ Sv/h	west-northwest	2.9
11:20 AM	West Gate	312.5 μ Sv/h	under 0.01 μ Sv/h	west	4.4
11:15 AM	West Gate	313.1 μ Sv/h	under 0.01 μ Sv/h	northwest	4.7
11:10 AM	Main Gate	646.2 μ Sv/h	under 0.01 μ Sv/h	north-northwest	2.3
11:00 AM	Main Gate	647.3 μ Sv/h	under 0.01 μ Sv/h	northwest	4.8
10:50 AM	North of Main Building	3743.0 μ Sv/h	under 0.01 μ Sv/h	southwest	2.2
10:40 AM	North of Main Building	3753.0 μ Sv/h	under 0.01 μ Sv/h	west-southwest	4.5
10:30 AM	North of Main Building	3750.0 μ Sv/h	under 0.01 μ Sv/h	west	7.0
10:20 AM	North of Main Building	3754.0 μ Sv/h	under 0.01 μ Sv/h	west	5.2
10:10 AM	North of Main Building	3755.0 μ Sv/h	under 0.01 μ Sv/h	northwest	5.6

Measurement Time	Measured Place	γ Ray	Neutron Ray	Wind Direction	Wind Velocity (m/s)
10:00 AM	North of Main Building	3759.0 μ Sv/h	under 0.01 μ Sv/h	northwest	5.2
9:50 AM	North of Main Building	3763.0 μ Sv/h	under 0.01 μ Sv/h	west	6.8
9:40 AM	North of Main Building	3782.0 μ Sv/h	under 0.01 μ Sv/h	west-southwest	5.0
9:30 AM	North of Main Building	3786.0 μ Sv/h	under 0.01 μ Sv/h	west	5.1
9:10 AM	Side of Gym	371.9 μ Sv/h	under 0.01 μ Sv/h	southwest	3.0
9:00 AM	Side of Gym	373.7 μ Sv/h	under 0.01 μ Sv/h	southwest	3.7
8:50 AM	Side of Gym	372.7 μ Sv/h	under 0.01 μ Sv/h	southwest	3.4
8:40 AM	Side of Gym	372.5 μ Sv/h	under 0.01 μ Sv/h	southwest	3.8
8:30 AM	Side of Gym	373.0 μ Sv/h	under 0.01 μ Sv/h	west-southwest	3.2
8:00 AM	Side of Gym	379.0 μ Sv/h	under 0.01 μ Sv/h	southwest	3.7
7:50 AM	Side of Gym	381.3 μ Sv/h	under 0.01 μ Sv/h	west	3.7
7:30 AM	West Gate	313.5 μ Sv/h	under 0.01 μ Sv/h	west	3.8
7:00 AM	West Gate	314.5 μ Sv/h	under 0.01 μ Sv/h	west	3.7
6:30 AM	West Gate	333.8 μ Sv/h	under 0.01 μ Sv/h	west	3.6
6:00 AM	West Gate	334.7 μ Sv/h	under 0.01 μ Sv/h	west	3.1
5:30 AM	West Gate	336.1 μ Sv/h	under 0.01 μ Sv/h	west	2.3
5:00 AM	West Gate	338.3 μ Sv/h	under 0.01 μ Sv/h	west	1.3
4:30 AM	West Gate	339.4 μ Sv/h	under 0.01 μ Sv/h	northwest	1.0
4:00 AM	West Gate	340.8 μ Sv/h	under 0.01 μ Sv/h	west	1.8
3:30 AM	West Gate	341.7 μ Sv/h	under 0.01 μ Sv/h	west	1.8
3:00 AM	West Gate	344.6 μ Sv/h	under 0.01 μ Sv/h	north	1.5
2:30 AM	West Gate	344.8 μ Sv/h	under 0.01 μ Sv/h	northwest	1.5
2:00 AM	West Gate	345.9 μ Sv/h	under 0.01 μ Sv/h	west	0.5
1:30 AM	West Gate	348.2 μ Sv/h	under 0.01 μ Sv/h	east	0.9
1:00 AM	West Gate	350.0 μ Sv/h	under 0.01 μ Sv/h	north-northwest	0.6
0:50 AM	West Gate	350.1 μ Sv/h	under 0.01 μ Sv/h	south-southwest	0.4
0:30 AM	West Gate	351.4 μ Sv/h	under 0.01 μ Sv/h	northeast	1.1