

[Appendix] Monitoring data by a monitoring car at Fukushima Daiichi Nuclear Power Station

Measurement Date : 03/22/2011

Measurement Time	Measured Place	Ray	Neutron Ray	Wind Direction	Wind Velocity (m/s)
1:30 PM	Main Gate	254.8 μ Sv/h	under 0.01 μ Sv/h	north-northwest	1.5
1:20 PM	Main Gate	255.2 μ Sv/h	under 0.01 μ Sv/h	northeast	1.4
1:10 PM	Main Gate	255.7 μ Sv/h	under 0.01 μ Sv/h	north	1.6
1:00 PM	Main Gate	255.6 μ Sv/h	under 0.01 μ Sv/h	north	1.8
0:50 PM	Main Gate	255.8 μ Sv/h	under 0.01 μ Sv/h	north-northwest	1.4
0:40 PM	Main Gate	255.6 μ Sv/h	under 0.01 μ Sv/h	north	1.7
0:30 PM	Main Gate	256.3 μ Sv/h	under 0.01 μ Sv/h	northwest	1.3
0:20 PM	Main Gate	256.1 μ Sv/h	under 0.01 μ Sv/h	north	1.3
0:10 PM	Main Gate	256.0 μ Sv/h	under 0.01 μ Sv/h	north	1.4
0:00 PM	Main Gate	256.3 μ Sv/h	under 0.01 μ Sv/h	north	1.5
11:50 AM	Main Gate	256.4 μ Sv/h	under 0.01 μ Sv/h	north-northwest	2.3
11:40 AM	Main Gate	256.5 μ Sv/h	under 0.01 μ Sv/h	north-northwest	1.5
11:30 AM	Main Gate	256.5 μ Sv/h	under 0.01 μ Sv/h	west	1.7
11:20 AM	Main Gate	256.9 μ Sv/h	under 0.01 μ Sv/h	north-northwest	1.3
11:10 AM	Main Gate	257.1 μ Sv/h	under 0.01 μ Sv/h	north	2.2
11:00 AM	Main Gate	257.5 μ Sv/h	under 0.01 μ Sv/h	north-northwest	1.7
10:50 AM	Main Gate	257.3 μ Sv/h	under 0.01 μ Sv/h	north-northwest	1.6
10:40 AM	Main Gate	258.4 μ Sv/h	under 0.01 μ Sv/h	north	1.5
10:30 AM	Main Gate	258.7 μ Sv/h	under 0.01 μ Sv/h	northwest	1.5
10:20 AM	Main Gate	258.9 μ Sv/h	under 0.01 μ Sv/h	west-northwest	1.4
10:10 AM	Main Gate	259.4 μ Sv/h	under 0.01 μ Sv/h	northwest	1.3
10:00 AM	Main Gate	260.2 μ Sv/h	under 0.01 μ Sv/h	west-northwest	1.8
9:50 AM	Main Gate	259.5 μ Sv/h	under 0.01 μ Sv/h	west-northwest	1.8
9:40 AM	Main Gate	259.4 μ Sv/h	under 0.01 μ Sv/h	west	1.7
9:30 AM	Main Gate	259.9 μ Sv/h	under 0.01 μ Sv/h	northwest	1.5
9:20 AM	Main Gate	260.0 μ Sv/h	under 0.01 μ Sv/h	west-northwest	1.1
9:10 AM	Main Gate	260.1 μ Sv/h	under 0.01 μ Sv/h	northwest	1.3
9:00 AM	Main Gate	260.2 μ Sv/h	under 0.01 μ Sv/h	west	1.5
8:50 AM	Main Gate	260.2 μ Sv/h	under 0.01 μ Sv/h	west	1.1
8:40 AM	Main Gate	260.4 μ Sv/h	under 0.01 μ Sv/h	northwest	1.2
8:30 AM	Main Gate	260.3 μ Sv/h	under 0.01 μ Sv/h	west	1.4
8:20 AM	Main Gate	260.5 μ Sv/h	under 0.01 μ Sv/h	west	1.5
8:10 AM	Main Gate	260.8 μ Sv/h	under 0.01 μ Sv/h	west	1.4
8:00 AM	Main Gate	260.9 μ Sv/h	under 0.01 μ Sv/h	west-northwest	1.8
7:50 AM	Main Gate	261.0 μ Sv/h	under 0.01 μ Sv/h	west-northwest	2.4
7:40 AM	Main Gate	261.2 μ Sv/h	under 0.01 μ Sv/h	west-northwest	2.2
7:30 AM	Main Gate	261.6 μ Sv/h	under 0.01 μ Sv/h	northwest	1.8
7:20 AM	Main Gate	261.7 μ Sv/h	under 0.01 μ Sv/h	west-northwest	1.9
7:10 AM	Main Gate	261.8 μ Sv/h	under 0.01 μ Sv/h	northwest	2.0
7:00 AM	Main Gate	261.9 μ Sv/h	under 0.01 μ Sv/h	west-northwest	1.8
6:50 AM	Main Gate	262.1 μ Sv/h	under 0.01 μ Sv/h	northwest	2.3
6:40 AM	Main Gate	262.6 μ Sv/h	under 0.01 μ Sv/h	west-northwest	2.3
6:30 AM	Main Gate	263.7 μ Sv/h	under 0.01 μ Sv/h	west-northwest	1.8
6:20 AM	Main Gate	265.5 μ Sv/h	under 0.01 μ Sv/h	west	1.5
6:10 AM	Main Gate	264.3 μ Sv/h	under 0.01 μ Sv/h	northwest	1.3
6:00 AM	Main Gate	264.6 μ Sv/h	under 0.01 μ Sv/h	north	1.3
5:50 AM	Main Gate	265.3 μ Sv/h	under 0.01 μ Sv/h	west	1.6
5:40 AM	Main Gate	265.8 μ Sv/h	under 0.01 μ Sv/h	west	1.7
5:30 AM	Main Gate	267.4 μ Sv/h	under 0.01 μ Sv/h	northwest	1.9
5:20 AM	Main Gate	268.0 μ Sv/h	under 0.01 μ Sv/h	west	1.6
5:10 AM	Main Gate	271.0 μ Sv/h	under 0.01 μ Sv/h	northwest	1.8
5:00 AM	Main Gate	273.9 μ Sv/h	under 0.01 μ Sv/h	northwest	2.0
4:50 AM	Main Gate	280.1 μ Sv/h	under 0.01 μ Sv/h	northwest	1.1
4:40 AM	Main Gate	283.6 μ Sv/h	under 0.01 μ Sv/h	north	2.1
4:30 AM	Main Gate	286.0 μ Sv/h	under 0.01 μ Sv/h	north-northwest	0.4
4:20 AM	Main Gate	287.0 μ Sv/h	under 0.01 μ Sv/h	northwest	0.5
4:10 AM	Main Gate	288.1 μ Sv/h	under 0.01 μ Sv/h	west	0.6
4:00 AM	Main Gate	288.9 μ Sv/h	under 0.01 μ Sv/h	west-northwest	0.8
3:50 AM	Main Gate	290.0 μ Sv/h	under 0.01 μ Sv/h	west-northwest	0.8
3:40 AM	Main Gate	291.1 μ Sv/h	under 0.01 μ Sv/h	west-northwest	0.8

Measurement Time	Measured Place	Ray	Neutron Ray	Wind Direction	Wind Velocity (m/s)
3:30 AM	Main Gate	291.6 μ Sv/h	under 0.01 μ Sv/h	west-northwest	0.9
3:20 AM	Main Gate	293.6 μ Sv/h	under 0.01 μ Sv/h	northwest	0.9
3:10 AM	Main Gate	293.8 μ Sv/h	under 0.01 μ Sv/h	west-northwest	1.0
3:00 AM	Main Gate	294.9 μ Sv/h	under 0.01 μ Sv/h	northwest	0.9
2:50 AM	Main Gate	296.2 μ Sv/h	under 0.01 μ Sv/h	north-northwest	1.0
2:40 AM	Main Gate	298.0 μ Sv/h	under 0.01 μ Sv/h	west-northwest	1.0
2:30 AM	Main Gate	299.7 μ Sv/h	under 0.01 μ Sv/h	west-northwest	0.8
2:20 AM	Main Gate	301.3 μ Sv/h	under 0.01 μ Sv/h	west	1.1
2:10 AM	Main Gate	303.2 μ Sv/h	under 0.01 μ Sv/h	west	1.3
2:00 AM	Main Gate	304.5 μ Sv/h	under 0.01 μ Sv/h	west	1.1
1:50 AM	Main Gate	305.9 μ Sv/h	under 0.01 μ Sv/h	west-northwest	1.0
1:40 AM	Main Gate	308.4 μ Sv/h	under 0.01 μ Sv/h	west-northwest	0.8
1:30 AM	Main Gate	308.9 μ Sv/h	under 0.01 μ Sv/h	west	0.7
1:20 AM	Main Gate	311.3 μ Sv/h	under 0.01 μ Sv/h	west	0.4
1:10 AM	Main Gate	313.0 μ Sv/h	under 0.01 μ Sv/h	west	0.5
1:00 AM	Main Gate	314.8 μ Sv/h	under 0.01 μ Sv/h	west-northwest	0.6
0:50 AM	Main Gate	320.8 μ Sv/h	under 0.01 μ Sv/h	west-southwest	0.4
0:40 AM	Main Gate	323.9 μ Sv/h	under 0.01 μ Sv/h	west	0.3
0:30 AM	Main Gate	325.8 μ Sv/h	under 0.01 μ Sv/h	west-southwest	0.4
0:20 AM	Main Gate	327.5 μ Sv/h	under 0.01 μ Sv/h	west-southwest	0.4
0:10 AM	Main Gate	329.3 μ Sv/h	under 0.01 μ Sv/h	southwest	0.4
0:00 AM	Main Gate	331.8 μ Sv/h	under 0.01 μ Sv/h	southeast	0.4