

[Appendix] Monitoring data by a monitoring car at Fukushima Daiichi Nuclear Power Station

Measurement Date : 03/23/2011

Measurement Time	Measured Place	γ Ray	Neutron Ray	Wind Direction	Wind Velocity (m/s)
7:00 AM	Main Gate	229.3 μ Sv/h	under 0.01 μ Sv/h	north-northwest	2.7
6:50 AM	Main Gate	229.5 μ Sv/h	under 0.01 μ Sv/h	north-northwest	2.1
6:40 AM	Main Gate	229.5 μ Sv/h	under 0.01 μ Sv/h	northwest	2.4
6:30 AM	Main Gate	229.6 μ Sv/h	under 0.01 μ Sv/h	north-northwest	2.7
6:20 AM	Main Gate	229.4 μ Sv/h	under 0.01 μ Sv/h	northwest	2.6
6:10 AM	Main Gate	229.6 μ Sv/h	under 0.01 μ Sv/h	north-northwest	2.5
6:00 AM	Main Gate	229.6 μ Sv/h	under 0.01 μ Sv/h	north-northwest	2.5
5:50 AM	Main Gate	229.7 μ Sv/h	under 0.01 μ Sv/h	northwest	2.4
5:40 AM	Main Gate	229.5 μ Sv/h	under 0.01 μ Sv/h	north-northwest	2.2
5:30 AM	Main Gate	229.5 μ Sv/h	under 0.01 μ Sv/h	northwest	2.1
5:20 AM	Main Gate	229.6 μ Sv/h	under 0.01 μ Sv/h	north-northwest	2.2
5:10 AM	Main Gate	229.3 μ Sv/h	under 0.01 μ Sv/h	north	1.8
5:00 AM	Main Gate	229.5 μ Sv/h	under 0.01 μ Sv/h	north	2.1
4:50 AM	Main Gate	229.5 μ Sv/h	under 0.01 μ Sv/h	north	2.1
4:40 AM	Main Gate	229.5 μ Sv/h	under 0.01 μ Sv/h	north-northwest	1.8
4:30 AM	Main Gate	229.3 μ Sv/h	under 0.01 μ Sv/h	northwest	1.7
4:20 AM	Main Gate	229.4 μ Sv/h	under 0.01 μ Sv/h	north-northwest	2.4
4:10 AM	Main Gate	229.1 μ Sv/h	under 0.01 μ Sv/h	northwest	2.1
4:00 AM	Main Gate	229.1 μ Sv/h	under 0.01 μ Sv/h	north	2.1
3:50 AM	Main Gate	229.0 μ Sv/h	under 0.01 μ Sv/h	northwest	2.2
3:40 AM	Main Gate	228.8 μ Sv/h	under 0.01 μ Sv/h	north	2.6
3:30 AM	Main Gate	228.8 μ Sv/h	under 0.01 μ Sv/h	north-northwest	2.3
3:20 AM	Main Gate	228.7 μ Sv/h	under 0.01 μ Sv/h	north-northwest	2.3
3:10 AM	Main Gate	228.5 μ Sv/h	under 0.01 μ Sv/h	north	2.2
3:00 AM	Main Gate	227.6 μ Sv/h	under 0.01 μ Sv/h	north-northwest	2.9
2:50 AM	Main Gate	227.3 μ Sv/h	under 0.01 μ Sv/h	northwest	3.1
2:40 AM	Main Gate	227.2 μ Sv/h	under 0.01 μ Sv/h	north	3.0
2:30 AM	Main Gate	227.1 μ Sv/h	under 0.01 μ Sv/h	north	2.9
2:20 AM	Main Gate	227.1 μ Sv/h	under 0.01 μ Sv/h	northwest	2.8
2:10 AM	Main Gate	226.9 μ Sv/h	under 0.01 μ Sv/h	north	2.8
2:00 AM	Main Gate	226.7 μ Sv/h	under 0.01 μ Sv/h	north	3.2
1:50 AM	Main Gate	226.7 μ Sv/h	under 0.01 μ Sv/h	north	3.3
1:40 AM	Main Gate	226.8 μ Sv/h	under 0.01 μ Sv/h	north-northwest	3.4
1:30 AM	Main Gate	226.8 μ Sv/h	under 0.01 μ Sv/h	north-northwest	4.2
1:20 AM	Main Gate	227.2 μ Sv/h	under 0.01 μ Sv/h	north-northwest	6.0
1:10 AM	Main Gate	227.4 μ Sv/h	under 0.01 μ Sv/h	northeast	6.5
1:00 AM	Main Gate	227.5 μ Sv/h	under 0.01 μ Sv/h	north	2.4
0:50 AM	Main Gate	229.4 μ Sv/h	under 0.01 μ Sv/h	northeast	5.5
0:40 AM	Main Gate	230.1 μ Sv/h	under 0.01 μ Sv/h	northwest	2.5
0:30 AM	Main Gate	231.6 μ Sv/h	under 0.01 μ Sv/h	west	4.3
0:20 AM	Main Gate	232.3 μ Sv/h	under 0.01 μ Sv/h	north-northwest	2.6
0:10 AM	Main Gate	233.3 μ Sv/h	under 0.01 μ Sv/h	northwest	1.8
0:00 AM	Main Gate	233.4 μ Sv/h	under 0.01 μ Sv/h	northwest	1.8