

Radiation Dose measured at Monitoring Post of Fukushima Daiichi Nuclear Power Station(μ Sv/h)

Date of measurement	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8
2011/4/10 9:00	12	40	40	39	75	119	244	203
2011/4/10 8:50	12	40	40	39	75	119	244	203
2011/4/10 8:40	12	40	40	39	75	119	244	203
2011/4/10 8:30	12	40	40	39	75	119	244	203
2011/4/10 8:20	12	40	40	39	75	119	244	203
2011/4/10 8:10	12	40	40	39	75	119	244	203
2011/4/10 8:00	12	40	40	39	75	119	244	203
2011/4/10 7:50	12	40	40	39	75	119	244	203
2011/4/10 7:40	12	40	40	39	75	119	244	203
2011/4/10 7:30	12	40	40	39	75	119	244	203
2011/4/10 7:20	12	40	40	39	75	119	244	203
2011/4/10 7:10	12	40	40	39	75	119	244	202
2011/4/10 7:00	12	40	40	39	75	119	244	202
2011/4/10 6:50	12	40	40	39	75	119	244	202
2011/4/10 6:40	12	40	40	39	75	119	244	202
2011/4/10 6:30	12	40	40	39	75	119	244	202
2011/4/10 6:20	12	40	40	39	75	119	244	202
2011/4/10 6:10	12	40	40	39	75	119	244	202
2011/4/10 6:00	12	40	40	39	75	119	244	202
2011/4/10 5:50	12	40	40	39	75	119	244	203
2011/4/10 5:40	12	40	40	39	75	119	244	203
2011/4/10 5:30	12	40	40	39	75	119	244	203
2011/4/10 5:20	12	40	40	39	75	119	244	203
2011/4/10 5:10	12	40	40	39	75	119	244	203
2011/4/10 5:00	12	40	40	39	75	119	244	203
2011/4/10 4:50	12	40	40	39	75	119	244	203
2011/4/10 4:40	12	40	40	39	75	119	244	203
2011/4/10 4:30	12	40	40	39	75	119	244	203
2011/4/10 4:20	12	40	40	39	76	119	244	203
2011/4/10 4:10	12	40	40	39	75	119	244	203
2011/4/10 4:00	12	40	40	39	76	119	244	203
2011/4/10 3:50	12	40	40	39	75	119	244	203
2011/4/10 3:40	12	40	40	39	76	119	245	203
2011/4/10 3:30	12	40	40	39	76	120	245	204
2011/4/10 3:20	12	40	40	39	76	120	245	204
2011/4/10 3:10	12	40	40	39	76	120	245	204
2011/4/10 3:00	12	40	40	39	76	120	245	204

Radiation Dose measured at Monitoring Post of Fukushima Daiichi Nuclear Power Station(μ Sv/h)

Date of measurement	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8
2011/4/10 2:50	12	40	40	39	76	120	245	204
2011/4/10 2:40	12	40	40	39	76	120	245	204
2011/4/10 2:30	12	40	40	39	76	120	245	204
2011/4/10 2:20	12	40	40	39	76	120	245	204
2011/4/10 2:10	12	40	40	39	76	120	245	204
2011/4/10 2:00	12	40	40	39	76	120	246	204
2011/4/10 1:50	12	40	40	39	77	120	246	204
2011/4/10 1:40	12	40	40	39	77	120	246	204
2011/4/10 1:30	12	40	40	39	77	120	246	204
2011/4/10 1:20	12	40	40	39	77	120	246	204
2011/4/10 1:10	12	40	40	39	77	120	246	204
2011/4/10 1:00	12	40	40	39	77	120	246	204
2011/4/10 0:50	12	40	40	39	77	120	246	204
2011/4/10 0:40	12	40	40	39	77	120	246	204
2011/4/10 0:30	12	40	40	39	77	120	246	204
2011/4/10 0:20	12	40	40	39	77	120	246	204
2011/4/10 0:10	12	40	40	39	77	120	246	204
2011/4/10 0:00	12	40	40	39	77	121	246	204

Fixed point Monitoring Status by Temporary Monitoring Post at Fukushima Daiichi Nuclear Power Station

Date	Radiation Dose Rate (mSv/h) At the Main Buiding	Radiation Dose Rate (μ Sv/h) At the Main Gate	Radiation Dose Rate (μ Sv/h) At the West Gate
2011/4/10 9:00	0.61	85	37
2011/4/10 8:30	0.62	86	37
2011/4/10 8:00	0.62	86	37
2011/4/10 7:30	0.62	85	37
2011/4/10 7:00	0.62	86	37
2011/4/10 6:30	0.62	86	37
2011/4/10 6:00	0.62	87	38
2011/4/10 5:30	0.62	85	37
2011/4/10 5:00	0.62	86	37
2011/4/10 4:30	0.62	86	37
2011/4/10 4:00	0.62	85	37
2011/4/10 3:30	0.62	87	37
2011/4/10 3:00	0.62	86	37
2011/4/10 2:30	0.62	86	37
2011/4/10 2:00	0.62	86	37
2011/4/10 1:30	0.62	86	37
2011/4/10 1:00	0.62	86	38
2011/4/10 0:30	0.62	86	38
2011/4/10 0:00	0.62	87	37

Monitoring data by a monitoring car* at Fukushima Daiichi Nuclear Power Station

* The car supplements fixed point Monitoring Status by Temporary Monitoring Post

Measurement Date : 04/10/2011

Measurement Time	Measured Place	γ Ray	Neutron Ray	Wind Direction	Wind Velocity (m/s)
9:00 AM	West Gate	47.1 μ Sv/h	under 0.01 μ Sv/h	northeast	1.6
8:50 AM	West Gate	47.1 μ Sv/h	under 0.01 μ Sv/h	east	1.3
8:40 AM	West Gate	47.0 μ Sv/h	under 0.01 μ Sv/h	southeast	2.4
8:30 AM	West Gate	47.2 μ Sv/h	under 0.01 μ Sv/h	east-southeast	2.1
8:20 AM	West Gate	47.2 μ Sv/h	under 0.01 μ Sv/h	east	2.3
8:10 AM	West Gate	47.1 μ Sv/h	under 0.01 μ Sv/h	east	1.9
8:00 AM	West Gate	47.0 μ Sv/h	under 0.01 μ Sv/h	northeast	0.7
7:50 AM	West Gate	47.1 μ Sv/h	under 0.01 μ Sv/h	southeast	0.8
7:40 AM	West Gate	47.1 μ Sv/h	under 0.01 μ Sv/h	northeast	0.7
7:30 AM	West Gate	47.1 μ Sv/h	under 0.01 μ Sv/h	east-northeast	0.9
7:20 AM	West Gate	47.0 μ Sv/h	under 0.01 μ Sv/h	north	0.6
7:10 AM	West Gate	47.1 μ Sv/h	under 0.01 μ Sv/h	north	0.4
7:00 AM	West Gate	47.1 μ Sv/h	under 0.01 μ Sv/h	northwest	0.5
6:50 AM	West Gate	47.0 μ Sv/h	under 0.01 μ Sv/h	west	0.5
6:40 AM	West Gate	47.1 μ Sv/h	under 0.01 μ Sv/h	west-southwest	0.6
6:30 AM	West Gate	47.0 μ Sv/h	under 0.01 μ Sv/h	southwest	0.6
6:20 AM	West Gate	47.1 μ Sv/h	under 0.01 μ Sv/h	west-northwest	0.7
6:10 AM	West Gate	47.1 μ Sv/h	under 0.01 μ Sv/h	west	0.8
6:00 AM	West Gate	47.1 μ Sv/h	under 0.01 μ Sv/h	west	0.5
5:50 AM	West Gate	47.1 μ Sv/h	under 0.01 μ Sv/h	west	0.7
5:40 AM	West Gate	47.2 μ Sv/h	under 0.01 μ Sv/h	west	0.6
5:30 AM	West Gate	47.2 μ Sv/h	under 0.01 μ Sv/h	west-southwest	0.5
5:20 AM	West Gate	47.2 μ Sv/h	under 0.01 μ Sv/h	west-southwest	0.6
5:10 AM	West Gate	47.2 μ Sv/h	under 0.01 μ Sv/h	west	0.7
5:00 AM	West Gate	47.2 μ Sv/h	under 0.01 μ Sv/h	west-southwest	0.8
4:50 AM	West Gate	47.2 μ Sv/h	under 0.01 μ Sv/h	southwest	0.7
4:40 AM	West Gate	47.3 μ Sv/h	under 0.01 μ Sv/h	west-southwest	0.7
4:30 AM	West Gate	47.2 μ Sv/h	under 0.01 μ Sv/h	west	0.9
4:20 AM	West Gate	47.3 μ Sv/h	under 0.01 μ Sv/h	west	0.8
4:10 AM	West Gate	47.4 μ Sv/h	under 0.01 μ Sv/h	west	0.5
4:00 AM	West Gate	47.3 μ Sv/h	under 0.01 μ Sv/h	west-northwest	0.5
3:50 AM	West Gate	47.2 μ Sv/h	under 0.01 μ Sv/h	west-northwest	0.5
3:40 AM	West Gate	47.3 μ Sv/h	under 0.01 μ Sv/h	west	0.6
3:30 AM	West Gate	47.3 μ Sv/h	under 0.01 μ Sv/h	northwest	0.6
3:20 AM	West Gate	47.5 μ Sv/h	under 0.01 μ Sv/h	west-southwest	0.5
3:10 AM	West Gate	47.4 μ Sv/h	under 0.01 μ Sv/h	west	0.4
3:00 AM	West Gate	47.4 μ Sv/h	under 0.01 μ Sv/h	west	0.5
2:50 AM	West Gate	47.4 μ Sv/h	under 0.01 μ Sv/h	west-northwest	0.4
2:40 AM	West Gate	47.4 μ Sv/h	under 0.01 μ Sv/h	west-northwest	0.4
2:30 AM	West Gate	47.6 μ Sv/h	under 0.01 μ Sv/h	northwest	0.3
2:20 AM	West Gate	47.6 μ Sv/h	under 0.01 μ Sv/h	west	2.0
2:10 AM	West Gate	47.6 μ Sv/h	under 0.01 μ Sv/h	northwest	0.4
2:00 AM	West Gate	47.6 μ Sv/h	under 0.01 μ Sv/h	west-northwest	0.5
1:50 AM	West Gate	47.7 μ Sv/h	under 0.01 μ Sv/h	south	0.3
1:40 AM	West Gate	47.6 μ Sv/h	under 0.01 μ Sv/h	southwest	0.4
1:30 AM	West Gate	47.7 μ Sv/h	under 0.01 μ Sv/h	southwest	0.3
1:20 AM	West Gate	47.7 μ Sv/h	under 0.01 μ Sv/h	south-southwest	0.2
1:10 AM	West Gate	47.7 μ Sv/h	under 0.01 μ Sv/h	west-southwest	0.4
1:00 AM	West Gate	47.7 μ Sv/h	under 0.01 μ Sv/h	west-southwest	0.4
0:50 AM	West Gate	47.7 μ Sv/h	under 0.01 μ Sv/h	southwest	0.6
0:40 AM	West Gate	47.6 μ Sv/h	under 0.01 μ Sv/h	west-southwest	0.6
0:30 AM	West Gate	47.8 μ Sv/h	under 0.01 μ Sv/h	west-southwest	0.4
0:20 AM	West Gate	47.8 μ Sv/h	under 0.01 μ Sv/h	west-northwest	0.4
0:10 AM	West Gate	47.8 μ Sv/h	under 0.01 μ Sv/h	north-northwest	0.3
0:00 AM	West Gate	47.9 μ Sv/h	under 0.01 μ Sv/h	south	0.4