

Result of gamma ray nuclide analysis of soil – Fukushima Daiichi Nuclear Power Station

- 1.Result of measurement: The results of gamma ray nuclide analysis from the samples taken in the power station are as follows.  
 Analysis was conducted on all samples on which we conducted plutonium analysis.
2. Evaluation: The result of gamma ray nuclide analysis of soil conducted by Fukushima Prefecture in FY 2009 is shown below.  
 Compared to this, higher radioactivity density has been detected.  
 <Results of the soil analysis conducted by Fukushima Prefecture in FY 2009>  
 Cs-137: ND~21Bq/kg·dry soil, Others: ND

(Unit: Bq/kg·wet soil)

Sampling spot		【Fixed point①】*1 Playground (west-northwest approx. 500m)*2		【Fixed point②】*1 Forest of wild birds (west approx. 500m)*2		【Fixed point③】*1 Adjacent to industrial waste disposal facility (south-southwest approx. 500m)*2	
		Date of sampling	6/6	6/9	6/6	6/9	6/6
Analyses Organization		an Chemical Analysis Cente	Japan Atomic Energy Agency	an Chemical Analysis Cente	Japan Atomic Energy Agency	an Chemical Analysis Cente	Japan Atomic Energy Agency
Date of analysis		6/8	6/10	6/8	6/10	6/8	6/10
Nuclide (Half-life)	I-131(approx. 8 days)	7.2E+03	9.3E+03	3.6E+01	5.2E+01	6.8E+03	7.9E+03
	I-132(approx. 2 hours)	ND	ND	ND	ND	ND	ND
	Cs-134(approx. 2 years)	4.5E+05	5.8E+05	3.5E+02	4.6E+02	6.7E+05	1.2E+06
	Cs-136(approx. 13 days)	1.4E+03	1.5E+03	ND	ND	1.9E+03	3.3E+03
	Cs-137(approx. 30 years)	4.6E+05	6.2E+05	3.5E+02	4.8E+02	7.0E+05	1.3E+06
	Te-129m(approx. 34 days)	8.6E+04	5.6E+04	ND	ND	1.8E+05	2.0E+05
	Te-132(approx. 3 days)	ND	ND	ND	ND	ND	ND
	Ba-140(approx. 13 days)	ND	ND	ND	ND	ND	ND
	Nb-95(approx. 35 days)	ND	6.9E+02	ND	ND	ND	ND
	Ru-106(approx. 370 days)	ND	ND	ND	ND	ND	ND
	Mo-99(approx. 66 hours)	ND	ND	ND	ND	ND	ND
	Tc-99m(approx. 6 hours)	ND	ND	ND	ND	ND	ND
	La-140(approx. 2 days)	ND	ND	ND	ND	ND	ND
	Be-7(aapprox. 53 days)	ND	ND	ND	ND	ND	ND
Ag-110m(approx. 250 days)	ND	2.5E+03	ND	ND	ND	1.6E+03	

\*1 Avoiding duplicates, we collected samples from adjacent area for ① Playground and ③ Adjacent to industrial waste disposal facility.

We collected samples depth direction at same point for ② Forest of wild birds. (In case we unable to collect samples at the same point, we will collect from new point.)

\*2 Distance from the stack of Unit 1, 2

\*3 No half life period adjustment before sampliyig at Japan Chemical Analysis Center