

## 福島第一・1号機 原子炉注水量低減時の原子炉格納容器温度

操作ステップ :           ステップ1  
 操作完了時刻 :           2016/12/14 11:57

原子炉格納容器温度は、原子炉注水低減における各ステップの操作完了後、24時間は1時間毎(正時)のデータ監視を行うこととしており、温度データに異常がみられない場合は、通常の監視頻度(6時間毎)に移行することとしている。

計器 日 時	原子炉格納容器温度(°C)											
	TE-1625A	TE-1625B	TE-1625C	TE-1625D	TE-1625E	TE-1625F	TE-1625G	TE-1625H	TE-1625J	TE-1625K	TE-1625T3	TE-1625T6
2016/12/14 11:00	19.3	18.9	18.9	19.0	19.0	18.8	18.8	24.8	21.4	22.4	19.8	20.1
2016/12/14 12:00	19.3	18.9	18.9	18.9	19.0	18.7	18.8	24.8	21.4	22.3	19.8	20.2
2016/12/14 13:00	19.3	18.9	18.8	18.9	18.9	18.7	18.8	24.8	21.4	22.3	19.8	19.9
2016/12/14 14:00	19.3	18.9	18.8	18.9	18.9	18.7	18.8	24.8	21.4	22.3	19.8	19.9
2016/12/14 15:00	19.3	18.9	18.9	18.9	18.9	18.7	18.8	24.8	21.4	22.3	19.8	19.9
2016/12/14 16:00	19.3	18.8	18.8	18.9	18.9	18.7	18.8	24.8	21.4	22.3	19.8	19.9
2016/12/14 17:00	19.2	18.8	18.8	18.9	18.9	18.6	18.8	24.8	21.3	22.3	19.8	19.9
2016/12/14 18:00	19.3	18.8	18.8	18.9	18.9	18.6	18.7	24.8	21.3	22.2	19.8	20.0
2016/12/14 19:00	19.3	18.8	18.8	18.9	18.9	18.6	18.7	24.8	21.3	22.2	19.8	19.9
2016/12/14 20:00	19.2	18.8	18.8	18.8	18.9	18.6	18.7	24.7	21.3	22.2	19.8	19.8
2016/12/14 21:00	19.2	18.8	18.8	18.8	18.9	18.6	18.7	24.7	21.3	22.2	19.7	19.8
2016/12/14 22:00	19.3	18.8	18.8	18.9	18.9	18.6	18.7	24.7	21.3	22.2	19.7	19.8
2016/12/14 23:00	19.2	18.8	18.8	18.8	18.9	18.6	18.8	24.7	21.3	22.2	19.8	19.8
2016/12/15 0:00	19.2	18.8	18.8	18.8	18.9	18.6	18.7	24.7	21.3	22.2	19.7	19.8
2016/12/15 1:00	19.2	18.8	18.8	18.8	18.8	18.6	18.7	24.7	21.3	22.2	19.8	19.9
2016/12/15 2:00	19.2	18.8	18.7	18.8	18.8	18.6	18.7	24.7	21.3	22.2	19.7	19.9
2016/12/15 3:00	19.2	18.7	18.7	18.8	18.8	18.6	18.7	24.7	21.2	22.2	19.8	19.9
2016/12/15 4:00	19.2	18.8	18.7	18.8	18.8	18.6	18.7	24.7	21.3	22.2	19.8	19.9
2016/12/15 5:00	19.2	18.7	18.7	18.8	18.8	18.5	18.7	24.7	21.3	22.1	19.8	20.0
2016/12/15 6:00	19.1	18.7	18.7	18.8	18.8	18.5	18.6	24.6	21.2	22.1	19.7	19.9
2016/12/15 7:00	19.2	18.7	18.7	18.8	18.8	18.5	18.7	24.6	21.2	22.1	19.7	19.8
2016/12/15 8:00	19.2	18.7	18.7	18.8	18.8	18.5	18.6	24.6	21.2	22.1	19.7	19.8
2016/12/15 9:00	19.1	18.7	18.7	18.7	18.8	18.5	18.6	24.6	21.1	22.1	19.6	20.0
2016/12/15 10:00	19.1	18.6	18.7	18.7	18.8	18.5	18.6	24.6	21.1	22.1	19.7	20.1
2016/12/15 11:00	19.1	18.7	18.6	18.7	18.8	18.5	18.6	24.6	21.1	22.1	19.6	20.1
2016/12/15 12:00	19.1	18.7	18.6	18.7	18.7	18.5	18.6	24.6	21.2	22.1	19.7	20.1