

測定月報

測定日：2016/03

(1/2)

日	モニタ									
	B001 入退域管理棟周辺	B002 正門警備所周辺	B003 環境管理棟周辺	B004 車両スクリーニング場周辺	B005 厚生棟休憩所周辺	B006 登録センター休憩所周辺	B007 5/5号サービス建屋休憩所周辺	B008 シールド中央制御室周辺	B009 免震重要棟周辺	B010 5/6号防護本部周辺
	線量率 ($\mu\text{Sv/h}$)	線量率 ($\mu\text{Sv/h}$)	線量率 ($\mu\text{Sv/h}$)	線量率 ($\mu\text{Sv/h}$)	線量率 ($\mu\text{Sv/h}$)	線量率 ($\mu\text{Sv/h}$)	線量率 ($\mu\text{Sv/h}$)	線量率 ($\mu\text{Sv/h}$)	線量率 ($\mu\text{Sv/h}$)	線量率 ($\mu\text{Sv/h}$)
1	0.335	0.737	3.339	0.601	0.904	1.980	1.539	3.837	8.120	1.389
2	0.332	0.738	3.323	0.601	0.904	1.981	1.534	3.852	8.106	1.391
3	0.336	0.753	3.361	0.609	0.912	1.991	1.565	3.933	8.095	1.419
4	0.336	0.751	3.339	0.601	0.906	1.984	1.550	3.856	7.918	1.400
5	0.340	0.787	3.386	0.601	0.906	1.978	1.553	3.857	7.906	1.393
6	0.345	0.787	3.436	0.610	0.912	1.983	1.579	3.911	8.012	1.420
7	0.349	0.787	3.354	0.611	0.909	1.987	1.563	3.951	8.061	1.429
8	0.336	0.779	3.402	0.609	0.912	1.968	1.548	3.906	8.018	1.419
9	0.319	0.754	3.333	0.600	0.890	1.953	1.503	3.765	7.820	1.368
10	0.315	0.750	3.336	0.600	0.891	1.960	1.510	3.756	7.803	1.365
11	0.316	0.758	3.375	0.600	0.894	1.967	1.514	3.744	7.802	1.373
12	0.320	0.759	3.391	0.599	0.897	1.977	1.532	3.758	7.811	1.379
13	0.323	0.764	3.396	0.603	0.901	1.982	1.540	3.790	7.858	1.392
14	0.315	0.759	3.312	0.596	0.884	1.951	1.491	3.732	7.757	1.373
15	0.326	0.759	3.318	0.601	0.896	1.960	1.517	3.785	7.825	1.383
16	0.336	0.783	3.370	0.607	0.921	1.964	1.533	3.845	7.880	1.401
17	0.346	0.789	3.447	0.615	0.929	1.982	1.564	3.897	7.964	1.430
18	0.351	0.792	3.446	0.618	0.914	1.984	1.562	3.903	8.011	1.437
19	0.363	0.798	3.441	0.623	0.918	1.985	1.575	3.976	8.071	1.447
20	0.358	0.790	3.433	0.615	0.918	1.983	1.580	3.926	7.997	1.430
21	0.349	0.787	3.408	0.607	0.909	1.967	1.550	3.840	7.876	1.407
22	0.347	0.778	3.341	0.615	0.915	1.968	1.568	3.865	7.933	1.425
23	0.349	0.782	3.377	0.612	0.918	1.973	1.576	3.880	7.948	1.433
24	0.340	0.782	3.312	0.604	0.910	1.944	1.550	3.812	7.821	1.399
25	0.342	0.788	3.376	0.605	0.907	1.937	1.554	3.815	7.837	1.403
26	0.344	0.789	3.364	0.601	0.908	1.952	1.553	3.822	7.872	1.407
27	0.348	0.795	3.358	0.606	0.917	1.959	1.582	3.870	7.907	1.416
28	0.343	0.801	3.396	0.610	0.915	1.952	1.579	3.889	7.919	1.429
29	0.343	0.802	3.389	0.608	0.910	1.952	1.572	3.861	7.903	1.426
30	0.349	0.801	3.434	0.612	0.917	1.964	1.579	3.907	7.986	1.450
31	0.344	0.787	3.429	0.611	0.916	1.952	1.583	3.905	7.972	1.437
1ヶ月値	0.339	0.776	3.378	0.607	0.908	1.968	1.552	3.853	7.929	1.409
最大値	0.396	0.976	3.576	0.671	1.055	2.103	1.762	4.160	8.350	1.533
最大値日時	03/19 16:30	03/29 02:30	03/31 18:30	03/31 16:10	03/08 00:20	03/07 11:00	03/07 09:50	03/03 16:20	03/01 14:20	03/30 16:50
最小値	0.263	0.678	2.864	0.546	0.810	1.831	1.312	3.456	7.546	1.288
最小値日時	03/14 20:20	03/01 16:10	03/09 14:20	03/26 06:20	03/09 14:30	03/22 07:00	03/10 08:40	03/15 09:50	03/09 13:50	03/09 14:10

測定月報

測定日: 2016/03

(2/2)

日	モニタ									
	B011	B012	B013	B014	B015	B016	B017	B018	B019	B020
	1号北側法面上周辺	1/2号西側法面上周辺	3/4号西側法面上周辺	4号南側法面上周辺	一般焼却炉周辺	車両整備場周辺	多核種除去施設周辺	キャスク仮保管施設周辺	野島の森五差路周辺	5/6号機西側周辺
	線量率 ($\mu\text{Sv/h}$)	線量率 ($\mu\text{Sv/h}$)	線量率 ($\mu\text{Sv/h}$)	線量率 ($\mu\text{Sv/h}$)	線量率 ($\mu\text{Sv/h}$)	線量率 ($\mu\text{Sv/h}$)	線量率 ($\mu\text{Sv/h}$)	線量率 ($\mu\text{Sv/h}$)	線量率 ($\mu\text{Sv/h}$)	線量率 ($\mu\text{Sv/h}$)
1	101.915	68.713	29.698	2.813	28.547	1.211	0.939	0.498	6.469	8.239
2	101.923	69.463	29.560	2.799	28.615	1.144	0.930	0.498	6.390	8.238
3	103.150	70.948	30.460	2.902	28.801	1.184	0.950	0.507	6.685	8.299
4	102.487	70.575	29.443	2.808	28.787	1.146	0.915	0.491	6.342	8.242
5	102.215	69.979	29.604	2.811	28.898	1.129				
6	103.153	72.055	30.662	2.927	28.922	1.144				
7	103.458	72.558	31.414	3.022	28.557	1.146				
8	103.113	72.638	31.039	2.996	28.389	1.166				
9	101.174	69.397	29.552	2.808	28.033	1.159				
10	101.047	67.287	29.268	2.776	28.174	1.206				
11	100.983	66.734	28.611	2.780	28.277	1.230				
12	101.336	67.566	29.208	2.776	28.451	1.127				
13	101.890	68.346	29.592	2.822	28.603	1.135				
14	100.504	67.124	29.094	2.799	27.975	1.069				
15	101.575	66.735	29.525	2.836	28.200	1.128	0.928	0.488	6.476	
16	102.193	67.982	29.662	2.845	28.487	1.177	1.007	0.497	6.537	
17	103.772	69.294	27.073	2.969	28.752	1.140	1.053	0.515	6.845	
18	103.833	69.676	25.385	2.982	28.835	1.110	1.049	0.520	6.958	
19	103.989	70.701	25.989	3.038	28.861	1.120	1.081	0.544	7.235	
20	103.865	69.896	25.452	2.963	28.928	1.116	1.070	0.540	6.957	
21	102.634	67.924	24.638	2.846	28.905	1.104	1.052	0.522	6.590	
22	103.228	64.192	25.054	2.904	28.947	1.145	1.019	0.534	6.829	
23	103.212	60.399	25.239	2.925	28.939	1.142	0.989	0.533	6.894	
24	101.731	64.984	24.568	2.831	28.687	1.124	0.952	0.517	6.571	8.073
25	102.147	66.606	24.532	2.825	28.815	1.098	0.935	0.517	6.537	8.147
26	102.327	67.793	24.557	2.824	28.997	1.119	0.936	0.519	6.536	8.229
27	102.730	68.264	24.849	2.857	29.071	1.125	0.941	0.528	6.681	8.271
28	103.350	67.173	25.136	2.910	29.020	1.132	0.944	0.530	6.770	8.296
29	103.341	63.015	25.067	2.895	29.037	1.273	0.941	0.532	6.738	8.319
30	104.076	63.025	25.618	2.975	29.065	1.455	0.954	0.520	7.016	8.377
31	103.741	66.509	25.505	2.958	28.983	1.363	0.958	0.507	6.985	8.367
1ヶ月値	102.584	67.986	27.582	2.878	28.695	1.163	0.981	0.518	6.732	8.266
最大値	106.161	75.527	32.367	3.263	29.576	1.847	1.142	0.703	7.747	8.605
最大値日時	03/19 16:00	03/07 11:50	03/07 12:00	03/25 11:20	03/29 15:10	03/01 10:40	03/19 14:50	03/02 10:50	03/19 15:50	03/30 17:40
最小値	99.062	54.472	22.309	2.586	27.359	0.852	0.822	0.444	5.554	7.097
最小値日時	03/14 22:50	03/23 10:20	03/11 10:50	03/19 09:30	03/09 11:40	03/14 13:20	03/04 08:50	03/02 07:20	03/15 11:20	03/24 10:50

※線量計の点検・校正に伴う欠測

測定月報

測定日: 2016/03

(1/7)

日	モニタ									
	B021 研修棟周辺	B022 企業棟休憩所A棟周辺	B023 増設多核種除去設備西側周辺	B024 トタンタエリア周辺(運搬ガス)モニタ小室側	B025 1・2号機海側(4m壁)	B026 3・4号機海側(4m壁)	B027 固体廃棄物貯蔵庫管理棟周辺	B028 高性能多核種除去設備周辺	B029 サブドレン浄化設備周辺	B030 給油所周辺
	線量率 ($\mu\text{Sv/h}$)	線量率 ($\mu\text{Sv/h}$)	線量率 ($\mu\text{Sv/h}$)	線量率 ($\mu\text{Sv/h}$)	線量率 ($\mu\text{Sv/h}$)	線量率 ($\mu\text{Sv/h}$)	線量率 ($\mu\text{Sv/h}$)	線量率 ($\mu\text{Sv/h}$)	線量率 ($\mu\text{Sv/h}$)	線量率 ($\mu\text{Sv/h}$)
1	2.322	1.026	0.528	7.567	23.145	40.581	25.428	4.053	0.317	0.815
2	2.318	1.030	0.525	7.558	23.059	40.503	25.538	3.849	0.327	0.815
3	2.341	1.036	0.550	7.616	23.786	41.574	25.758	3.810	0.330	0.820
4	※ 2.346	1.035	0.525	7.576	23.209	40.694	25.684	3.772	0.328	0.811
5		1.035	0.525	7.581	23.166	40.631	25.620	3.764	0.319	0.811
6		1.041	0.547	7.629	23.880	41.564	25.718	3.785	0.323	0.823
7		1.034	0.572	7.639	24.314	42.007	24.309	3.804	0.330	0.816
8		1.030	0.557	7.597	24.122	41.800	22.948	3.790	0.323	0.814
9		※ 1.026	※ 0.548	※ 7.540	※ 23.419	※ 40.856	21.558	3.715	0.310	0.791
10							21.166	3.687	0.313	0.788
11							※ 21.247	※ 3.675	0.324	0.791
12									0.324	0.787
13									0.330	0.796
14						88.583			0.352	0.777
15	2.283								※ 0.331	※ 0.773
16	2.301									
17	2.323									
18	2.323									
19	2.328									
20	2.330									
21	2.312									
22	2.316									
23	2.325									
24	2.312						5022.228		2967.340	53.077
25	2.317									
26	2.319									
27	2.323									
28	2.335									
29	2.323	0.898	0.687	8.191	25.999	42.013				
30	2.333	0.890	0.672	8.314	26.399	42.483				
31	2.330	0.894	0.653	8.307	26.333	42.374				
1ヶ月値	2.322	1.001	0.571	7.754	24.194	41.450	27.544	3.797	1.752	0.828
最大値	2.445	1.104	0.833	8.534	27.258	88.583	5022.228	4.244	2967.340	53.077
最大値日時	03/03 13:50	03/02 06:20	03/29 13:20	03/31 11:10	03/31 09:50	03/14 12:20	03/24 12:00	03/01 00:10	03/24 12:00	03/24 12:00
最小値	1.669	0.650	0.475	2.396	22.236	37.762	18.477	3.552	0.246	0.727
最小値日時	03/15 11:40	03/31 09:20	03/05 03:10	03/29 10:30	03/02 05:20	03/29 11:20	03/09 12:40	03/11 09:10	03/09 10:00	03/14 21:20

※線量表示器の点検・校正に伴う欠測

測定月報

測定日：2016/03

(2/7)

日	モニタ									
	B031 HIC保管エリア周辺	B032 H8タンクエリア周辺	B033 H4タンクエリア周辺	B034 H5タンクエリア周辺	B035 J2タンクエリア周辺	B036 G6タンクエリア周辺	B037 セシウム検査場中間貯蔵施設周辺	B038 G4タンクエリア周辺	B039 MP-8周辺	B040 旧展望台周辺
	線量率 (μ Sv/h)	線量率 (μ Sv/h)	線量率 (μ Sv/h)	線量率 (μ Sv/h)	線量率 (μ Sv/h)	線量率 (μ Sv/h)	線量率 (μ Sv/h)	線量率 (μ Sv/h)	線量率 (μ Sv/h)	線量率 (μ Sv/h)
1	0.611	0.559	5.013	1.411	4.352	3.009	1.272	3.959	6.165	1.392
2	0.593	0.559	4.960	1.386	4.350	3.046	1.269	3.962	6.184	1.394
3	0.595	0.568	5.094	1.400	4.393	2.914	1.322	3.980	6.243	1.416
4	0.565	0.560	4.987	1.363	4.371	3.087	1.287	3.976	6.212	1.398
5	0.570	0.556	4.955	1.355	4.380	3.064	1.298	3.977	6.225	1.399
6	0.594	0.565	5.247	1.382	4.406	3.134	1.350	4.003	6.262	1.422
7	0.608	0.577	5.383	1.414	4.423	3.100	1.380	4.025	6.242	1.436
8	0.603	0.576	5.288	1.401	4.414	3.076	1.360	4.005	6.198	1.416
9	0.572	0.559	4.971	1.357	4.337	2.991	1.305	3.945	6.085	1.376
10	0.564	0.557	4.881	1.347	4.351	2.926	1.295	3.930	6.062	1.366
11	0.569	0.559	4.895	1.342	4.351	2.968	1.302	3.928	6.087	1.369
12	0.556	0.554	4.890	1.342	4.370	2.994	1.306	3.941	6.109	1.371
13	0.545	0.563	5.033	1.353	4.396	3.043	1.308	3.955	6.153	1.387
14	0.542	0.561	4.937	1.368	4.340	2.960	1.288	3.921	6.040	1.365
15	0.548	0.579	4.976	1.450	4.349	2.856	1.297	3.930	6.066	1.368
16	0.559	0.577	5.058	1.479	4.369	2.988	1.290	3.955	6.124	1.387
17	0.577	0.581	5.270	1.493	4.404	3.089	1.329	3.995	6.200	1.417
18	0.579	0.589	5.349	1.538	4.438	3.073	1.367	3.999	6.210	1.424
19	0.600	0.595	5.514	1.580	4.443	3.117	1.387	4.007	6.222	1.433
20	0.583	0.588	5.340	1.554	4.427	3.108	1.373	3.984	6.224	1.424
21	0.560	0.578	5.064	1.543	4.382	3.073	1.329	3.951	6.185	1.396
22	0.572	0.582	5.222	1.585	4.410	3.041	1.337	3.961	6.219	1.416
23	0.577	0.578	5.255	1.623	4.419	3.127	1.345	3.966	6.241	1.416
24	0.563	0.572	5.003	1.614	4.383	3.071	1.306	3.936	6.179	1.392
25	0.555	0.561	5.023	1.574	4.380	3.079	1.308	3.940	6.197	1.392
26	0.556	0.558	5.086	1.523	4.388	3.057	1.313	3.950	6.225	1.398
27	0.556	0.563	5.155	1.520	4.400	3.113	1.334	3.956	6.239	1.408
28	0.561	0.565	5.147	1.498	4.418	3.100	1.340	3.980	6.246	1.410
29	0.560	0.561	5.154	1.443	4.424	3.106	1.338	3.982	6.256	1.412
30	0.575	0.576	5.308	1.417	4.452	3.115	1.373	4.007	6.298	1.430
31	0.626	0.579	5.306	1.448	4.451	3.137	1.362	3.992	6.290	1.428
1ヶ月値	0.574	0.570	5.121	1.455	4.393	3.050	1.325	3.968	6.190	1.402
最大値	1.213	0.663	5.824	1.719	4.649	3.391	1.956	4.188	6.482	1.534
最大値日時	03/01 10:40	03/17 09:40	03/19 15:50	03/23 15:30	03/18 11:20	03/25 10:50	03/30 19:20	03/19 09:00	03/30 15:00	03/07 09:30
最小値	0.487	0.509	4.246	1.265	4.162	1.899	1.179	3.789	5.766	1.283
最小値日時	03/27 05:00	03/27 03:50	03/03 07:00	03/11 21:20	03/09 15:50	03/15 09:50	03/11 05:30	03/09 19:50	03/14 23:50	03/15 05:50

測定月報

測定日: 2016/03

(3/7)

日	モニタ									
	B041 H4東タンク東側直面上大型ハウス周辺	B042 大型メンテナンス建屋 東側	B043 大熊通り中央付近	B044 1～4号機PPゲート前	B045 1・2号機T/B前 観測井戸周辺	B046 3.4uS/B周辺	B047 集中RW東側	B048 集中RW南側	B049 共用プール西側	B050 4uR/B西側
	線量率 ($\mu\text{Sv/h}$)	線量率 ($\mu\text{Sv/h}$)	線量率 ($\mu\text{Sv/h}$)	線量率 ($\mu\text{Sv/h}$)	線量率 ($\mu\text{Sv/h}$)	線量率 ($\mu\text{Sv/h}$)	線量率 ($\mu\text{Sv/h}$)	線量率 ($\mu\text{Sv/h}$)	線量率 ($\mu\text{Sv/h}$)	線量率 ($\mu\text{Sv/h}$)
1	4.069	4.177	5.155	24.576	37.442	97.429	12.303	8.883	46.301	28.492
2	4.050	4.194	5.144	24.491	37.307	97.447	11.894	8.919	46.443	28.167
3	4.205	4.233	5.244	25.103	38.344	98.455	12.817	9.010	46.940	27.935
4	4.052	4.090	5.164	24.653	37.693	98.425	12.420	8.955	46.646	28.365
5	4.041	4.084	5.159	24.671	37.728	98.873	12.103	8.959	46.695	27.919
6	4.234	4.222	5.267	25.139	38.416	99.170	11.705	9.002	47.112	28.796
7	4.403	4.395	5.346	25.414	38.760	98.373	11.875	8.886	46.958	29.376
8	4.354	4.326	5.311	25.312	38.577	97.737	11.745	8.884	46.962	28.965
9	4.031	4.103	5.134	24.365	37.265	95.881	11.757	8.579	44.834	27.833
10	3.948	4.046	5.106	24.244	36.757	95.971	12.281	8.650	45.761	27.502
11	3.970	4.064	5.101	24.228	37.074	96.411	13.017	8.733	46.998	27.390
12	3.974	4.025	5.103	24.342	37.250	97.241	12.108	8.790	47.587	27.714
13	4.049	4.050	5.152	24.612	37.560	97.504	12.595	8.858	47.976	27.995
14	4.028	4.052	5.085	24.239	37.079	95.236	12.169	8.561	45.888	27.224
15	4.077	4.094	5.154	24.536	37.297	96.178	13.148	8.643	46.268	27.594
16	4.125	4.110	5.186	24.742	37.633	95.427	11.535	8.814	47.837	27.701
17	4.285	4.246	5.286	25.342	38.628	98.660	11.846	8.957	48.346	28.324
18	4.348	4.321	5.325	25.380	38.649	98.377	11.847	8.978	48.105	28.434
19	4.482	4.442	5.383	25.716	38.975	98.099	11.960	9.000	47.809	28.772
20	4.334	4.287	5.294	25.449	38.816	99.030	12.609	9.023	47.681	28.517
21	4.130	4.114	5.197	24.840	38.031	98.417	12.250	8.942	47.261	27.709
22	4.255	4.237	5.262	25.167	38.517	98.365	12.173	8.973	47.472	28.085
23	4.280	4.235	5.267	25.186	38.527	98.525	11.722	8.998	47.480	28.520
24	4.107	4.090	5.136	24.555	38.054	97.547	11.508	8.868	46.884	25.045
25	4.104	4.124	5.148	24.574	38.012	96.679	11.692	8.891	47.014	23.702
26	4.121	4.100	5.169	24.749	38.113	94.632	11.713	8.931	47.195	23.823
27	4.190	4.153	5.204	24.971	38.384	94.951	11.668	8.975	47.437	24.002
28	4.213	4.176	5.233	25.172	38.558	96.786	11.842	8.992	47.380	24.093
29	4.195	4.147	5.220	25.083	38.444	98.677	11.778	8.971	47.383	24.017
30	4.343	4.269	5.294	25.485	38.912	98.988	11.922	9.039	47.638	24.444
31	4.308	4.252	5.266	25.412	38.787	98.731	11.784	9.022	47.613	24.402
1ヶ月値	4.171	4.176	5.210	24.895	38.051	97.491	12.058	8.893	47.094	27.125
最大値	4.828	4.703	5.579	28.576	40.436	101.550	14.301	9.398	49.292	30.326
最大値日時	03/19 16:10	03/19 16:10	03/19 15:50	03/17 20:10	03/17 11:00	03/17 13:00	03/15 12:20	03/24 15:00	03/18 13:00	03/07 03:30
最小値	3.788	3.857	4.912	22.106	34.594	90.181	9.468	8.186	40.970	22.339
最小値日時	03/12 02:30	03/13 01:10	03/24 17:20	03/06 09:00	03/10 16:00	03/16 11:00	03/16 09:30	03/14 22:10	03/09 19:10	03/03 16:10

測定月報

測定日: 2016/03

(4/7)

日	モニタ									
	B051 3uR/B西側	B052 2uR/B西側	B053 1uR/B西側	B054 1uR/B北側	B055 物揚場周辺	B056 固体庫1, 2棟周辺	B057 旧事務本館北側	B058 固体庫第9棟建設地周辺	B059 危険物屋外貯蔵所周辺	B060 6号機D/G建屋周辺
	線量率 (μ Sv/h)	線量率 (μ Sv/h)	線量率 (μ Sv/h)	線量率 (μ Sv/h)	線量率 (μ Sv/h)	線量率 (μ Sv/h)	線量率 (μ Sv/h)	線量率 (μ Sv/h)	線量率 (μ Sv/h)	線量率 (μ Sv/h)
1	323.930	171.630	67.952	72.157	8.254	8.347	14.723	0.673	1.717	1.519
2	324.485	169.849	67.774	72.057	8.239	8.362	14.686	0.680	1.709	1.519
3	326.303	171.301	68.813	73.121	8.499	8.500	15.094	0.690	1.743	1.537
4	326.985	170.339	68.179	72.468	8.290	8.430	14.905	0.680	1.729	1.534
5	331.022	169.611	68.067	72.393	8.319	8.420	14.932	0.674	1.738	1.528
6	334.086	174.212	69.097	73.382	8.517	8.545	15.233	0.682	1.758	1.540
7	331.716	173.617	69.734	73.107	8.599	8.539	15.421	0.692	1.744	1.530
8	333.078	174.433	69.484	72.194	8.531	8.436	15.360	0.674	1.721	1.526
9	324.486	170.095	65.693	70.067	8.184	8.147	14.728	0.623	1.673	1.481
10	324.671	169.391	81.207	69.932	8.148	8.110	14.662	0.604	1.664	1.493
11	328.106	168.239	93.644	70.440	8.129	8.150	14.660	0.638	1.676	1.499
12	330.181	169.084	93.952	71.020	8.163	8.187	14.663	0.656	1.688	1.513
13	330.278	171.261	94.936	71.739	8.287	8.283	14.846	0.665	1.706	1.515
14	319.798	169.411	93.716	70.453	8.188	8.087	14.603	0.655	1.663	1.481
15	323.924	170.590	94.868	70.805	8.334	8.165	14.799	0.655	1.652	1.500
16	327.110	171.682	94.883	71.432	8.468	8.270	14.925	0.660	1.675	1.517
17	329.261	173.662	95.811	72.891	8.617	8.457	15.289	0.675	1.718	1.541
18	326.332	171.677	95.993	73.215	8.620	8.494	15.360	0.677	1.730	1.545
19	325.286	175.104	95.998	73.696	8.737	8.532	15.500	0.679	1.719	1.547
20	325.918	174.416	95.425	73.280	8.706	8.481	15.281	0.668	1.703	1.547
21	324.338	172.118	94.054	72.337	8.482	8.368	14.970	0.644	1.684	1.535
22	325.535	170.415	94.962	73.216	8.615	8.467	15.187	0.662	1.705	1.546
23	325.783	171.308	93.526	73.242	8.596	8.447	15.207	0.665	1.709	1.549
24	322.223	171.842	93.859	72.071	8.250	8.307	14.852	0.653	1.680	1.532
25	323.773	171.671	93.236	72.231	8.257	8.317	14.838	0.646	1.660	1.529
26	324.741	172.145	94.569	72.452	8.321	8.348	14.946	0.653	1.669	1.535
27	326.936	172.872	94.951	72.860	8.398	8.403	15.074	0.663	1.682	1.542
28	327.963	173.697	94.812	73.238	8.422	8.473	15.204	0.668	1.695	1.545
29	328.244	173.780	94.913	73.333	8.403	8.516	15.155	0.668	1.688	1.545
30	329.296	173.000	96.225	74.083	8.562	8.571	15.382	0.687	1.705	1.557
31	329.024	295.623	95.381	73.911	8.507	8.516	15.297	0.683	1.705	1.548
1ヶ月値	326.929	175.744	86.636	72.349	8.411	8.377	15.025	0.664	1.700	1.528
最大値	349.549	495.458	98.926	75.633	9.143	8.856	15.992	0.761	1.859	1.645
最大値日時	03/26 12:20	03/31 07:40	03/18 10:40	03/31 11:00	03/29 20:50	03/07 00:50	03/30 16:40	03/30 18:20	03/07 01:50	03/23 15:00
最小値	284.022	132.545	62.615	63.018	7.518	7.524	13.082	0.481	1.545	1.346
最小値日時	03/09 11:50	03/31 22:40	03/10 09:30	03/07 14:00	03/04 07:30	03/23 10:10	03/12 09:10	03/26 07:20	03/25 06:00	03/07 17:10

測定月報

測定日: 2016/03

(5/7)

日	モニタ									
	B061 5・6号機放水口周辺	B062 焼却設備建屋周辺	B063 Fタンクエリア周辺	B064 五洋ヤード P1東側周辺	B065 焼却設備建屋前道路カーブミラー脇	B066 鹿島建設資材置場	B067 一時保管エリアC周辺	B068 一時保管エリアI周辺	B069 一時保管エリアH1周辺	B070 土捨場資材置場
	線量率 ($\mu\text{Sv/h}$)	線量率 ($\mu\text{Sv/h}$)	線量率 ($\mu\text{Sv/h}$)	線量率 ($\mu\text{Sv/h}$)	線量率 ($\mu\text{Sv/h}$)	線量率 ($\mu\text{Sv/h}$)	線量率 ($\mu\text{Sv/h}$)	線量率 ($\mu\text{Sv/h}$)	線量率 ($\mu\text{Sv/h}$)	線量率 ($\mu\text{Sv/h}$)
1	2.227	2.265	20.367	10.368	4.915	3.897	2.315	14.898	6.144	0.919
2	2.231	2.258	20.483	10.244	4.916	3.916	2.357	15.331	6.148	0.915
3	2.250	2.297	20.457	9.735	4.964	3.967	2.346	15.479	6.202	0.928
4	2.246	2.273	20.488	9.268	4.947	3.962	2.396	15.433	6.188	0.909
5	2.249	2.283	20.799	9.297	4.956	3.964	2.389	15.462	6.200	0.960
6	2.247	2.310	20.894	9.324	4.989	3.995	2.414	15.520	6.228	1.032
7	2.226	2.316	20.078	11.632	4.949	3.995	2.543	15.245	6.132	1.032
8	2.199	2.303	18.981	14.061	4.908	4.026	2.442	15.012	6.061	1.015
9	2.164	2.253	18.962	13.355	4.821	4.048	2.392	14.703	5.942	0.992
10	2.170	2.235	19.513	12.696	4.810	3.979	2.438	14.719	5.930	0.987
11	2.186	2.232	20.521	12.774	4.833	3.894	2.360	14.870	5.978	0.992
12	2.194	2.240	20.649	12.825	4.848	3.908	2.366	14.990	6.031	1.001
13	2.211	2.263	20.731	12.896	4.889	3.927	2.380	15.120	6.076	1.020
14	2.160	2.237	20.584	13.774	4.795	3.859	2.354	14.663	5.939	1.005
15	2.171	2.244	20.666	12.423	4.860	3.965	2.358	14.719	5.947	0.992
16	2.205	2.272	20.641	11.056	4.943	4.060	2.395	15.010	6.049	0.998
17	2.234	2.310	20.970	11.206	5.010	4.080	2.438	15.230	6.134	1.031
18	2.233	2.313	20.949	11.273	5.013	4.083	2.424	15.309	6.167	1.033
19	2.233	2.327	20.929	11.272	5.022	4.348	2.424	15.314	6.161	1.039
20	2.236	2.319	20.923	11.292	5.023	4.503	2.418	15.355	6.183	1.037
21	2.224	2.286	20.807	11.210	4.990	4.467	2.388	15.315	6.148	1.018
22	2.244	2.313	20.853	11.190	5.024	4.487	2.419	15.399	6.181	1.025
23	2.249	2.316	20.851	11.125	5.045	4.483	2.409	15.465	6.196	0.942
24	2.226	2.282	20.739	10.486	4.982	4.433	2.394	15.291	6.135	0.920
25	2.233	2.270	20.827	9.909	4.988	4.442	2.418	15.358	6.150	0.981
26	2.239	2.277	20.918	9.936	5.000	4.471	2.405	15.429	6.184	0.937
27	2.241	2.279	20.938	9.950	5.013	4.489	2.415	15.483	6.202	0.913
28	2.258	2.294	20.981	9.927	5.022	4.555	2.423	15.537	6.216	0.960
29	2.257	2.310	21.014	9.920	5.030	4.703	2.427	15.548	6.225	1.008
30	2.266	2.338	21.070	9.960	5.072	5.178	2.451	15.633	6.256	1.013
31	2.261	2.322	21.080	9.951	5.048	5.358	2.426	15.590	6.249	1.013
1ヶ月値	2.225	2.285	20.606	11.107	4.956	4.240	2.404	15.240	6.129	0.986
最大値	2.360	2.676	25.601	15.095	5.210	5.635	5.262	15.947	6.441	1.242
最大値日時	03/31 12:10	03/22 08:50	03/16 14:10	03/15 08:00	03/23 12:20	03/30 12:50	03/07 10:20	03/31 14:20	03/24 10:00	03/29 13:20
最小値	2.056	2.101	10.299	8.964	4.627	3.708	2.161	14.080	5.717	0.803
最小値日時	03/09 17:30	03/11 20:20	03/16 13:30	03/04 02:50	03/14 21:10	03/15 03:20	03/02 03:50	03/14 22:40	03/09 20:00	03/24 04:00

測定月報

測定日: 2016/03

(6/7)

日	モニタ									
	B071 土捨場東側資材置場	B072 瓦礫保管Aデント周辺	B073 覆土式瓦礫保管エリア北側	B074 覆土式瓦礫保管エリア南側	B075 一時保管エリアG2周辺	B076 一時保管エリアG1周辺	B077 5・6号機迂回道路付近	B078 一時保管エリアM周辺	B079 旧厚生棟正面玄関前	B080 3・4号機北面ダストモニタ周辺
	線量率 ($\mu\text{Sv/h}$)	線量率 ($\mu\text{Sv/h}$)	線量率 ($\mu\text{Sv/h}$)	線量率 ($\mu\text{Sv/h}$)	線量率 ($\mu\text{Sv/h}$)	線量率 ($\mu\text{Sv/h}$)	線量率 ($\mu\text{Sv/h}$)	線量率 ($\mu\text{Sv/h}$)	線量率 ($\mu\text{Sv/h}$)	線量率 ($\mu\text{Sv/h}$)
1	2.004	38.257	5.821	1.557	0.611	1.685	7.876	3.849	68.119	31.813
2	2.003	38.283	5.799	1.546	0.606	1.643	7.888	3.848	67.737	30.077
3	2.108	38.700	5.877	1.578	0.623	1.616	7.993	3.904	68.406	30.219
4	2.153	38.696	5.879	1.566	0.614	1.592	7.943	3.887	68.055	29.251
5	2.152	38.692	5.886	1.567	0.614	1.593	7.981	3.891	66.194	29.287
6	2.170	38.717	5.911	1.589	0.627	1.608	8.062	3.929	65.777	30.370
7	2.160	38.335	5.909	1.605	0.630	1.679	7.928	3.887	67.256	31.075
8	2.143	38.232	5.900	1.594	0.625	1.703	7.792	3.834	66.133	30.706
9	2.160	37.668	5.800	1.556	0.613	1.673	7.615	3.734	63.828	29.085
10	2.168	37.934	5.723	1.756	0.612	1.677	7.588	3.711	62.918	28.779
11	2.159	38.101	5.686	2.014	0.644	1.693	7.631	3.735	67.687	28.689
12	2.162	38.136	5.720	2.014	0.667	1.714	7.690	3.762	71.693	28.722
13	2.170	38.428	5.760	2.028	0.674	1.726	7.791	3.806	72.017	29.137
14	2.119	37.685	5.645	2.012	0.679	1.703	7.587	3.714	70.899	28.764
15	2.135	37.828	5.657	2.016	0.682	1.698	7.582	3.713	71.369	29.166
16	2.173	38.399	5.734	2.016	0.690	1.723	7.717	3.791	71.922	29.409
17	2.210	38.781	5.853	2.043	0.707	1.759	7.843	3.849	72.762	30.406
18	2.207	38.825	5.880	2.044	0.711	1.761	7.885	3.872	72.741	30.660
19	2.209	38.675	5.872	2.028	0.716	1.764	7.926	3.893	72.207	31.315
20	2.203	38.727	5.882	1.992	0.710	1.763	7.943	3.891	71.723	30.632
21	2.183	38.610	5.842	1.962	0.696	1.750	7.885	3.866	71.177	29.532
22	2.206	38.737	5.859	1.975	0.707	1.764	7.940	3.905	71.495	30.224
23	2.284	38.715	5.825	1.978	0.722	1.775	7.981	3.918	71.701	30.400
24	2.304	38.903	5.781	1.952	0.736	1.755	7.885	3.876	70.861	29.404
25	2.292	38.288	5.768	1.946	0.741	1.753	7.911	3.878	70.848	29.428
26	2.300	38.200	5.783	1.960	0.744	1.769	7.972	3.903	71.132	29.451
27	2.306	38.273	5.801	1.966	0.753	1.772	8.023	3.919	71.378	29.846
28	2.310	38.273	5.860	1.990	0.747	1.781	8.021	3.940	71.662	30.130
29	2.311	38.342	5.878	1.964	0.720	1.775	8.031	3.941	71.474	30.104
30	2.317	38.700	5.930	1.980	0.708	1.783	8.107	3.984	72.152	30.810
31	2.304	38.678	5.880	1.960	0.691	1.777	8.088	3.970	72.216	30.753
1ヶ月値	2.196	38.413	5.819	1.863	0.678	1.716	7.874	3.858	69.856	29.924
最大値	2.442	40.399	6.187	2.149	0.824	1.881	8.358	4.124	74.144	32.944
最大値日時	03/29 13:50	03/24 12:50	03/31 10:30	03/18 12:40	03/27 12:30	03/23 12:50	03/31 10:40	03/30 11:00	03/17 10:00	03/19 16:00
最小値	1.917	35.991	5.367	1.447	0.553	1.517	6.848	3.535	54.010	27.913
最小値日時	03/02 04:20	03/09 20:50	03/15 00:00	03/02 06:00	03/02 03:50	03/04 01:00	03/15 09:00	03/10 03:40	03/09 12:30	03/09 19:10

測定月報

測定日: 2016/03

(7/7)

日	モニタ									
	B081 Bタンクエリア周辺	B082 大型メンテナンス建屋周辺	B083 3号機R/B西側法面前	B084 2号機海側 (4m壁)	B085 中央交差点	B086 No.4倉庫周辺	B087 1, 2u排気筒西側	B088 線量表示器88	B089 線量表示器89	B090 線量表示器90
	線量率 ($\mu\text{Sv/h}$)	線量率 ($\mu\text{Sv/h}$)	線量率 ($\mu\text{Sv/h}$)	線量率 ($\mu\text{Sv/h}$)	線量率 ($\mu\text{Sv/h}$)	線量率 ($\mu\text{Sv/h}$)	線量率 ($\mu\text{Sv/h}$)	線量率 ($\mu\text{Sv/h}$)	線量率 ($\mu\text{Sv/h}$)	線量率 ($\mu\text{Sv/h}$)
1	1.232	2.283	208.734	43.809	5.622	16.406				
2	1.228	2.265	208.593	43.917	5.624	16.471				
3	1.257	2.329	211.619	45.104	5.655	16.599				
4	1.227	2.275	209.740	44.219	5.653	16.523				
5	1.229	2.271	210.144	44.094	5.661	16.563				
6	1.262	2.350	212.707	45.296	5.690	16.654				
7	1.285	2.406	213.321	45.744	5.661	16.480				
8	1.273	2.381	211.843	45.575	5.626	16.381				
9	1.235	2.276	206.862	43.732	5.553	16.044				
10	1.208	2.259	205.798	43.411	5.542	16.114				
11	1.554	2.246	207.991	43.060	5.553	16.242				
12	1.269	2.243	212.362	43.433	5.585	16.287				
13	1.281	2.277	213.894	43.979	5.620	16.430				
14	1.262	2.259	211.039	42.961	5.538	15.965				
15	1.268	2.285	211.989	43.738	5.504	16.160				
16	1.307	2.307	220.947	44.126	5.518	16.365				
17	1.293	2.373	225.854	45.384	5.580	16.543				
18	1.302	2.400	219.065	45.514	5.609	16.581				
19	1.319	2.446	220.365	46.162	5.622	16.572				
20	1.300	2.378	219.913	45.678	5.611	16.601				
21	1.266	2.305	217.470	44.173	5.580	16.511				
22	1.290	2.357	219.149	44.912	5.616	16.606				
23	1.293	2.388	221.737	45.474	5.607	16.638				
24	1.231	2.356	204.206	44.140	5.527	16.404				
25	1.266	2.325	206.404	44.086	5.531	16.490				
26	1.270	2.327	226.949	44.162	5.559	16.563				
27	1.278	2.351	228.896	44.641	5.567	16.593				
28	1.289	2.390	229.971	44.942	5.566	16.627				
29	1.286	2.375	230.406	44.953	5.565	16.635	1556.475			
30	1.301	2.432	232.454	45.682	5.597	16.738	1594.344			
31	1.278	2.410	231.782	45.415	5.585	16.682	1594.476			
1ヶ月値	1.279	2.333	216.523	44.566	5.591	16.467	1587.690			
最大値	3.842	3.149	237.725	47.673	5.865	17.167	1613.575			
最大値日時	03/11 11:00	03/30 12:20	03/31 11:10	03/19 16:30	03/07 02:10	03/31 16:30	03/31 10:20			
最小値	0.974	2.120	178.222	38.543	5.341	15.494	70.420			
最小値日時	03/24 09:10	03/12 06:30	03/25 05:10	03/14 08:40	03/15 23:40	03/14 18:20	03/29 13:50			

※高線量エリアの為3月29日より測定開始