

# 測定月報

測定日: 2017/04

(1/11)

日	モニタ									
	B001	B002	B003	B004	B005	B006	B007	B008	B009	B010
	入退域管理棟周辺 線量率 ( $\mu\text{Sv/h}$ )	正門警備所周辺 線量率 ( $\mu\text{Sv/h}$ )	環境管理棟周辺 線量率 ( $\mu\text{Sv/h}$ )	車両スクリーニング場周辺 線量率 ( $\mu\text{Sv/h}$ )	厚生棟休憩所周辺 線量率 ( $\mu\text{Sv/h}$ )	登録センター休憩所周辺 線量率 ( $\mu\text{Sv/h}$ )	5/6号サービス建屋休憩所周辺 線量率 ( $\mu\text{Sv/h}$ )	シールド中央制御室周辺 線量率 ( $\mu\text{Sv/h}$ )	免震重要棟周辺 線量率 ( $\mu\text{Sv/h}$ )	5/6号防護本部周辺 線量率 ( $\mu\text{Sv/h}$ )
1	0.246	0.585	2.690	0.521	0.679	1.681	1.312	2.918	6.778	1.152
2	0.249	0.595	2.712	0.526	0.687	1.694	1.329	2.945	6.820	1.168
3	0.249	0.592	2.702	0.526	0.688	1.696	1.341	2.950	6.834	1.175
4	0.247	0.598	2.721	0.529	0.686	1.701	1.347	2.969	6.852	1.184
5	0.251	0.599	2.737	0.530	0.693	1.709	1.364	3.016	6.902	1.201
6	0.251	0.613	2.719	0.538	0.696	1.716	1.376	3.045	6.951	1.216
7	0.262	0.616	2.743	0.540	0.700	1.721	1.381	3.025	6.998	1.234
8	0.253	0.605	2.743	0.536	0.700	1.720	1.369	3.006	6.949	1.212
9	0.256	0.607	2.731	0.531	0.701	1.712	1.358	2.993	6.935	1.209
10	0.248	0.601	2.723	0.529	0.692	1.710	1.352	2.985	6.891	1.194
11	0.251	0.601	2.692	0.528	0.682	1.697	1.337	2.937	6.861	1.184
12	0.250	0.604	2.687	0.529	0.687	1.690	1.340	2.965	6.912	1.194
13	0.249	0.601	2.704	0.527	0.691	1.699	1.347	2.966	6.897	1.191
14	0.251	0.604	2.726	0.534	0.695	1.708	1.364	3.017	6.968	1.215
15	0.259	0.613	2.750	0.539	0.703	1.718	1.389	3.052	7.056	1.239
16	0.264	0.616	2.764	0.545	0.709	1.723	1.404	3.083	7.135	1.262
17	0.258	0.609	2.733	0.538	0.701	1.712	1.385	3.054	7.029	1.231
18	0.256	0.613	2.699	0.535	0.691	1.695	1.353	3.005	7.027	1.219
19	0.258	0.611	2.724	0.533	0.697	1.701	1.364	3.027	7.027	1.226
20	0.252	0.599	2.706	0.531	0.692	1.686	1.361	2.997	6.950	1.201
21	0.254	0.603	2.705	0.530	0.692	1.689	1.364	3.001	6.946	1.211
22	0.252	0.601	2.705	0.528	0.695	1.695	1.368	3.022	7.173	1.214
23	0.251	0.593	2.710	0.529	0.693	1.699	1.369	2.992	6.819	1.200
24	0.247	0.600	2.700	0.529	0.691	1.690	1.364	2.997	6.810	1.199
25	0.252	0.602	2.720	0.531	0.698	1.704	1.372	3.019	6.854	1.213
26	0.257	0.607	2.720	0.536	0.704	1.703	1.378	3.028	6.899	1.233
27	0.251	0.604	2.679	0.529	0.700	1.685	1.352	2.989	6.852	1.201
28	0.251	0.609	2.706	0.531	0.703	1.691	1.367	3.009	6.876	1.215
29	0.259	0.610	2.708	0.529	0.706	1.690	1.369	3.007	6.892	1.227
30	0.259	0.613	2.710	0.533	0.711	1.695	1.375	3.022	6.929	1.233
31										
1ヶ月値	0.253	0.604	2.716	0.532	0.695	1.701	1.362	3.001	6.927	1.208
最大値	0.687	0.669	2.860	0.608	0.767	1.802	1.476	3.365	9.124	1.342
最大値日時	04/07 00:30	04/16 11:30	04/05 18:50	04/04 09:40	04/17 18:40	04/07 13:50	04/16 13:20	04/04 12:20	04/22 10:30	04/16 15:20
最小値	0.205	0.536	2.360	0.475	0.631	1.598	1.245	2.732	6.542	1.101
最小値日時	04/18 07:40	04/01 08:10	04/06 12:20	04/27 23:40	04/11 18:00	04/22 20:30	04/01 02:30	04/11 19:50	04/03 07:40	04/01 21:30

# 測定月報

測定日: 2017/04

(2/11)

日	モニタ									
	B011	B012	B013	B014	B015	B016	B017	B018	B019	B020
	1号北側法面上周辺	1/2号西側法面上周辺	3/4号西側法面上周辺	4号南側法面上周辺	一般焼却炉周辺	車両整備場周辺	多核種除去施設周辺	キャスク仮保管施設周辺	野鳥の森五差路周辺	5/6号機西側周辺
	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)
1	51.672	44.844	11.471	1.885	21.609	0.848	0.739	0.335	2.783	6.623
2	52.381	45.283	11.598	1.910	21.847	0.854	0.747	0.340	2.837	6.712
3	52.624	45.359	11.594	1.918	21.910	0.874	0.751	0.343	2.855	6.765
4	52.877	45.412	11.646	1.932	21.989	0.925	0.747	0.348	2.882	6.801
5	53.199	46.019	11.850	1.969	22.109	0.935	0.769	0.348	3.001	6.831
6	53.937	46.717	12.119	2.001	22.180	1.065	0.779	0.354	3.135	6.887
7	54.495	47.360	12.400	2.040	22.156	1.167	0.776	0.363	3.254	6.912
8	53.984	46.718	12.124	1.993	22.223	1.118	0.772	0.357	3.124	6.892
9	53.805	46.604	12.117	1.986	22.070	1.108	0.769	0.359	3.149	6.850
10	53.484	46.114	11.872	1.953	22.051	1.309	0.765	0.348	3.012	6.876
11	53.074	45.879	11.892	1.936	21.583	1.323	0.766	0.353	3.065	6.715
12	53.521	46.509	12.049	1.954	21.693	1.142	0.764	0.353	3.151	6.718
13	53.735	46.487	11.869	1.946	21.873	1.152	0.755	0.345	3.045	6.791
14	54.645	47.195	12.133	1.993	22.064	1.167	0.768	0.351	3.162	6.870
15	55.484	48.171	12.445	2.040	22.275	1.181	0.776	0.364	3.311	6.934
16	56.571	49.065	12.738	2.089	22.427	1.192	0.787	0.372	3.435	7.008
17	55.580	48.105	12.390	2.053	22.232	1.176	0.770	0.363	3.253	6.968
18	54.942	47.900	12.453	2.038	21.560	1.176	0.784	0.365	3.344	6.736
19	55.213	48.107	12.439	2.051	21.936	1.183	0.793	0.358	3.306	6.860
20	54.505	47.261	12.103	2.014	21.966	1.176	0.772	0.341	3.124	6.866
21	54.706	47.426	12.246	2.028	21.993	1.086	0.764	0.351	3.209	6.864
22	55.049	49.053	12.323	2.026	22.065	1.060	0.771	0.349	3.259	6.873
23	54.975	49.510	12.142	1.988	22.150	1.056	0.763	0.343	3.172	6.876
24	54.622	49.384	12.061	1.983	22.155	1.199	0.772	0.341	3.134	6.900
25	55.274	50.114	12.312	2.012	22.227	1.238	0.790	0.345	3.263	6.956
26	55.840	50.750	12.572	2.053	22.238	1.221	0.799	0.354	3.394	6.967
27	55.036	49.904	12.330	2.008	21.807	1.196	0.772	0.349	3.301	6.800
28	57.804	50.342	12.361	2.016	22.041	1.155	0.774	0.352	3.308	6.890
29	59.177	50.469	12.408	2.027	22.068	1.161	0.773	0.357	3.353	6.875
30	59.527	50.906	12.530	2.038	22.116	1.161	0.775	0.359	3.411	6.915
31										
1ヶ月値	54.725	47.766	12.153	1.996	22.019	1.120	0.770	0.352	3.168	6.851
最大値	61.379	52.333	13.247	2.212	22.836	1.882	0.944	0.536	3.708	7.186
最大値日時	04/30 15:20	04/30 15:50	04/16 12:40	04/16 13:30	04/16 14:30	04/10 14:20	04/24 08:10	04/11 11:20	04/30 15:10	04/16 16:40
最小値	50.926	42.834	10.928	1.792	20.677	0.795	0.660	0.287	2.662	6.356
最小値日時	04/01 03:20	04/03 10:10	04/04 09:00	04/01 02:10	04/11 18:00	04/03 07:00	04/21 11:50	04/25 12:30	04/01 02:00	04/11 17:30

# 測定月報

測定日: 2017/04

(3/11)

日	モニタ									
	B021 西門周辺	B022 さくら通り正門側	B023 増設多核種除去設備西側周辺	B024 Hシンクエリア周辺(運送ダストニール側壁)	B025 1・2号機海側(4m壁)	B026 3・4号機海側(4m壁)	B027 固体廃棄物貯蔵庫管理棟周辺	B028 高性能多核種除去設備周辺	B029 サブドレン浄化設備周辺	B030 給油所周辺
	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)
1	1.772	1.037	0.332	6.589	*	*	*	*	*	*
2	1.792	1.041	0.334	6.643						
3	1.791	1.038	0.335	6.665						
4	1.795	1.038	0.334	6.674						
5	1.809	1.047	0.337	6.716						
6	1.817	1.056	0.345	6.750	14.261	23.014				
7	1.824	1.056	0.357	6.751	14.512	23.357				
8	1.809	1.054	0.348	6.731	14.325	23.023				
9	1.809	1.049	0.347	6.694	14.449	22.979				
10	1.806	1.049	0.339	6.698	14.045	22.767				
11	1.788	1.054	0.345	6.619	13.990	22.748				
12	1.781	1.064	0.351	6.625	14.173	22.813				
13	1.798	1.072	0.342	6.678	13.990	22.585		2.307	0.312	0.524
14	1.812	1.078	0.350	6.715	14.277	22.991		2.361	0.352	0.533
15	1.822	1.088	0.362	6.775	14.639	23.509		2.488	0.314	0.544
16	1.835	1.098	0.371	6.835	15.066	24.137		2.507	0.341	0.552
17	1.829	1.082	0.359	6.791	14.671	23.642		2.476	0.341	0.547
18	1.792	1.058	0.371	6.668	14.725	23.439		2.410	0.342	0.536
19	1.803	1.080	0.364	6.738	14.713	23.639		2.455	0.342	0.539
20	1.805	1.074	0.350	6.717	14.293	23.049		2.454	0.335	0.534
21	1.804	1.074	0.357	6.713	14.380	23.186		2.441	0.340	0.538
22	1.812	1.078	0.373	6.735	14.449	23.277		2.465	0.344	0.538
23	1.808	1.074	0.366	6.747	14.278	23.057		2.452	0.339	0.536
24	1.807	1.074	0.362	6.751	14.214	22.965		2.464	0.335	0.535
25	1.814	1.062	0.362	6.795	14.706	23.381		2.482	0.337	0.540
26	1.817	1.054	0.365	6.812	15.127	23.728		2.494	0.336	0.545
27	1.792	1.052	0.359	6.714	14.869	23.325		2.468	0.327	0.534
28	1.810	1.078	0.356	6.763	15.037	23.527		1.899	0.330	0.539
29	1.808	1.080	0.363	6.755	15.131	23.576		1.480	0.331	0.537
30	1.807	1.082	0.365	6.765	15.225	23.702		1.483	0.327	0.539
31										
1ヶ月値	1.806	1.064	0.353	6.721	14.547	23.261		2.310	0.336	0.539
最大値	1.921	1.154	0.417	7.028	15.801	25.029		2.646	0.671	0.596
最大値日時	04/16 16:40	04/16 15:10	04/16 11:20	04/16 10:20	04/30 14:40	04/16 13:10		04/16 14:50	04/14 16:20	04/26 19:30
最小値	1.696	0.968	0.300	6.365	12.543	21.885		1.305	0.256	0.485
最小値日時	04/12 21:20	04/04 02:30	04/05 03:50	04/11 19:00	04/06 11:50	04/13 05:50		04/28 13:30	04/21 09:00	04/15 04:10

\*1:年次点検

# 測定月報

測定日: 2017/04

(4/11)

日	モニタ									
	B031	B032	B033	B034	B035	B036	B037	B038	B039	B040
	HIC保管エリア周辺	H8タンクエリア周辺	H4タンクエリア周辺	H5タンクエリア周辺	J2タンクエリア周辺	G6タンクエリア周辺	セシウム吸着床中間貯蔵施設周辺	G4タンクエリア周辺	MP-8周辺	旧展望台周辺
	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)
1	0.470	0.619	2.584	0.896	2.381	2.151	2.522	3.391	4.946	2.058
2	0.477	0.620	2.617	0.897	2.415	2.180	2.549	3.414	4.994	2.079
3	0.476	0.626	2.616	0.906	2.425	2.184	2.442	3.410	5.027	2.092
4	0.476	0.622	2.624	0.908	2.440	2.217	2.459	3.421	5.053	2.107
5	*3	*3	*3	*3	2.460	2.242	2.490	3.434	5.091	2.130
6					2.482	2.281	2.532	3.454	5.126	2.149
7					2.483	2.281	2.584	3.468	5.154	2.165
8					2.469	2.291	2.561	3.452	5.147	2.146
9					2.454	2.279	2.544	3.435	5.103	2.140
10					2.449	2.272	2.465	3.399	5.107	2.127
11					2.388	2.225	2.475	3.382	5.004	2.093
12					2.388	2.207	2.429	3.287	4.977	2.075
13					2.390	2.221	2.414	3.196	5.037	2.098
14					*3	2.398	*3	2.226	*3	2.404
15									5.087	2.127
16									5.135	2.152
17									5.200	2.194
18									5.182	2.166
19									5.021	2.098
20									5.083	2.121
21	0.485	0.506	2.647	0.907					5.095	2.113
22	0.491	0.597	2.687	0.911					5.086	2.118
23	0.492	0.658	2.708	0.913					5.102	2.123
24	0.487	0.656	2.661	0.911					5.097	2.115
25	0.485	0.634	2.636	0.908					*3	5.087
26	0.496	0.628	2.703	0.922						*3
27	0.507	0.630	2.751	0.934						
28	0.496	0.640	2.692	0.922						
29	0.496	0.655	2.729	0.924						
30	0.503	0.656	2.757	0.931						
31	0.506	0.659	2.785	0.935						
1ヶ月値	0.489	0.631	2.680	0.915	2.431	2.233	2.494	3.389	5.081	2.121
最大値	0.567	1.156	2.964	1.002	2.605	2.424	2.901	3.570	5.362	2.314
最大値日時	04/26 14:40	04/27 10:30	04/30 14:40	04/30 09:50	04/10 10:50	04/07 13:30	04/08 12:10	04/07 16:20	04/16 19:40	04/16 14:10
最小値	0.422	0.460	1.523	0.570	2.247	1.844	1.759	3.070	4.731	1.963
最小値日時	04/01 22:00	04/20 10:10	04/20 10:20	04/20 10:30	04/11 20:10	04/07 10:30	04/03 11:20	04/13 02:50	04/11 19:20	04/01 06:40

\*3: 年次点検

# 測定月報

測定日: 2017/04

(5/11)

日	モニタ									
	B041 集中RW西側法面上	B042 大型メンテナンス建屋 東側	B043 大熊通り中央付近	B044 1～4号機PPゲート前	B045 1 2uS/B周辺	B046 3.4uS/B周辺	B047 集中RW東側	B048 集中RW南側	B049 共用プール西側	B050 4uR/B西側
	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)
1	2.718	2.227	3.588	20.555	32.233	77.667	11.020	7.460	38.906	10.983
2	2.754	2.263	3.617	20.834	32.621	78.917	9.612	7.595	39.663	11.027
3	2.764	2.296	3.650	20.935	32.545	78.981	10.393	7.652	39.935	11.071
4	2.741	2.265	3.658	21.186	32.557	79.546	11.633	7.702	40.094	11.122
5	2.830	2.323	3.697	21.720	32.876	80.082	13.236	7.770	40.439	11.252
6	2.929	2.395	3.738	21.758	33.044	79.950	13.164	7.791	40.602	11.286
7	2.990	2.454	3.767	21.915	33.462	80.177	12.931	7.814	40.768	11.451
8	2.910	2.371	3.737	21.708	33.542	80.105	12.278	7.795	40.652	11.415
9	2.912	2.387	3.718	21.765	33.594	79.406	12.942	7.699	40.212	11.356
10	2.833	2.343	3.687	21.579	33.257	79.533	13.215	7.701	40.283	11.326
11	2.836	2.429	3.664	21.531	32.719	77.713	12.791	7.490	38.690	10.791
12	2.879	2.487	3.672	21.766	32.945	77.803	12.643	7.559	39.263	9.889
13	2.846	2.464	3.678	21.616	32.818	78.838	12.145	7.656	40.017	9.889
14	2.941	2.539	3.736	22.003	33.458	79.507	12.464	7.739	40.469	9.902
15	3.028	2.627	3.797	22.382	34.225	80.202	13.160	7.812	40.800	9.934
16	3.120	2.695	3.845	22.915	34.934	81.310	12.444	7.899	41.278	10.025
17	2.994	2.591	3.776	22.427	34.101	80.729	12.370	7.830	40.859	9.892
18	2.998	2.669	3.731	22.377	33.909	78.152	12.258	7.588	38.604	9.765
19	2.994	2.646	3.748	22.371	34.027	79.270	12.297	7.770	40.399	9.833
20	2.933	2.529	3.700	22.043	33.561	79.128	19.474	7.787	40.645	9.831
21	2.984	2.572	3.712	22.135	33.907	79.361	21.750	7.789	40.668	9.890
22	2.949	2.616	3.738	22.312	34.260	79.961	14.046	7.792	40.687	10.119
23	2.860	2.579	3.721	22.220	34.253	80.381	10.428	7.818	40.747	10.043
24	*3 2.736	*3 2.519	*3 3.705	*3 21.939	*3 33.711	*3 79.789	10.892	7.815	40.813	9.882
25							10.721	7.836	40.994	10.246
26							10.376	7.855	41.027	11.232
27							10.237	7.646	39.808	11.151
28							10.911	7.782	40.509	11.241
29							10.389	7.744	40.344	11.284
30							10.420	7.760	40.445	11.363
31										
1ヶ月値	2.899	2.469	3.712	21.830	33.433	79.429	12.421	7.731	40.287	10.616
最大値	3.284	2.847	3.998	23.791	35.982	82.775	24.261	8.084	41.962	11.852
最大値日時	04/16 14:00	04/16 16:30	04/16 13:00	04/16 13:00	04/16 14:10	04/16 11:00	04/20 14:30	04/16 18:00	04/16 14:30	04/07 16:40
最小値	2.293	2.115	3.468	19.539	30.112	74.168	9.145	6.886	34.914	9.401
最小値日時	04/24 08:10	04/01 07:30	04/01 02:50	04/01 07:30	04/11 09:50	04/11 19:20	04/03 06:40	04/11 18:50	04/11 19:10	04/11 19:20

\*3: 年次点検

# 測定月報

測定日: 2017/04

(6/11)

日	モニタ									
	B051 3uR/B西側	B052 2uR/B西側	B053 1uR/B西側	B054 1uR/B北側	B055 物揚場周辺	B056 固体庫1, 2棟周辺	B057 旧事務本館北側	B058 固体庫第9棟建設地周辺	B059 危険物屋外貯蔵所周辺	B060 6号機D/G建屋周辺
	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)
1	129.796	100.450	89.454	59.006	7.886	5.495	13.141	0.422	1.331	2.070
2	131.224	101.030	90.294	59.796	8.003	5.586	13.303	0.430	1.358	2.150
3	129.685	101.407	92.915	60.160	8.060	7.244	13.421	0.415	1.366	2.181
4	130.676	101.597	92.029	60.420	8.085	6.791	13.444	0.432	1.373	2.195
5	131.691	102.289	85.613	60.872	8.182	6.777	13.540	0.435	1.392	2.215
6	135.560	103.482	85.247	61.398	8.301	6.405	13.732	0.409	1.406	2.231
7	138.357	104.968	94.680	62.024	8.352	6.110	13.975	0.441	1.412	2.244
8	136.531	104.015	95.259	61.722	8.194	6.348	13.772	0.449	1.407	2.245
9	136.078	103.664	95.182	61.322	8.161	6.565	13.710	0.414	1.406	2.233
10	135.162	103.069	94.032	60.919	8.051	6.086	13.615	0.413	1.393	2.235
11	134.183	102.442	91.039	60.276	7.994	5.772	13.464	0.406	1.361	2.150
12	134.996	102.961	92.873	60.472	8.102	5.801	13.689	0.390	1.347	2.113
13	134.925	102.559	87.644	60.622	8.065	5.795	13.659	0.380	1.365	2.193
14	136.614	103.687	88.922	61.707	8.213	5.892	13.896	0.424	1.392	2.224
15	137.926	105.201	91.527	63.024	8.362	6.003	14.127	0.458	1.412	2.250
16	139.924	106.676	92.912	63.985	8.536	6.114	14.381	0.467	1.434	2.274
17	137.878	105.478	92.129	63.099	8.305	5.977	14.064	0.442	1.419	2.235
18	136.707	104.849	92.258	61.888	8.255	5.823	13.845	0.397	1.355	2.136
19	137.367	104.975	94.678	62.453	8.317	5.832	13.944	0.418	1.385	2.219
20	136.944	104.146	93.243	61.664	8.148	5.797	13.848	0.422	1.382	2.216
21	136.505	104.935	90.094	61.674	8.192	5.836	13.914	0.404	1.385	2.201
22	137.029	105.667	90.906	63.987	8.188	5.856	13.982	0.426	1.390	2.221
23	136.621	105.441	92.715	64.815	8.105	5.854	13.915	0.405	1.394	2.228
24	136.113	105.558	94.046	64.843	8.071	5.835	13.896	0.427	1.396	2.236
25	136.170	106.360	96.939	65.345	8.246	5.911	14.071	0.437	1.406	2.255
26	135.866	107.112	95.461	65.823	8.324	6.056	14.229	0.451	1.419	2.218
27	135.284	105.566	94.895	64.336	8.115	6.013	13.981	0.418	1.382	2.164
28	136.095	105.701	98.860	65.385	8.324	6.106	14.258	0.429	1.396	2.230
29	135.932	105.679	100.257	65.723	8.399	6.139	14.382	0.437	1.402	2.221
30	136.432	106.227	100.653	65.947	8.453	6.193	14.480	0.432	1.412	2.227
31										
1ヶ月値	135.476	104.240	92.892	62.490	8.199	6.067	13.856	0.424	1.389	2.207
最大値	157.390	108.971	102.778	67.573	8.898	37.902	14.970	0.516	1.490	2.381
最大値日時	04/26 13:40	04/16 13:30	04/29 11:50	04/30 16:10	04/16 14:50	04/03 08:30	04/30 15:00	04/07 16:10	04/16 10:40	04/16 16:00
最小値	100.390	92.187	69.242	54.177	7.607	5.316	12.643	0.333	1.249	1.962
最小値日時	04/03 07:30	04/20 22:00	04/13 09:40	04/21 09:30	04/01 07:20	04/01 02:40	04/05 08:20	04/25 07:50	04/11 18:50	04/11 22:20

# 測定月報

測定日: 2017/04

(7/11)

日	モニタ									
	B061 5・6号機放水口周辺	B062 焼却設備建屋周辺	B063 Fタンクエリア周辺	B064 ヤード PI東側周辺	B065 焼却設備建屋前道路カーブ側	B066 資材置場	B067 一時保管エリアC周辺	B068 一時保管エリアI周辺	B069 一時保管エリアH1周辺	B070 土捨場資材置場
	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)
1	1.545	1.996	11.138	18.668	2.746	3.890	1.720	13.826	4.105	0.849
2	1.568	2.024	11.186	18.755	2.777	3.930	1.740	14.059	4.167	0.865
3	1.551	2.032	11.189	18.764	2.785	3.937	1.744	14.182	4.207	0.871
4	1.532	2.047	11.175	18.783	2.804	3.946	1.735	14.285	4.236	0.872
5	1.527	2.051	11.242	18.834	2.812	3.970	1.730	14.419	4.278	0.874
6	1.540	2.076	11.272	18.891	2.832	3.998	1.724	14.512	4.304	0.883
7	1.531	2.099	11.308	18.898	2.846	4.018	1.728	14.519	4.305	0.866
8	1.532	2.080	11.294	18.858	2.833	4.016	1.705	14.498	4.302	0.846
9	1.521	2.070	11.245	18.810	2.808	3.993	1.699	14.391	4.276	0.842
10	1.516	2.074	11.244	19.445	2.851	3.951	1.684	14.427	4.275	0.830
11	1.491	2.050	11.173	19.690	2.918	3.897	1.659	14.000	4.168	0.813
12	1.492	2.055	11.181	19.743	2.960	3.919	1.646	13.805	4.127	0.806
13	1.503	2.053	11.179	19.818	2.977	3.946	1.666	14.114	4.201	0.811
14	1.514	2.081	11.260	19.972	3.004	4.051	1.696	14.296	4.264	0.829
15	1.530	2.104	11.306	20.043	3.038	4.165	1.733	14.418	4.312	0.843
16	1.550	2.127	11.355	20.142	3.061	4.204	1.755	14.558	4.356	0.856
17	1.534	2.113	11.326	20.052	3.040	4.178	1.734	14.463	4.329	0.841
18	1.485	2.077	11.249	19.907	2.972	4.103	1.701	13.678	4.135	0.814
19	1.512	2.089	11.240	19.959	2.998	4.192	1.717	14.040	4.222	0.812
20	1.512	2.077	11.231	16.137	2.994	4.239	1.692	14.117	4.248	0.799
21	1.516	2.076	11.210	13.928	2.989	4.245	1.683	14.122	4.244	0.793
22	1.516	2.080	11.225	13.934	2.993	4.267	1.679	14.147	4.255	0.796
23	1.517	2.080	11.248	13.941	2.993	4.272	1.673	14.227	4.265	0.792
24	1.521	2.077	11.265	13.996	2.998	4.115	1.671	14.278	4.285	0.798
25	1.530	2.084	11.263	14.022	3.007	4.013	1.691	14.396	4.318	0.805
26	1.534	2.098	11.287	14.009	3.021	3.986	1.699	14.449	4.331	0.807
27	1.489	2.067	11.227	13.853	2.972	3.944	1.664	14.053	4.204	0.793
28	1.510	2.078	11.248	13.924	2.996	3.977	1.665	14.277	4.267	0.805
29	1.512	2.072	11.236	13.917	2.986	3.975	1.666	14.239	4.266	0.805
30	1.513	2.086	11.268	13.949	2.994	3.986	1.670	14.283	4.274	0.808
31										
1ヶ月値	1.522	2.072	11.242	17.454	2.934	4.043	1.699	14.236	4.251	0.827
最大値	1.914	2.229	11.581	20.456	3.169	4.497	2.107	14.860	4.490	0.953
最大値日時	04/06 12:00	04/16 11:20	04/16 10:50	04/16 11:20	04/16 11:50	04/19 10:40	04/07 10:40	04/16 18:30	04/17 14:40	04/06 13:00
最小値	1.384	1.903	8.533	13.591	2.665	3.722	1.556	12.971	3.883	0.715
最小値日時	04/12 01:40	04/01 10:20	04/04 11:30	04/27 22:10	04/03 04:10	04/11 17:50	04/12 03:20	04/19 08:00	04/11 18:50	04/24 03:20

# 測定月報

測定日: 2017/04

(8/11)

日	モニタ									
	B071	B072	B073	B074	B075	B076	B077	B078	B079	B080
	土捨場東側資材置場	瓦礫保管Aテント周辺	覆土式瓦礫保管エリアL北側	覆土式瓦礫保管エリアL南側	一時保管エリアG2周辺	一時保管エリアG1周辺	5・6号機迂回道路付近	一時保管エリアM周辺	旧研修棟正面玄関前	3・4号機後面ダストモニタ周辺
	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)
1	1.920	30.941	5.258	0.773	0.442	1.273	4.976	2.883	68.991	11.727
2	1.940	31.302	5.321	0.785	0.445	1.295	5.056	2.937	69.589	11.867
3	1.949	31.529	5.347	0.785	0.449	1.306	5.104	2.959	69.860	11.876
4	1.954	31.658	5.372	0.786	0.447	1.318	5.138	2.986	70.026	11.934
5	1.966	31.806	5.390	0.793	0.447	1.325	5.196	3.009	70.457	12.167
6	1.981	31.876	5.395	0.800	0.448	1.339	5.244	3.040	70.856	12.539
7	1.988	31.808	5.403	0.808	0.458	1.342	5.258	3.052	71.039	12.923
8	1.977	31.758	5.385	0.794	0.455	1.333	5.265	3.045	70.691	12.576
9	1.970	31.536	5.354	0.795	0.454	1.328	5.206	3.031	70.275	12.566
10	1.961	31.560	5.344	0.779	0.451	1.321	5.192	3.039	72.000	12.243
11	1.940	30.845	5.205	0.781	0.438	1.294	5.060	2.953	72.371	12.279
12	1.934	30.670	5.154	0.775	0.435	1.290	5.019	2.904	72.783	12.522
13	1.948	31.208	5.245	0.772	0.443	1.303	5.087	2.958	73.073	12.300
14	1.972	31.565	5.284	0.784	0.451	1.323	5.171	3.015	73.752	12.609
15	1.991	31.827	5.349	0.806	0.461	1.344	5.265	3.053	74.296	12.979
16	2.009	32.043	5.413	0.824	0.468	1.366	5.344	3.098	74.918	13.357
17	1.994	31.881	5.371	0.804	0.469	1.346	5.280	3.056	74.324	12.876
18	1.956	30.876	5.155	0.795	0.464	1.301	5.052	2.927	73.498	13.042
19	1.962	31.396	5.276	0.792	0.462	1.321	5.137	2.996	73.983	12.979
20	1.955	31.482	5.289	0.775	0.454	1.319	5.126	3.009	73.709	12.552
21	1.964	31.479	5.274	0.776	0.455	1.317	5.140	3.012	73.687	12.730
22	1.956	31.560	5.270	0.777	0.454	1.317	5.171	3.026	73.895	12.870
23	1.949	31.253	5.263	0.764	0.448	1.321	5.194	3.036	73.792	12.684
24	1.946	31.335	5.281	0.762	0.449	1.324	5.194	3.055	73.787	12.578
25	1.960	31.694	5.315	0.777	0.459	1.335	5.241	3.076	74.114	12.905
26	1.975	30.678	5.320	0.790	0.466	1.343	5.259	3.098	74.232	13.241
27	1.944	29.525	5.232	0.775	0.446	1.296	5.061	3.015	73.390	12.959
28	2.293	29.872	5.241	0.772	0.445	1.314	5.169	3.052	73.981	12.962
29	2.617	29.756	5.228	0.778	0.451	1.312	5.175	3.059	73.954	13.041
30	2.627	29.808	5.250	0.782	0.451	1.310	5.191	3.071	74.170	13.193
31										
1ヶ月値	2.017	31.218	5.299	0.785	0.452	1.319	5.164	3.014	72.650	12.636
最大値	2.760	32.579	5.600	0.885	0.522	1.439	5.974	3.214	76.212	13.996
最大値日時	04/28 12:00	04/16 13:00	04/05 10:00	04/07 15:10	04/07 20:00	04/16 23:40	04/03 08:20	04/16 22:00	04/16 11:10	04/16 13:50
最小値	1.827	28.522	4.895	0.695	0.392	1.197	4.233	2.759	64.528	11.329
最小値日時	04/11 18:50	04/27 21:20	04/11 18:50	04/13 03:00	04/12 07:00	04/01 02:50	04/14 07:20	04/11 21:00	04/10 09:00	04/03 05:30



# 測定月報

測定日: 2017/04

(9/11)

日	モニタ									
	B081	B082	B083	B084	B085	B086	B087	B088	B089	B090
	事務本館南 線量率 ( $\mu\text{Sv/h}$ )	大型メンテナンス建屋周辺 線量率 ( $\mu\text{Sv/h}$ )	2, 3号機間道路西側(10m盤) 線量率 ( $\mu\text{Sv/h}$ )	2号機海側 (4m盤) 線量率 ( $\mu\text{Sv/h}$ )	中央交差点 線量率 ( $\mu\text{Sv/h}$ )	No.4倉庫周辺 線量率 ( $\mu\text{Sv/h}$ )	1, 2u排気筒西側 線量率 ( $\mu\text{Sv/h}$ )	線量表示器88 線量率 ( $\mu\text{Sv/h}$ )	線量表示器89 線量率 ( $\mu\text{Sv/h}$ )	線量表示器90 線量率 ( $\mu\text{Sv/h}$ )
1	11.261	1.533	109.045	24.754	1.063	13.861	1489.303			
2	11.387	1.551	109.760	25.083	1.078	14.062	1493.909			
3	11.479	1.563	109.871	*9 24.510	1.086	14.185	1496.024			
4	11.464	1.559	107.647	25.432	1.095	14.235	1499.228			
5	11.654	1.567	111.159	25.846	1.104	14.329	1502.644			
6	11.946	1.576	112.592	26.132	1.120	14.416	1507.794			
7	12.291	1.598	113.931	26.548	1.121	14.432	1513.693			
8	11.980	1.567	112.885	26.093	1.113	14.428	1507.946			
9	11.965	1.569	112.399	26.237	1.108	14.280	1503.695			
10	11.659	1.563	111.455	25.756	1.101	14.310	1503.102			
11	11.740	2.326	111.190	25.524	1.088	13.997	1496.622			
12	12.039	2.236	111.408	25.706	1.076	13.985	1501.604			
13	11.862	1.577	108.795	25.580	1.086	14.193	1501.070			
14	12.154	1.602	110.730	26.003	1.103	14.331	1507.980			
15	12.578	1.640	114.878	26.717	1.119	14.466	1514.720			
16	12.952	1.668	116.605	27.410	1.131	14.617	1524.725			
17	12.478	1.692	115.176	26.697	1.125	14.431	1519.471			
18	12.677	1.706	113.406	26.625	1.085	14.025	1513.723			
19	12.609	1.614	114.993	26.907	1.101	14.268	1513.633			
20	12.098	1.586	113.494	26.130	1.097	14.287	1508.897			
21	12.189	1.572	113.610	26.291	1.100	14.254	1507.183			
22	12.660	1.587	114.986	26.578	1.100	14.302	1515.275			
23	12.664	1.573	114.771	26.466	1.105	14.327	1515.198			
24	12.578	1.579	111.864	26.135	1.110	14.375	1516.795			
25	12.930	1.652	114.992	26.671	1.121	14.443	1520.562			
26	13.254	1.704	114.978	27.167	1.122	14.463	1523.497			
27	12.991	1.626	113.207	26.782	1.094	14.122	1515.485			
28	13.287	1.600	113.803	26.975	1.104	14.327	1518.709			
29	13.503	1.610	113.712	27.164	1.105	14.276	1517.169			
30	13.633	1.626	114.262	27.320	1.110	14.324	1521.444			
31										
1ヶ月値	12.332	1.647	112.720	26.241	1.102	14.277	1509.703			
最大値	14.312	3.477	119.004	28.393	1.433	15.011	1541.079			
最大値日時	04/30 15:00	04/12 08:00	04/16 14:10	04/16 13:20	04/03 08:20	04/16 15:50	04/16 11:10			
最小値	10.968	1.467	84.797	22.131	1.004	13.327	1483.470			
最小値日時	04/03 04:40	04/20 00:20	04/13 14:10	04/03 08:50	04/01 06:30	04/11 18:30	04/03 06:10			

\*9:その他