

測定月報

測定日: 2017/05

(1/11)

日	モニタ									
	B001	B002	B003	B004	B005	B006	B007	B008	B009	B010
	入退域管理棟周辺 線量率 ($\mu\text{Sv/h}$)	正門警備所周辺 線量率 ($\mu\text{Sv/h}$)	環境管理棟周辺 線量率 ($\mu\text{Sv/h}$)	車両スクリーニング場周辺 線量率 ($\mu\text{Sv/h}$)	厚生棟休憩所周辺 線量率 ($\mu\text{Sv/h}$)	登録センター休憩所周辺 線量率 ($\mu\text{Sv/h}$)	5/6号サービス建屋休憩所周辺 線量率 ($\mu\text{Sv/h}$)	シールド中央制御室周辺 線量率 ($\mu\text{Sv/h}$)	免震重要棟周辺 線量率 ($\mu\text{Sv/h}$)	5/6号防護本部周辺 線量率 ($\mu\text{Sv/h}$)
1	0.258	0.610	2.695	0.534	0.709	1.689	1.370	3.013	6.926	1.230
2	0.253	0.601	2.702	0.528	0.707	1.694	1.362	3.017	6.867	1.213
3	0.256	0.606	2.712	0.529	0.709	1.695	1.371	3.029	6.891	1.224
4	0.256	0.601	2.716	0.535	0.712	1.696	1.381	3.045	6.911	1.233
5	0.260	0.620	2.727	0.539	0.720	1.702	1.391	3.057	6.966	1.247
6	0.262	0.618	2.725	0.540	0.718	1.701	1.392	3.066	6.974	1.257
7	0.259	0.616	2.726	0.539	0.715	1.702	1.398	3.068	6.969	1.257
8	0.261	0.618	2.734	0.541	0.715	1.712	1.411	3.085	7.011	1.270
9	0.257	0.606	2.719	0.534	0.709	1.700	1.398	3.048	6.907	1.242
10	0.258	0.615	2.716	0.539	0.711	1.697	1.398	3.037	6.914	1.250
11	0.259	0.620	2.709	0.536	0.711	1.702	1.408	3.056	6.973	1.265
12	0.257	0.610	2.722	0.534	0.710	1.707	1.406	3.054	6.955	1.257
13	0.255	0.595	2.643	0.523	0.697	1.682	1.340	2.943	6.849	1.206
14	0.251	0.594	2.605	0.515	0.682	1.667	1.301	2.886	6.768	1.173
15	0.248	0.594	2.634	0.518	0.686	1.661	1.323	2.926	6.806	1.183
16	0.252	0.602	2.670	0.526	0.693	1.695	1.355	2.980	6.889	1.214
17	0.253	0.602	2.677	0.529	0.697	1.691	1.360	3.006	6.880	1.220
18	0.251	0.604	2.676	0.530	0.697	1.692	1.362	3.029	6.879	1.223
19	0.254	0.605	2.676	0.532	0.700	1.704	1.376	3.036	6.934	1.233
20	0.260	0.611	2.703	0.537	0.707	1.708	1.391	3.052	7.005	1.248
21	0.260	0.619	2.712	0.539	0.712	1.714	1.405	3.088	7.033	1.259
22	0.260	0.618	2.708	0.540	0.708	1.707	1.407	3.077	7.016	1.256
23	0.257	0.607	2.689	0.535	0.706	1.701	1.407	3.074	6.989	1.250
24	0.259	0.612	2.696	0.539	0.708	1.700	1.405	3.077	7.006	1.257
25	0.253	0.598	2.636	0.529	0.692	1.679	1.343	2.981	6.892	1.205
26	0.251	0.599	2.649	0.525	0.691	1.682	1.344	2.967	6.875	1.200
27	0.255	0.601	2.663	0.526	0.695	1.689	1.348	2.990	6.889	1.205
28	0.260	0.607	2.683	0.530	0.705	1.700	1.366	3.033	6.958	1.224
29	0.257	0.609	2.684	0.535	0.703	1.695	1.377	3.071	6.966	1.240
30	0.262	0.615	2.702	0.543	0.706	1.693	1.393	3.086	7.020	1.255
31	0.261	0.611	2.699	0.542	0.709	1.700	1.399	3.100	7.053	1.267
1ヶ月値	0.257	0.608	2.691	0.533	0.705	1.695	1.377	3.032	6.935	1.234
最大値	0.300	0.681	2.842	0.587	0.777	1.916	1.484	3.230	7.285	1.353
最大値日時	05/08 20:00	05/05 22:50	05/29 10:10	05/05 10:10	05/21 15:50	05/11 07:40	05/21 20:00	05/30 18:40	05/31 18:00	05/11 13:10
最小値	0.207	0.533	2.391	0.472	0.614	1.599	1.250	2.754	6.645	1.110
最小値日時	05/07 20:50	05/05 06:00	05/24 16:00	05/26 23:00	05/25 07:20	05/15 17:40	05/14 03:40	05/13 17:20	05/14 19:10	05/13 14:50

測定月報

測定日: 2017/05

(2/11)

日	モニタ									
	B011	B012	B013	B014	B015	B016	B017	B018	B019	B020
	1号北側法面上周辺 線量率 ($\mu\text{Sv/h}$)	1/2号西側法面上周辺 線量率 ($\mu\text{Sv/h}$)	3/4号西側法面上周辺 線量率 ($\mu\text{Sv/h}$)	4号南側法面上周辺 線量率 ($\mu\text{Sv/h}$)	一般焼却炉周辺 線量率 ($\mu\text{Sv/h}$)	車両整備場周辺 線量率 ($\mu\text{Sv/h}$)	多核種除去施設周辺 線量率 ($\mu\text{Sv/h}$)	キャスク仮保管施設周辺 線量率 ($\mu\text{Sv/h}$)	野鳥の森五差路周辺 線量率 ($\mu\text{Sv/h}$)	5/6号機西側周辺 線量率 ($\mu\text{Sv/h}$)
1	59.525	50.831	12.552	2.045	22.037	1.158	0.774	0.358	3.410	6.903
2	59.140	50.261	12.261	2.006	22.136	1.160	0.766	0.352	3.247	6.900
3	59.309	50.379	12.320	2.018	22.273	1.170	0.775	0.351	3.288	6.952
4	59.529	50.702	12.438	2.035	22.325	1.170	0.777	0.356	3.345	6.991
5	59.870	51.139	12.619	2.069	22.403	1.181	0.786	0.363	3.447	7.031
6	60.012	51.265	12.701	2.074	22.405	1.180	0.787	0.365	3.490	7.026
7	60.261	51.357	12.721	2.072	22.423	1.176	0.784	0.362	3.480	7.051
8	61.054	52.033	12.924	2.111	22.528	1.150	0.800	0.368	3.570	7.122
9	59.903	50.959	12.494	2.047	22.421	1.131	0.791	0.361	3.340	7.090
10	59.873	50.945	12.549	2.025	22.360	1.165	0.784	0.361	3.399	7.085
11	60.865	51.840	12.800	2.063	22.349	1.170	0.795	0.365	3.521	7.098
12	60.673	51.538	12.650	2.055	22.452	1.191	0.792	0.366	3.393	7.111
13	58.608	49.962	12.241	1.949	21.527	1.150	0.768	0.358	3.237	6.756
14	57.305	49.015	11.950	1.884	21.005	1.115	0.749	0.351	3.145	6.500
15	57.821	49.519	12.115	1.946	21.404	1.103	0.766	0.352	3.177	6.588
16	59.039	50.393	12.348	1.997	21.669	1.092	0.782	0.348	3.287	6.717
17	59.216	50.411	12.079	1.995	21.783	1.122	0.792	0.343	3.268	6.772
18	59.223	50.364	12.248	1.998	21.824	1.117	0.795	*9 0.340	3.287	6.799
19	59.823	50.920	12.470	2.017	21.939	1.102	0.801	0.351	3.328	6.841
20	60.069	51.266	12.624	2.046	22.146	1.112	0.804	0.360	3.402	6.897
21	60.705	51.752	12.744	2.072	22.281	1.122	0.809	0.362	3.428	6.948
22	60.814	51.696	12.761	2.080	22.264	1.172	0.810	0.369	3.435	6.965
23	60.526	51.324	12.666	2.056	22.254	1.120	0.803	0.360	3.351	6.997
24	60.606	51.463	12.720	2.069	22.253	0.962	0.811	0.360	3.374	6.991
25	59.046	50.320	12.352	1.994	21.518	0.835	0.769	0.354	3.226	6.679
26	58.846	50.182	12.271	1.997	21.547	0.841	0.783	0.357	3.188	6.655
27	58.985	50.244	12.297	2.005	21.598	0.838	0.784	0.348	3.202	6.649
28	59.994	50.993	12.492	2.047	21.824	0.851	0.799	0.354	3.276	6.748
29	60.380	51.249	12.521	2.050	21.989	0.918	0.817	0.356	3.306	6.827
30	61.145	51.894	12.714	2.092	22.067	1.072	0.847	0.368	3.440	6.894
31	61.658	52.231	12.874	2.106	22.164	1.180	0.853	0.369	3.492	6.935
1ヶ月値	59.801	50.918	12.501	2.033	22.037	1.091	0.792	0.358	3.348	6.888
最大値	63.066	53.671	13.485	2.237	22.922	1.466	0.910	0.703	3.839	7.351
最大値日時	05/08 13:30	05/08 13:30	05/08 14:10	05/08 13:10	05/12 14:30	05/10 08:50	05/30 20:30	05/09 11:20	05/08 13:20	05/08 17:10
最小値	56.729	47.309	9.473	1.781	20.610	0.765	0.687	0.292	2.923	6.381
最小値日時	05/14 22:40	05/10 13:00	05/17 12:30	05/14 12:00	05/14 04:50	05/24 12:20	05/14 20:10	05/18 19:30	05/18 09:30	05/14 06:30

*9:その他

測定月報

測定日: 2017/05

(3/11)

日	モニタ									
	B021	B022	B023	B024	B025	B026	B027	B028	B029	B030
	西門周辺 線量率 (μ Sv/h)	さくら通り正門側 線量率 (μ Sv/h)	増設多核種除去設備西側周辺 線量率 (μ Sv/h)	リタンクエリア周辺(通風ファストモニタ小室側) 線量率 (μ Sv/h)	1・2号機海側(4m壁) 線量率 (μ Sv/h)	3・4号機海側(4m壁) 線量率 (μ Sv/h)	固体廃棄物貯蔵庫管理棟周辺 線量率 (μ Sv/h)	高性能多核種除去設備周辺 線量率 (μ Sv/h)	サブドレン浄化設備周辺 線量率 (μ Sv/h)	給油所周辺 線量率 (μ Sv/h)
1	1.813	1.078	0.366	6.749	15.241	23.725	X1	1.487	0.323	0.541
2	1.810	1.080	0.353	6.764	14.957	23.381		1.475	0.325	0.536
3	1.817	1.086	0.358	6.801	15.028	23.519		1.480	0.320	0.540
4	1.819	1.091	0.362	6.810	15.138	23.646		1.486	0.322	0.542
5	1.827	1.096	0.369	6.852	15.303	23.822		1.495	0.326	0.547
6	1.830	1.095	0.372	6.850	15.383	23.955		1.499	0.332	0.550
7	1.827	1.097	0.372	6.856	15.453	24.072		1.501	0.333	0.550
8	1.836	1.101	0.377	6.916	15.698	24.322		1.507	0.336	0.553
9	1.827	1.094	0.359	6.890	15.190	23.659		1.484	0.325	0.549
10	1.832	1.094	0.365	6.882	15.284	23.862		1.491	0.354	0.553
11	1.831	1.101	0.377	6.899	15.601	24.103		1.496	0.335	0.554
12	1.827	1.099	0.367	6.905	15.385	23.830		1.476	0.338	0.557
13	1.774	1.060	0.361	6.685	14.856	22.873		1.440	0.334	0.544
14	1.725	1.031	0.355	6.539	14.504	22.315		1.413	0.330	0.528
15	1.746	1.047	0.357	6.623	14.644	22.649		1.382	0.331	0.529
16	1.770	1.063	0.368	6.701	14.991	23.192		1.376	0.336	0.537
17	1.771	1.065	0.363	6.724	14.943	23.356		1.376	0.317	0.538
18	1.785	1.069	0.360	6.732	14.956	23.519		1.381	0.311	0.541
19	1.793	1.079	0.367	6.764	15.154	23.716		1.393	0.315	0.542
20	1.806	1.086	0.377	6.819	15.170	23.877		1.409	0.312	0.548
21	1.813	1.089	0.380	6.856	15.246	24.133		1.412	0.319	0.553
22	1.817	1.095	0.380	6.876	15.094	24.078		1.418	0.329	0.551
23	1.816	1.078	0.376	6.877	14.936	23.946		1.407	0.319	0.553
24	1.817	1.068	0.381	6.878	15.044	23.868		1.409	0.318	0.553
25	1.771	1.031	0.370	6.651	14.736	23.230		1.385	0.319	0.540
26	1.758	1.041	0.364	6.631	14.655	23.152		1.375	0.312	0.537
27	1.759	1.056	0.366	6.619	14.753	23.051		1.385	0.312	0.537
28	1.775	1.065	0.371	6.688	14.994	23.606		1.400	0.314	0.549
29	1.787	1.072	0.375	6.735	14.742	23.737		1.399	0.313	0.548
30	1.804	1.074	0.388	6.774	14.910	24.027		1.416	0.323	0.553
31	1.810	1.063	0.389	6.804	15.179	23.963		1.422	0.317	0.556
1ヶ月値	1.800	1.076	0.369	6.779	15.070	23.619		1.435	0.324	0.545
最大値	1.925	1.184	0.438	7.093	16.433	25.228		1.585	0.768	0.602
最大値日時	05/08 11:50	05/08 11:30	05/31 12:30	05/08 15:30	05/08 13:40	05/08 13:30		05/06 14:10	05/10 11:50	05/08 17:00
最小値	1.652	0.961	0.317	6.417	14.248	21.682		1.296	0.252	0.475
最小値日時	05/14 11:00	05/14 06:00	05/02 02:10	05/14 18:40	05/14 22:10	05/18 12:20		05/17 00:40	05/26 11:20	05/14 17:30

*1:線量表示器の点検・校正に伴う欠測

測定月報

測定日: 2017/05

(4/11)

日	モニタ									
	B031	B032	B033	B034	B035	B036	B037	B038	B039	B040
	HIC保管エリア周辺	H8タンクエリア周辺	H4タンクエリア周辺	H5タンクエリア周辺	J2タンクエリア周辺	G6タンクエリア周辺	セシウム吸着塔中間貯蔵施設周辺	2uR/B西側	1uR/B西側	1uR/B北側
	線量率 (μ Sv/h)	線量率 (μ Sv/h)	線量率 (μ Sv/h)	線量率 (μ Sv/h)	線量率 (μ Sv/h)	線量率 (μ Sv/h)	線量率 (μ Sv/h)	線量率 (μ Sv/h)	線量率 (μ Sv/h)	線量率 (μ Sv/h)
1	0.506	0.657	2.783	0.936	*1	*1	*1	*1	*1	*1
2	0.493	0.656	2.706	0.928						
3	0.499	0.659	2.740	0.932						
4	0.504	0.663	2.770	0.938						
5	0.513	0.668	2.817	0.952						
6	0.515	0.671	2.845	0.953						
7	0.513	0.670	2.843	0.948						
8	0.522	0.680	2.883	0.962						
9	0.507	0.664	2.773	0.947						
10	0.509	0.739	2.781	0.944						
11	0.519	0.720	2.835	0.954						
12	0.512	0.667	2.773	0.947						
13	0.498	0.652	2.654	0.933						
14	0.488	0.635	2.584	0.920						
15	0.493	0.637	2.605	0.922						
16	0.504	0.649	2.685	0.936						
17	0.503	0.652	2.695	0.934						
18	0.504	0.662	2.724	0.935						
19	0.511	0.674	2.756	0.942						
20	0.519	0.682	2.836	0.953						
21	0.525	0.686	2.860	0.958						
22	0.523	0.687	2.845	0.961				*9 101.611	*9 103.671	*9 63.095
23	0.518	0.680	2.811	0.954				101.791	103.430	62.715
24	0.522	0.676	2.841	0.960				102.105	103.551	62.963
25	0.510	0.655	2.730	0.930				100.470	101.957	60.463
26	0.506	0.663	2.734	0.922	2.138		3.204	100.268	101.941	60.268
27	0.507	0.666	2.717	0.924	2.151		3.201	100.591	102.304	60.282
28	0.516	0.677	2.790	0.933	2.181		3.392	102.035	103.601	61.501
29	0.518	0.674	2.789	0.940	2.208		3.397	102.500	104.293	62.245
30	0.531	0.676	2.846	0.953	2.237		3.411	103.279	104.653	63.209
31	0.534	0.680	2.863	0.958	2.246		3.441	103.867	106.426	63.930
1ヶ月値	0.511	0.670	2.771	0.942	2.198		3.352	101.868	103.577	61.999
最大値	0.588	0.962	3.053	1.032	2.331		3.692	105.334	118.071	64.821
最大値日時	05/31 10:50	05/08 09:50	05/08 15:30	05/31 20:20	05/31 06:00		05/28 13:30	05/31 11:10	05/31 12:20	05/31 14:30
最小値	0.449	0.594	2.495	0.862	1.784		1.516	87.936	94.971	53.207
最小値日時	05/14 20:20	05/18 03:10	05/14 21:00	05/02 04:10	05/26 10:50		05/26 10:40	05/22 15:10	05/25 07:00	05/22 15:00

*9:その他

*1:線量表示器の点検・調整に伴う欠測

測定月報

測定日: 2017/05

(5/11)

日	モニタ									
	B041 集中RW西側法面上	B042 大型メンテナンス建屋 東側	B043 大熊通り中央付近	B044 1～4号機PPゲート前	B045 12uS/B周辺	B046 3.4uS/B周辺	B047 集中RW東側	B048 集中RW南側	B049 共用プール西側	B050 4uR/B西側
	線量率 (μ Sv/h)	線量率 (μ Sv/h)	線量率 (μ Sv/h)	線量率 (μ Sv/h)	線量率 (μ Sv/h)	線量率 (μ Sv/h)	線量率 (μ Sv/h)	線量率 (μ Sv/h)	線量率 (μ Sv/h)	線量率 (μ Sv/h)
1	*1	*1	*1	*1	*1	*1	10.409	7.744	40.303	11.363
2							11.200	7.767	40.382	11.302
3							10.894	7.813	40.633	11.318
4							10.472	7.835	40.844	11.373
5							10.481	7.854	41.032	11.410
6							11.267	7.850	41.005	11.417
7							10.909	7.874	41.101	11.450
8							10.618	7.939	41.456	11.565
9							10.561	7.910	41.317	11.477
10							11.187	7.830	41.217	11.454
11							10.679	7.849	41.137	11.340
12							10.674	7.882	41.351	11.313
13							10.432	7.428	38.183	10.980
14							10.612	7.221	37.256	10.766
15							10.595	7.521	38.673	10.937
16							10.199	7.633	39.472	11.099
17							9.273	7.696	39.849	11.095
18							9.758	7.720	40.033	11.114
19							9.313	7.777	40.325	11.210
20							9.329	7.822	40.618	11.257
21							9.302	7.858	40.918	11.352
22				23.441	34.302		9.761	7.878	41.053	11.356
23				23.342	34.413		9.668	7.838	41.050	11.312
24				23.362	34.308		9.041	7.816	41.015	11.288
25				22.883	33.718		8.933	7.509	38.677	11.042
26	2.718	2.602	3.669	22.815	33.634	112.672	8.837	7.577	39.228	11.029
27	2.728	2.618	3.679	22.856	33.986	112.435	8.999	7.558	39.040	11.025
28	2.785	2.669	3.747	23.285	34.690	114.396	9.044	7.676	39.776	11.167
29	2.777	2.702	3.784	23.720	34.483	95.859	8.701	7.738	40.238	11.204
30	2.854	2.776	3.854	24.133	34.927	80.613	9.203	7.764	40.551	11.284
31	2.887	2.816	3.885	24.280	35.407	81.015	9.237	7.818	40.807	11.274
1ヶ月値	2.797	2.704	3.778	23.410	34.392	98.391	9.987	7.742	40.275	11.244
最大値	3.067	2.925	4.054	26.646	36.044	116.511	12.289	9.348	42.254	11.925
最大値日時	05/31 13:30	05/31 10:50	05/31 17:40	05/29 21:20	05/31 14:30	05/28 17:00	05/10 11:20	05/09 22:40	05/08 15:30	05/08 12:30
最小値	2.310	2.225	3.265	22.063	16.744	77.126	8.389	6.855	34.745	10.583
最小値日時	05/26 12:10	05/26 10:30	05/26 11:30	05/24 08:40	05/22 14:20	05/30 07:40	05/29 22:00	05/13 17:30	05/13 17:30	05/14 04:40

*1:線量表示器の点検・校正に伴う欠測

測定月報

測定日: 2017/05

(6/11)

日	モニタ									
	B051 3uR/B西側	B052 2uR/B西側	B053 1uR/B西側	B054 1uR/B北側	B055 物揚場周辺	B056 固体庫1, 2棟周辺	B057 旧事務本館北側	B058 固体庫第9棟建設地周辺	B059 危険物屋外貯蔵所周辺	B060 6号機D/G建屋周辺
	線量率 (μ Sv/h)	線量率 (μ Sv/h)	線量率 (μ Sv/h)	線量率 (μ Sv/h)	線量率 (μ Sv/h)	線量率 (μ Sv/h)	線量率 (μ Sv/h)	線量率 (μ Sv/h)	線量率 (μ Sv/h)	線量率 (μ Sv/h)
1	136.312	106.105	100.404	65.876	8.447	6.189	14.464	0.432	1.409	2.226
2	136.117	105.570	100.033	65.540	8.311	6.121	14.293	0.389	1.407	2.230
3	136.243	105.666	100.229	65.892	8.377	6.159	14.371	0.344	1.415	2.245
4	136.652	106.082	100.514	66.276	8.425	6.201	14.460	0.346	1.428	2.261
5	136.990	106.488	101.157	66.787	8.511	6.267	14.616	0.349	1.441	2.278
6	136.979	106.594	101.028	66.857	8.552	6.295	14.658	0.352	1.440	2.288
7	137.406	106.916	101.342	67.036	8.582	6.310	14.668	0.351	1.448	2.297
8	138.045	107.910	102.294	67.792	8.383	6.384	14.805	0.427	1.453	2.318
9	136.669	106.636	101.958	66.772	7.932	6.232	14.449	0.452	1.444	2.302
10	136.667	106.554	102.811	66.814	8.350	6.231	14.519	0.459	1.447	2.295
11	137.223	107.568	104.643	67.830	8.681	6.278	14.694	0.459	1.450	2.299
12	137.123	107.474	104.255	68.058	8.546	6.289	14.650	0.450	1.452	2.308
13	133.507	105.022	103.985	65.257	8.161	6.007	14.086	0.443	1.367	2.119
14	131.773	103.153	103.490	63.769	7.982	5.802	13.805	0.425	1.299	2.010
15	132.796	103.749	102.080	64.320	8.110	5.876	14.023	0.387	1.327	2.115
16	133.607	104.868	105.177	65.488	8.318	6.092	14.397	0.394	1.358	2.175
17	134.062	104.898	103.510	65.917	8.338	6.043	14.384	0.428	1.371	2.197
18	134.401	104.715	104.065	65.559	8.370	6.060	14.403	0.427	1.374	2.214
19	135.468	105.602	106.841	65.891	8.489	6.135	14.576	0.414	1.390	2.229
20	135.749	106.058	107.684	66.809	8.559	6.200	14.760	0.395	1.407	2.248
21	136.788	106.696	108.520	67.983	8.631	6.261	14.869	0.406	1.426	2.270
22	136.679	106.393	107.952	67.393	8.634	6.285	14.843	0.421	1.432	2.274
23	136.316	105.541	107.332	66.901	8.576	6.196	14.723	0.419	1.431	2.273
24	136.513	105.586	107.081	67.221	8.596	6.212	14.808	0.408	1.430	2.283
25	134.392	103.846	105.411	64.796	8.305	5.952	14.306	0.394	1.353	2.114
26	134.616	103.607	105.239	64.624	8.335	5.943	14.332	0.395	1.344	2.167
27	134.482	103.884	105.510	64.622	8.253	5.996	14.337	0.403	1.345	2.171
28	136.114	105.048	106.701	65.670	8.383	6.117	14.597	0.429	1.369	2.213
29	136.047	105.339	107.224	66.288	8.451	6.167	14.660	0.427	1.386	2.230
30	136.798	105.933	107.372	67.198	8.572	6.275	14.877	0.414	1.408	2.253
31	136.917	106.325	109.034	67.859	8.649	6.328	14.988	0.424	1.420	2.284
1ヶ月値	135.789	105.672	104.351	66.293	8.413	6.158	14.530	0.408	1.402	2.232
最大値	140.764	110.455	120.824	69.565	9.115	6.620	15.376	0.504	1.529	2.401
最大値日時	05/08 13:00	05/08 13:40	05/31 12:20	05/11 12:10	05/26 22:10	05/08 17:50	05/31 11:00	05/10 21:30	05/08 11:50	05/08 18:20
最小値	117.679	99.180	80.928	58.023	7.762	5.667	12.388	0.310	1.242	1.942
最小値日時	05/16 09:20	05/09 21:00	05/15 08:40	05/19 08:40	05/09 07:10	05/14 23:00	05/15 09:30	05/04 05:00	05/14 07:20	05/13 21:10

測定月報

測定日: 2017/05

(7/11)

日	モニタ									
	B061	B062	B063	B064	B065	B066	B067	B068	B069	B070
	5・6号機放水口周辺	焼却設備建屋周辺	Fタンクエリア周辺	ヤード P1東側周辺	焼却設備建屋前道路カーブミラー脇	資材置場	一時保管エリアC周辺	一時保管エリアI周辺	一時保管エリアH1周辺	土捨場資材置場
	線量率 ($\mu\text{Sv/h}$)	線量率 ($\mu\text{Sv/h}$)	線量率 ($\mu\text{Sv/h}$)	線量率 ($\mu\text{Sv/h}$)	線量率 ($\mu\text{Sv/h}$)	線量率 ($\mu\text{Sv/h}$)	線量率 ($\mu\text{Sv/h}$)	線量率 ($\mu\text{Sv/h}$)	線量率 ($\mu\text{Sv/h}$)	線量率 ($\mu\text{Sv/h}$)
1	1.512	2.082	11.244	13.911	2.986	3.979	1.667	14.272	4.267	0.808
2	1.510	2.080	11.256	13.966	2.991	3.979	1.668	14.321	4.283	0.803
3	1.514	2.084	11.275	13.973	3.003	4.005	1.671	14.487	4.329	0.811
4	1.522	2.095	11.278	13.987	3.019	4.000	1.676	14.583	4.345	0.816
5	1.532	2.109	11.312	14.013	3.030	4.008	1.689	14.684	4.373	0.822
6	1.539	2.105	11.283	14.003	3.030	4.010	1.689	14.721	4.372	0.825
7	1.541	2.108	11.306	14.013	3.036	4.021	1.689	14.777	4.378	0.824
8	1.557	2.121	11.350	14.089	3.058	4.175	1.720	14.924	4.406	0.834
9	1.547	2.100	11.340	14.079	3.046	4.198	1.692	14.939	4.407	0.829
10	1.550	2.101	11.318	14.118	3.039	4.302	1.719	14.902	4.392	0.833
11	1.550	2.109	11.330	14.082	3.052	4.139	1.697	14.888	4.402	0.851
12	1.553	2.120	11.362	13.868	3.055	4.012	1.701	14.952	4.416	0.857
13	1.480	2.065	11.213	13.429	2.960	3.904	1.653	13.896	4.159	0.845
14	1.439	2.005	11.118	13.260	2.891	3.817	1.605	12.955	3.945	0.823
15	1.467	2.019	11.160	13.313	2.919	4.003	1.651	13.309	4.021	0.790
16	1.486	2.054	11.233	13.410	2.979	3.983	1.654	13.688	4.099	0.789
17	1.497	2.039	11.244	13.405	2.974	3.924	1.660	13.867	4.155	0.798
18	1.507	2.045	11.239	13.613	2.976	3.926	1.663	13.926	4.177	
19	1.515	2.057	11.262	13.776	2.997	3.907	1.678	14.064	4.215	0.858
20	1.525	2.074	11.286	13.803	3.021	3.898	1.696	14.234	4.261	0.863
21	1.540	2.087	11.315	13.832	3.032	3.919	1.704	14.400	4.305	0.867
22	1.543	2.075	11.323	13.811	3.037	3.957	1.702	14.501	4.325	0.870
23	1.542	2.077	11.319	13.751	3.027	3.957	1.698	14.581	4.337	0.841
24	1.544	2.080	11.305	13.735	3.028	3.909	1.694	14.639	4.339	0.844
25	1.476	2.018	11.228	13.545	2.931	3.774	1.684	13.747	4.099	0.805
26	1.478	2.015	11.258	13.693	2.931	3.784	1.657	13.683	4.060	0.790
27	1.484	2.028	11.281	13.871	2.932	3.820	1.663	13.646	4.049	0.795
28	1.500	2.053	11.335	13.977	2.968	3.854	1.674	13.891	4.136	0.813
29	1.514	2.057	11.346	13.680	2.975	3.866	1.687	14.068	4.166	0.843
30	1.527	2.079	11.368	13.263	3.006	3.877	1.725	14.259	4.187	0.855
31	1.531	2.009	11.394	13.144	3.024	3.873	1.742	14.419	4.225	0.868
1ヶ月値	1.517	2.070	11.287	13.755	3.000	3.961	1.683	14.265	4.246	0.831
最大値	1.657	2.219	11.626	14.502	3.187	4.520	4.067	15.177	4.553	0.928
最大値日時	05/23 14:20	05/12 20:20	05/31 10:30	05/10 11:50	05/08 15:20	05/10 17:10	05/30 09:30	05/08 17:20	05/08 16:40	05/21 16:50
最小値	1.366	1.882	10.898	12.875	2.799	3.625	1.524	12.243	3.828	0.722
最小値日時	05/14 20:40	05/31 21:00	05/14 20:20	05/31 21:40	05/25 07:50	05/26 09:30	05/14 09:10	05/15 07:10	05/14 06:00	05/15 17:00

測定月報

測定日: 2017/05

(8/11)

日	モニタ									
	B071	B072	B073	B074	B075	B076	B077	B078	B079	B080
	土捨場東側資材置場 線量率 ($\mu\text{Sv/h}$)	瓦礫保管Aテント周辺 線量率 ($\mu\text{Sv/h}$)	覆土式瓦礫保管エリアL北側 線量率 ($\mu\text{Sv/h}$)	覆土式瓦礫保管エリアL南側 線量率 ($\mu\text{Sv/h}$)	一時保管エリアG2周辺 線量率 ($\mu\text{Sv/h}$)	一時保管エリアG1周辺 線量率 ($\mu\text{Sv/h}$)	5・6号機迂回道路付近 線量率 ($\mu\text{Sv/h}$)	一時保管エリアM周辺 線量率 ($\mu\text{Sv/h}$)	旧研修棟正面玄関前 線量率 ($\mu\text{Sv/h}$)	3・4号機法面ダストモニタ周辺 線量率 ($\mu\text{Sv/h}$)
1	2.627	29.798	5.247	0.783	0.454	1.317	5.172	3.063	74.062	13.199
2	2.632	29.896	5.263	0.767	0.448	1.309	5.186	3.081	74.002	12.829
3	2.640	30.065	5.275	0.773	0.448	1.324	5.254	3.101	74.216	12.900
4	2.648	30.075	5.290	0.778	0.453	1.329	5.285	3.123	74.315	13.071
5	2.653	30.136	5.310	0.786	0.458	1.344	5.321	3.152	74.583	13.306
6	2.661	30.094	5.315	0.791	0.460	1.346	5.361	3.169	74.555	13.396
7	2.661	30.143	5.325	0.794	0.461	1.349	5.362	3.160	74.632	13.407
8	2.679	30.261	5.363	0.804	0.463	1.365	5.406	3.201	75.115	13.693
9	2.662	30.229	5.346	0.783	0.448	1.349	5.354	3.194	73.852	13.107
10	2.664	30.362	5.344	0.787	0.438	1.349	5.280	3.196	73.121	13.194
11	2.677	30.365	5.369	0.796	0.431	1.361	5.247	3.196	73.067	13.550
12	2.526	30.522	5.378	0.794	0.425	1.359	5.249	3.213	71.990	13.337
13	2.331	29.195	5.099	0.768	0.412	1.286	4.957	3.005	70.366	12.848
14	2.284	28.440	4.918	0.740	0.400	1.237	4.701	2.805	69.585	12.518
15	2.311	28.825	5.012	0.744	0.396	1.254	4.659	2.859	70.074	12.860
16	2.325	29.391	5.142	0.763	0.407	1.281	4.271	2.925	70.459	13.345
17	2.299	29.714	5.198	0.763	0.407	1.294	4.307	2.955	70.741	13.269
18	2.307	29.665	5.220	0.763	0.407	1.305	4.285	2.993	70.799	13.310
19	2.322	29.438	5.248	0.770	0.412	1.321	4.309	3.015	71.228	13.476
20	2.343	29.382	5.280	0.784	0.416	1.338	4.364	3.059	71.470	13.672
21	2.360	29.873	5.333	0.794	0.425	1.349	4.408	3.091	71.761	13.818
22	2.362	30.136	5.341	0.793	0.424	1.354	4.403	3.115	71.747	13.845
23	2.350	30.602	5.329	0.784	0.419	1.352	4.396	3.120	71.073	13.691
24	2.352	30.595	5.321	0.789	0.422	1.357	4.321	3.105	71.335	13.808
25	2.295	29.550	5.128	0.771	0.408	1.294	4.034	2.922	70.188	13.359
26	2.285	29.352	5.123	0.762	0.402	1.286	4.017	2.895	70.281	13.260
27	2.294	29.565	5.146	0.767	0.403	1.289	4.022	2.883	70.250	13.268
28	2.315	29.940	5.214	0.781	0.410	1.312	4.111	2.940	70.915	13.525
29	2.330	30.257	5.253	0.785	0.415	1.327	4.155	2.983	71.190	13.588
30	2.343	30.595	5.282	0.794	0.417	1.343	4.202	3.027	71.519	13.892
31	2.352	30.747	5.307	0.798	0.417	1.352	4.207	3.054	71.737	14.022
1ヶ月値	2.448	29.910	5.249	0.779	0.426	1.324	4.668	3.048	72.072	13.367
最大値	3.671	34.745	5.576	0.878	0.509	1.461	5.575	3.314	76.174	14.458
最大値日時	05/15 09:20	05/11 21:10	05/11 15:50	05/08 14:30	05/08 11:00	05/11 12:10	05/08 17:50	05/12 16:10	05/08 15:20	05/31 10:50
最小値	2.160	26.607	4.782	0.690	0.362	1.163	3.766	2.691	58.960	12.283
最小値日時	05/30 09:20	05/15 21:10	05/13 16:50	05/15 02:50	05/14 16:30	05/13 17:00	05/31 13:30	05/14 04:50	05/23 11:10	05/03 01:50

測定月報

測定日: 2017/05

(9/11)

日	モニタ									
	B081	B082	B083	B084	B085	B086	B087	B088	B089	B090
	事務本館南 線量率 ($\mu\text{Sv/h}$)	大型メンテナンス建屋周辺 線量率 ($\mu\text{Sv/h}$)	2, 3号機間道路西側(10m壁) 線量率 ($\mu\text{Sv/h}$)	2号機海側 (4m壁) 線量率 ($\mu\text{Sv/h}$)	中央交差点 線量率 ($\mu\text{Sv/h}$)	No.4倉庫周辺 線量率 ($\mu\text{Sv/h}$)	1, 2u排気筒西側 線量率 ($\mu\text{Sv/h}$)	線量表示器88 線量率 ($\mu\text{Sv/h}$)	線量表示器89 線量率 ($\mu\text{Sv/h}$)	線量表示器90 線量率 ($\mu\text{Sv/h}$)
1	13.632	1.624	114.153	27.327	1.111	14.275	1519.280			
2	13.260	1.590	113.700	26.947	1.108	14.298	1518.940			
3	13.322	1.602	113.900	27.069	1.116	14.413	1520.377			
4	13.485	1.618	114.319	27.202	1.123	14.473	1521.903			
5	13.726	1.639	114.835	27.410	1.134	14.535	1524.754			
6	13.851	1.649	114.904	27.536	1.135	14.576	1522.931			
7	13.832	1.642	115.252	27.691	1.137	14.581	1524.726			
8	14.132	1.667	116.281	27.895	1.145	14.728	1531.834			
9	13.537	1.722	114.748	27.264	1.140	14.684	1525.575			
10	13.675	1.804	112.461	27.242	1.136	14.652	1522.853			
11	14.145	1.832	115.268	27.680	1.142	14.675	1526.849			
12	13.978	1.832	115.256	26.163	1.142	14.730	1528.187			
13	13.524	1.798	113.216	26.666	1.092	13.983	1511.347			
14	13.229	1.768	110.548	25.959	1.047	13.477	1503.287			
15	13.350	1.783	110.888	26.260	1.058	13.732	1506.531			
16	13.709	1.797	112.284	26.871	1.081	14.008	1516.377			
17	13.597	1.787	112.121	26.918	1.088	14.153	1516.012			
18	13.570	1.790	112.122	26.743	1.093	14.195	1516.201			
19	13.774	1.810	113.151	26.848	1.104	14.301	1521.534			
20	14.040	1.840	113.716	27.132	1.117	14.398	1524.074			
21	14.148	1.845	114.525	27.584	1.129	14.495	1528.175			
22	14.165	1.883	114.444	27.638	1.132	14.550	1529.727			
23	14.026	1.896	113.865	27.350	1.133	14.562	1527.143			
24	14.188	1.902	114.175	27.420	1.128	14.553	1525.024			
25	13.764	1.853	112.927	26.626	1.080	13.864	1513.195			
26	13.670	1.849	113.007	26.406	1.072	13.877	1511.401			
27	13.721	1.850	113.828	26.560	1.073	13.859	1511.747			
28	13.976	1.873	115.302	27.176	1.088	14.124	1521.756			
29	14.072	1.876	115.676	27.245	1.100	14.296	1522.062			
30	14.419	1.920	116.278	27.488	1.113	14.416	1524.536			
31	14.591	1.930	116.237	27.585	1.122	14.509	1526.873			
1ヶ月値	13.810	1.783	113.980	27.094	1.110	14.311	1520.813			
最大値	14.921	2.020	119.116	29.088	1.229	15.050	1546.923			
最大値日時	05/30 20:10	05/22 12:00	05/08 13:00	05/08 13:20	05/08 18:30	05/08 19:50	05/08 10:50			
最小値	12.642	1.505	93.425	18.099	0.985	13.208	1500.523			
最小値日時	05/25 10:30	05/02 04:10	05/10 14:30	05/26 13:10	05/15 05:50	05/14 05:10	05/14 22:20			