

瓦礫等収納容器点検結果(線量測定データ)

GM	メンバー

容器番号	確認年月日	コンテナサイズ (m ³)	測定器No	BG値 (mSv/h)		表面線量当量率 (mSv/h)	
				γ	$\beta+\gamma$	γ	$\beta+\gamma$
2021 SK-00301	2023/11/1	6	F1-ICW-300	0.004	-	0.28	-
2021 SK-00246	2023/11/1	6	F1-ICW-300	0.004	-	0.58	-
2021 SS-00144	2023/11/1	6	F1-ICW-300	0.004	-	0.89	-
2021 SS-00040	2023/11/1	6	F1-ICW-300	0.004	-	0.92	-
2021 ZK-04946	2023/11/1	6	F1-ICW-300	0.004	-	0.49	-
2021 SS-30253	2023/11/2	6	F1-ICW-300	0.004	-	0.40	-
2021 SK-00026	2023/11/2	6	F1-ICW-300	0.004	-	0.24	-
2021 FU-00051	2023/11/2	6	F1-ICW-300	0.004	-	0.82	-
2021 SS-10026	2023/11/2	6	F1-ICW-300	0.004	-	0.11	-
2020 SS-00299	2023/11/2	6	F1-ICW-300	0.004	-	0.68	-
2021 SS-10037	2023/11/2	6	F1-ICW-300	0.004	-	0.15	-
2021 ZK-05110	2023/11/4	6	F1-ICW-239	0.004	-	0.25	-
2021 SS-10315	2023/11/4	6	F1-ICW-239	0.004	-	0.083	-
2020 SS-00346	2023/11/4	6	F1-ICW-239	0.004	-	0.97	-
2021 SS-30216	2023/11/4	6	F1-ICW-239	0.004	-	0.82	-
2021 ZK-05152	2023/11/4	6	F1-ICW-239	0.004	-	0.84	-
2021 ZK-05036	2023/11/8	6	F1-ICWBL-96	0.004	0.004	0.47	-
2021 ZK-05035	2023/11/8	6	F1-ICW-300	0.004	-	0.23	-
2021 SS-10316	2023/11/8	6	F1-ICWBL-96	0.004	0.004	0.070	-
2019 NS-00241	2023/11/8	6	F1-ICW-300	0.004	-	0.29	-
2021 SS-10314	2023/11/8	6	F1-ICW-300	0.004	-	0.11	-
2021 FU-00220	2023/11/8	6	F1-ICWBL-96	0.004	0.004	0.068	-
2020 SS-00300	2023/11/8	6	F1-ICW-306	0.005	-	0.48	-
2020 SS-00293	2023/11/8	6	F1-ICW-306	0.005	-	0.88	-
2020 FU-00284	2023/11/8	6	F1-ICW-306	0.005	-	0.63	-
2020 SS-00071	2023/11/8	6	F1-ICW-306	0.005	-	0.25	-
2020 SS-00066	2023/11/8	6	F1-ICW-306	0.005	-	0.79	-
2020 SS-00298	2023/11/8	6	F1-ICW-306	0.005	-	0.48	-
2020 SS-00054	2023/11/9	6	F1-ICW-306	0.004	-	0.41	-
2021 SS-10033	2023/11/9	6	F1-ICW-306	0.004	-	0.77	-
2021 SS-00027	2023/11/9	6	F1-ICW-306	0.004	-	0.22	-
2020 SS-00263	2023/11/9	6	F1-ICW-306	0.004	-	0.014	-
2020 SS-00085	2023/11/9	6	F1-ICW-306	0.004	-	0.39	-
2019 FU-00165G	2023/11/9	6	F1-ICWBL-63	0.003	0.003	0.004	-
2019 ZK-02768	2023/11/9	6	F1-ICWBL-63	0.003	0.003	0.007	-
2019 ZK-02559	2023/11/9	6	F1-ICWBL-63	0.003	0.003	0.015	-
2019 FU-00240G	2023/11/9	6	F1-ICWBL-63	0.003	0.003	0.005	-

瓦礫等収納容器点検結果(線量測定データ)

容器番号	確認年月日	コンテナサイズ (m ³)	測定器No	BG値 (mSv/h)		表面線量当量率 (mSv/h)	
				γ	$\beta + \gamma$	γ	$\beta + \gamma$
2019 NS-00322 ✓	2023/11/9 ✓	6 ✓	F1-ICWBL-63 ✓	0.003 ✓	0.003 ✓	0.006 ✓	-
2019 SS-00025 ✓	2023/11/9	6	F1-ICWBL-63	0.003	0.003	0.010 ✓	-
2019 NS-00038 ✓	2023/11/9	6	F1-ICWBL-63	0.003	0.003	0.007 ✓	-
2019 ZK-02887 ✓	2023/11/9	6	F1-ICWBL-63	0.003	0.003	0.003 ✓	-
2019 ZK-02701 ✓	2023/11/9	6	F1-ICWBL-63	0.003	0.003	0.005 ✓	-
ZK-00365 ✓	2023/11/9 ✓	6 ✓	F1-ICWBL-190 ✓	0.004 ✓	0.004 ✓	0.011 ✓	0.013 ✓
ZK-01244 ✓	2023/11/9	6	F1-ICWBL-190	0.004	0.004	0.016 ✓	0.018 ✓
ZK-00944 ✓	2023/11/9	6	F1-ICWBL-190	0.004	0.004	0.013 ✓	0.014 ✓
ZK-00785 ✓	2023/11/9	6	F1-ICWBL-190	0.004	0.004	0.016 ✓	0.017 ✓
ZK-00715 ✓	2023/11/9	6	F1-ICWBL-190	0.004	0.004	0.018 ✓	0.020 ✓
ZK-00936 ✓	2023/11/9	6	F1-ICWBL-190	0.004	0.004	0.018 ✓	0.020 ✓
ZK-00366 ✓	2023/11/9	6	F1-ICWBL-190	0.004	0.004	0.029 ✓	0.030 ✓
2019 ZK-02502 ✓	2023/11/10 ✓	6 ✓	F1-ICWBL-63 ✓	0.003 ✓	0.003 ✓	0.017 ✓	-
2019 ZK-02796 ✓	2023/11/10	6	F1-ICWBL-63	0.003	0.003	0.005 ✓	-
2019 ZK-02737 ✓	2023/11/10	6	F1-ICWBL-63	0.003	0.003	0.005 ✓	-
2019 ZK-02764 ✓	2023/11/10	6	F1-ICWBL-63	0.003	0.003	0.11 ✓	-
2019 SS-00270 ✓	2023/11/10	6	F1-ICWBL-63	0.003	0.003	0.010 ✓	-
2019 SS-00240 ✓	2023/11/10	6	F1-ICWBL-63	0.003	0.003	0.013 ✓	-
2019 ZK-02487 ✓	2023/11/10	6	F1-ICWBL-63	0.003	0.003	0.032 ✓	-
2019 ZK-02683 ✓	2023/11/10	6	F1-ICWBL-63	0.003	0.003	0.010 ✓	-
2019 FU-00354 ✓	2023/11/10	6	F1-ICWBL-63	0.003	0.003	0.010 ✓	-
2019 ZK-02745 ✓	2023/11/10	6	F1-ICWBL-63	0.003	0.003	0.004 ✓	-
2019 SS-00255 ✓	2023/11/10	6	F1-ICWBL-63	0.003	0.003	0.21 ✓	-
2019 FU-00146 ✓	2023/11/10	6	F1-ICWBL-63	0.003	0.003	0.18 ✓	-
2020 ZK-03340 ✓	2023/11/10 ✓	6 ✓	F1-ICW-297 ✓	0.005 ✓	-	0.25 ✓	-
2020 SS-00088 ✓	2023/11/10	6	F1-ICW-297	0.005	-	0.63 ✓	-
2020 ZK-03435 ✓	2023/11/10	6	F1-ICW-297	0.005	-	0.41 ✓	-
2020 ZK-03770 ✓	2023/11/10	6	F1-ICW-297	0.005	-	0.22 ✓	-
2020 ZK-03727 ✓	2023/11/10	6	F1-ICW-297	0.005	-	0.27 ✓	-
2021 ZK-04947 ✓	2023/11/11 ✓	6 ✓	F1-ICW-239 ✓	0.005 ✓	-	0.18 ✓	-
2020 SS-00224 ✓	2023/11/11	6	F1-ICW-239	0.005	-	0.39 ✓	-
2020 SS-00087 ✓	2023/11/11	6	F1-ICW-239	0.005	-	0.57 ✓	-
2021 SS-00170 ✓	2023/11/11	6	F1-ICW-239	0.005	-	0.76 ✓	-
2020 SS-00257 ✓	2023/11/11	6	F1-ICW-239	0.005	-	0.56 ✓	-
2021 SS-10031 ✓	2023/11/11	6	F1-ICW-239	0.005	-	0.61 ✓	-
2020 ZK-03336 ✓	2023/11/11	6	F1-ICW-239	0.005	-	0.60 ✓	-
2019 ZK-02629 ✓	2023/11/11 ✓	6 ✓	F1-ICWBL-63 ✓	0.003 ✓	0.003 ✓	0.27 ✓	-

瓦礫等収納容器点検結果(線量測定データ)

容器番号	確認年月日	コンテナサイズ (m ³)	測定器No	BG値 (mSv/h)		表面線量当量率 (mSv/h)	
				γ	$\beta + \gamma$	γ	$\beta + \gamma$
2019 ZK-02654 ✓	2023/11/11 ✓	6 ✓	F1-ICWBL-63 ✓	0.003 ✓	0.003 ✓	0.019 ✓	-
2019 FU-00118 ✓	2023/11/11	6	F1-ICWBL-63	0.003	0.003	0.006 ✓	-
2019 ZK-02886 ✓	2023/11/11	6	F1-ICWBL-63	0.003	0.003	0.006 ✓	-
2019 ZK-02600 ✓	2023/11/11	6	F1-ICWBL-63	0.003	0.003	0.008 ✓	-
2019 FU-00052 ✓	2023/11/11	6	F1-ICWBL-63	0.003	0.003	0.008 ✓	-
2019 NS-00001 ✓	2023/11/11	6	F1-ICWBL-63	0.003	0.003	0.007 ✓	-
2019 NS-00005 ✓	2023/11/11	6	F1-ICWBL-63	0.003	0.003	0.006 ✓	-
2019 SS-00269 ✓	2023/11/11	6	F1-ICWBL-63	0.003	0.003	0.006 ✓	-
2019 FU-00239G ✓	2023/11/11	6	F1-ICWBL-63	0.003	0.003	0.008 ✓	-
2021 SS-40466 ✓	2023/11/13 ✓	6 ✓	F1-ICW-239 ✓	0.004 ✓	-	0.54 ✓	-
2021 SK-00282 ✓	2023/11/13	6	F1-ICW-239	0.004	-	0.49 ✓	-
ZK-00016 ✓	2023/11/13 ✓	6 ✓	F1-ICWBL-63 ✓	0.004 ✓	0.004 ✓	0.39 ✓	-
2019 ZK-02572 ✓	2023/11/13	6	F1-ICWBL-63	0.004	0.004	0.013 ✓	-
2019 ZK-02797 ✓	2023/11/13	6	F1-ICWBL-63	0.004	0.004	0.033 ✓	-
2019 NS-00016 ✓	2023/11/13	6	F1-ICWBL-63	0.004	0.004	0.007 ✓	-
2019 ZK-02290 ✓	2023/11/13	6	F1-ICWBL-63	0.004	0.004	0.007 ✓	-
ZK-01056 ✓	2023/11/13	6	F1-ICWBL-63	0.004	0.004	0.065 ✓	-
2018 ZK-01452 ✓	2023/11/13	6	F1-ICWBL-63	0.004	0.004	0.030 ✓	-
ZK-01393 ✓	2023/11/13	6	F1-ICWBL-63	0.004	0.004	0.006 ✓	-
2019 FU-00393 ✓	2023/11/13	6	F1-ICWBL-63	0.004	0.004	0.005 ✓	-
ZK-01082 ✓	2023/11/13	6	F1-ICWBL-63	0.004	0.004	0.037 ✓	-
2019 ZK-02669 ✓	2023/11/13	6	F1-ICWBL-63	0.004	0.004	0.008 ✓	-
2019 ZK-02583 ✓	2023/11/13	6	F1-ICWBL-63	0.004	0.004	0.011 ✓	-
2021 SS-40400 ✓	2023/11/14 ✓	6 ✓	F1-ICW-306 ✓	0.005 ✓	-	0.66 ✓	-
2021 SS-40395 ✓	2023/11/14	6	F1-ICW-306	0.005	-	0.47 ✓	-
2021 SS-40454 ✓	2023/11/14	6	F1-ICW-306	0.005	-	0.55 ✓	-
2021 SS-40406 ✓	2023/11/14	6	F1-ICW-306	0.005	-	0.51 ✓	-
2021 SS-40393 ✓	2023/11/14	6	F1-ICW-306	0.005	-	0.65 ✓	-
2021 SS-40470 ✓	2023/11/14	6	F1-ICW-306	0.005	-	0.61 ✓	-
2021 SS-40392 ✓	2023/11/14	6	F1-ICW-306	0.005	-	0.56 ✓	-
2022 SK-01036 ✓	2023/11/14	6	F1-ICW-306	0.005	-	0.46 ✓	-
2019 ZK-02584 ✓	2023/11/14 ✓	6 ✓	F1-ICWBL-63 ✓	0.003 ✓	0.003 ✓	0.007 ✓	-
ZK-01218 ✓	2023/11/14	6	F1-ICWBL-63	0.003	0.003	0.050 ✓	-
2019 ZK-02598 ✓	2023/11/14	6	F1-ICWBL-63	0.003	0.003	0.010 ✓	-
2019 FU-00160G ✓	2023/11/14	6	F1-ICWBL-63	0.003	0.003	0.006 ✓	-
2019 FU-00189G ✓	2023/11/14	6	F1-ICWBL-63	0.003	0.003	0.011 ✓	-
2019 FU-00378 ✓	2023/11/14	6	F1-ICWBL-63	0.003	0.003	0.004 ✓	-

瓦礫等収納容器点検結果(線量測定データ)

容器番号	確認年月日	コンテナサイズ (m ³)	測定器No	BG値 (mSv/h)		表面線量当量率 (mSv/h)	
				γ	$\beta + \gamma$	γ	$\beta + \gamma$
2018 ZK-01454 ✓	2023/11/14 ✓	6 ✓	F1-ICWBL-63 ✓	0.003 ✓	0.003 ✓	0.005 ✓	-
2018 ZK-01872 ✓	2023/11/14	6	F1-ICWBL-63	0.003	0.003	0.006 ✓	-
2019 ZK-02260 ✓	2023/11/14	6	F1-ICWBL-63	0.003	0.003	0.004 ✓	-
ZK-00984 ✓	2023/11/14	6	F1-ICWBL-63	0.003	0.003	0.011 ✓	-
2018 ZK-01918 ✓	2023/11/14	6	F1-ICWBL-63	0.003	0.003	0.003 ✓	-
2018 ZK-01457 ✓	2023/11/14	6	F1-ICWBL-63	0.003	0.003	0.006 ✓	-
ZK-01260 ✓	2023/11/15 ✓	6 ✓	F1-ICWBL-63 ✓	0.003 ✓	0.003 ✓	0.13 ✓	-
2019 ZK-02261 ✓	2023/11/15	6	F1-ICWBL-63	0.003	0.003	0.008 ✓	-
2019 ZK-02461 ✓	2023/11/15	6	F1-ICWBL-63	0.003	0.003	0.014 ✓	-
ZK-01075 ✓	2023/11/15	6	F1-ICWBL-63	0.003	0.003	0.017 ✓	-
ZK-01085 ✓	2023/11/15	6	F1-ICWBL-63	0.003	0.003	0.051 ✓	-
2019 NS-00069 ✓	2023/11/15	6	F1-ICWBL-63	0.003	0.003	0.003 ✓	-
2019 ZK-02670 ✓	2023/11/15	6	F1-ICWBL-63	0.003	0.003	0.007 ✓	-
2019 ZK-02652 ✓	2023/11/15	6	F1-ICWBL-63	0.003	0.003	0.007 ✓	-
2019 FU-00056 ✓	2023/11/15	6	F1-ICWBL-63	0.003	0.003	0.011 ✓	-
2019 FU-00084 ✓	2023/11/15	6	F1-ICWBL-63	0.003	0.003	0.070 ✓	-
2019 ZK-02639 ✓	2023/11/15	6	F1-ICWBL-63	0.003	0.003	0.010 ✓	-
HP-00003 ✓	2023/11/15	6	F1-ICWBL-63	0.003	0.003	0.022 ✓	-
2021 SS-40468 ✓	2023/11/16 ✓	6 ✓	F1-ICW-300 ✓	0.004 ✓	-	0.71 ✓	-
2021 SS-40453 ✓	2023/11/16	6	F1-ICW-300	0.004	-	0.77 ✓	-
2021 SS-40396 ✓	2023/11/16	6	F1-ICW-300	0.004	-	0.46 ✓	-
2021 SS-40441 ✓	2023/11/16	6	F1-ICW-300	0.004	-	0.84 ✓	-
2021 SS-40469 ✓	2023/11/16	6	F1-ICW-300	0.004	-	0.85 ✓	-
2021 SS-40193 ✓	2023/11/16	6	F1-ICW-300	0.004	-	0.79 ✓	-
2019 ZK-02533 ✓	2023/11/16 ✓	6 ✓	F1-ICWBL-63 ✓	0.003 ✓	0.003 ✓	0.008 ✓	-
ZK-00805 ✓	2023/11/16	6	F1-ICWBL-63	0.003	0.003	0.056 ✓	-
ZK-01061 ✓	2023/11/16	6	F1-ICWBL-63	0.003	0.003	0.084 ✓	-
2018 ZK-01476 ✓	2023/11/16	6	F1-ICWBL-63	0.003	0.003	0.009 ✓	-
2019 ZK-02284 ✓	2023/11/16	6	F1-ICWBL-63	0.003	0.003	0.009 ✓	-
2019 ZK-02696 ✓	2023/11/16	6	F1-ICWBL-63	0.003	0.003	0.007 ✓	-
2019 FU-00374 ✓	2023/11/16	6	F1-ICWBL-63	0.003	0.003	0.011 ✓	-
2019 NS-00007 ✓	2023/11/16	6	F1-ICWBL-63	0.003	0.003	0.004 ✓	-
2019 ZK-02657 ✓	2023/11/16	6	F1-ICWBL-63	0.003	0.003	0.014 ✓	-
2019 FU-00078 ✓	2023/11/16	6	F1-ICWBL-63	0.003	0.003	0.077 ✓	-
2019 ZK-02507 ✓	2023/11/16	6	F1-ICWBL-63	0.003	0.003	0.046 ✓	-
2019 FU-00025 ✓	2023/11/16	6	F1-ICWBL-63	0.003	0.003	0.007 ✓	-
2022 SK-00476 ✓	2023/11/17 ✓	6 ✓	F1-ICW-300 ✓	0.003 ✓	-	0.39 ✓	-

瓦礫等収納容器点検結果(線量測定データ)

容器番号	確認年月日	コンテナサイズ (m ³)	測定器No	BG値 (mSv/h)		表面線量当量率 (mSv/h)	
				γ	$\beta + \gamma$	γ	$\beta + \gamma$
2021 SS-40382 /	2023/11/17 /	6 /	F1-ICW-300 /	0.003 /	-	0.41 /	-
2021 SS-40399 /	2023/11/17	6	F1-ICW-300	0.003	-	0.40 /	-
2021 SS-40447 /	2023/11/17	6	F1-ICW-300	0.003	-	0.44 /	-
2021 SS-40384 /	2023/11/17	6	F1-ICW-300	0.003	-	0.43 /	-
2021 SS-40389 /	2023/11/17	6	F1-ICW-300	0.003	-	0.45 /	-
2021 SS-40465 /	2023/11/17	6	F1-ICW-300	0.003	-	0.42 /	-
2022 SK-01035 /	2023/11/17	6	F1-ICW-300	0.003	-	0.39 /	-
2019 ZK-02830 /	2023/11/18 /	6 /	F1-ICWBL-63 /	0.003 /	0.003 /	0.016 /	-
2019 SS-00118 /	2023/11/18	6	F1-ICWBL-63	0.003	0.003	0.008 /	-
2019 SS-00477 /	2023/11/18	6	F1-ICWBL-63	0.003	0.003	0.006 /	-
2019 ZK-02870 /	2023/11/18	6	F1-ICWBL-63	0.003	0.003	0.009 /	-
2020 SS-00357 /	2023/11/18	6	F1-ICWBL-63	0.003	0.003	0.18 /	-
2019 NS-00231 /	2023/11/18	6	F1-ICWBL-63	0.003	0.003	0.008 /	-
2019 ZK-02890 /	2023/11/18	6	F1-ICWBL-63	0.003	0.003	0.009 /	-
2021 SS-40467 /	2023/11/18 /	6 /	F1-ICW-300 /	0.004 /	-	0.34 /	-
2021 SS-40394 /	2023/11/18	6	F1-ICW-300	0.004	-	0.29 /	-
2021 SS-40445 /	2023/11/18	6	F1-ICW-300	0.004	-	0.33 /	-
2022 SK-01034 /	2023/11/18	6	F1-ICW-300	0.004	-	0.41 /	-
2021 SS-40391 /	2023/11/18	6	F1-ICW-300	0.004	-	0.39 /	-
2021 SS-40456 /	2023/11/18	6	F1-ICW-300	0.004	-	0.46 /	-
2021 SS-40383 /	2023/11/18	6	F1-ICW-300	0.004	-	0.34 /	-
2022 SK-01037 /	2023/11/18	6	F1-ICW-300	0.004	-	0.32 /	-
2019 SS-00249 /	2023/11/20 /	6 /	F1-ICWBL-63 /	0.003 /	0.003 /	0.013 /	-
2019 SS-00065 /	2023/11/20	6	F1-ICWBL-63	0.003	0.003	0.56 /	-
2019 ZK-02580 /	2023/11/20	6	F1-ICWBL-63	0.003	0.003	0.007 /	-
2019 ZK-02635 /	2023/11/20	6	F1-ICWBL-63	0.003	0.003	0.006 /	-
2019 ZK-02614 /	2023/11/20	6	F1-ICWBL-63	0.003	0.003	0.011 /	-
2019 ZK-02269 /	2023/11/21 /	6 /	F1-ICWBL-63 /	0.003 /	0.003 /	0.006 /	-
2019 SS-00252 /	2023/11/21	6	F1-ICWBL-63	0.003	0.003	0.006 /	-
2019 NS-00460 /	2023/11/21	6	F1-ICWBL-63	0.003	0.003	0.007 /	-
2019 SS-00414 /	2023/11/21	6	F1-ICWBL-63	0.003	0.003	0.017 /	-
2019 SS-00426 /	2023/11/21	6	F1-ICWBL-63	0.003	0.003	0.12 /	-
2019 ZK-02754 /	2023/11/21	6	F1-ICWBL-63	0.003	0.003	0.069 /	-
2019 SS-00136 /	2023/11/21	6	F1-ICWBL-63	0.003	0.003	0.009 /	-
KM-00292 /	2023/11/21	6	F1-ICWBL-63	0.003	0.003	0.028 /	-
2019 SS-00088 /	2023/11/21	6	F1-ICWBL-63	0.003	0.003	0.030 /	-
2019 FU-00219G /	2023/11/21	6	F1-ICWBL-63	0.003	0.003	0.15 /	-

瓦礫等収納容器点検結果(線量測定データ)

容器番号	確認年月日	コンテナサイズ (m ³)	測定器No	BG値 (mSv/h)		表面線量当量率 (mSv/h)	
				γ	$\beta + \gamma$	γ	$\beta + \gamma$
2020 ZK-03412 ✓	2023/11/21 ✓	6 ✓	F1-ICWBL-63 ✓	0.003 ✓	0.003 ✓	0.40 ✓	-
2021 SS-40446 ✓	2023/11/21 ✓	6 ✓	F1-ICW-300 ✓	0.005 ✓	-	0.44 ✓	-
2021 SS-40397 ✓	2023/11/21	6	F1-ICW-300	0.005	-	0.60 ✓	-
2019 SS-00056 ✓	2023/11/21	6	F1-ICW-300	0.005	-	0.65 ✓	-
2019 SS-00152 ✓	2023/11/21	6	F1-ICW-300	0.005	-	0.24 ✓	-
2021 SS-40390 ✓	2023/11/22 ✓	6 ✓	F1-ICW-269 ✓	0.006 ✓	-	0.48 ✓	-
2021 SS-40472 ✓	2023/11/22	6	F1-ICW-269	0.006	-	0.51 ✓	-
2019 FU-00224G ✓	2023/11/24 ✓	6 ✓	F1-ICW-306 ✓	0.007 ✓	-	0.65 ✓	-
2019 SS-00067 ✓	2023/11/24	6	F1-ICW-306	0.007	-	0.46 ✓	-
2019 SS-00062 ✓	2023/11/24	6	F1-ICW-306	0.007	-	0.73 ✓	-
2019 SS-00169 ✓	2023/11/24	6	F1-ICW-306	0.007	-	0.50 ✓	-
S2 ✓	2023/11/24	6	F1-ICW-306	0.007	-	0.30 ✓	-
S1 ✓	2023/11/24	6	F1-ICW-306	0.007	-	0.36 ✓	-
2021 ZK-04955 ✓	2023/11/24	6	F1-ICW-306	0.007	-	0.24 ✓	-
2019 SS-00057 ✓	2023/11/24	6	F1-ICW-306	0.007	-	0.47 ✓	-
2019 SS-00072 ✓	2023/11/24 ✓	6 ✓	F1-ICWBL-63 ✓	0.003 ✓	0.003 ✓	0.009 ✓	-
2019 ZK-02898 ✓	2023/11/24	6	F1-ICWBL-63	0.003	0.003	0.011 ✓	-
2019 ZK-02795 ✓	2023/11/24	6	F1-ICWBL-63	0.003	0.003	0.020 ✓	-
2019 SS-00487 ✓	2023/11/24	6	F1-ICWBL-63	0.003	0.003	0.024 ✓	-
2019 SS-00391 ✓	2023/11/24	6	F1-ICWBL-63	0.003	0.003	0.14 ✓	-
2019 NS-00151 ✓	2023/11/24	6	F1-ICWBL-63	0.003	0.003	0.012 ✓	-
2019 NS-00063 ✓	2023/11/24	6	F1-ICWBL-63	0.003	0.003	0.019 ✓	-
2019 ZK-02242 ✓	2023/11/24	6	F1-ICWBL-63	0.003	0.003	0.005 ✓	-
2019 ZK-02871 ✓	2023/11/24	6	F1-ICWBL-63	0.003	0.003	0.005 ✓	-
2019 ZK-02828 ✓	2023/11/24	6	F1-ICWBL-63	0.003	0.003	0.007 ✓	-
2019 NS-00012 ✓	2023/11/24	6	F1-ICWBL-63	0.003	0.003	0.011 ✓	-
2019 SS-00127 ✓	2023/11/25 ✓	6 ✓	F1-ICW-306 ✓	0.006 ✓	-	0.37 ✓	-
2019 SS-00178 ✓	2023/11/25	6	F1-ICW-306	0.006	-	0.69 ✓	-
2019 SS-00185 ✓	2023/11/25	6	F1-ICW-306	0.006	-	0.78 ✓	-
2019 FU-00183G ✓	2023/11/25 ✓	6 ✓	F1-ICWBL-63 ✓	0.005 ✓	0.005 ✓	0.059 ✓	-
2019 FU-00376 ✓	2023/11/25	6	F1-ICWBL-63	0.005	0.005	0.021 ✓	-
2019 ZK-02526 ✓	2023/11/25	6	F1-ICWBL-63	0.005	0.005	0.011 ✓	-
2019 SS-00309 ✓	2023/11/25	6	F1-ICWBL-63	0.005	0.005	0.008 ✓	-
KM-00267 ✓	2023/11/25	6	F1-ICWBL-63	0.005	0.005	0.030 ✓	-
2019 NS-00036 ✓	2023/11/25	6	F1-ICWBL-63	0.005	0.005	0.009 ✓	-
2019 FU-00358 ✓	2023/11/25	6	F1-ICWBL-63	0.005	0.005	0.092 ✓	-
2019 SS-00114 ✓	2023/11/27 ✓	6 ✓	F1-ICW-239 ✓	0.007 ✓	-	0.48 ✓	-

瓦礫等収納容器点検結果(線量測定データ)

容器番号	確認年月日	コンテナサイズ (m ³)	測定器No	BG値 (mSv/h)		表面線量当量率 (mSv/h)	
				γ	$\beta + \gamma$	γ	$\beta + \gamma$
2019 SS-00066 ✓	2023/11/27 ✓	6 ✓	F1-ICW-239 ✓	0.007 ✓	-	0.44 ✓	-
2019 SS-00123 ✓	2023/11/27	6	F1-ICW-239	0.007	-	0.58 ✓	-
S3 ✓	2023/11/27	6	F1-ICW-239	0.007	-	0.29 ✓	-
2019 NS-00125 ✓	2023/11/27 ✓	6 ✓	F1-ICWBL-63 ✓	0.003 ✓	0.003 ✓	0.004 ✓	-
2018 ZK-01837 ✓	2023/11/27	6	F1-ICWBL-63	0.003	0.003	0.069 ✓	-
2019 ZK-02387 ✓	2023/11/27	6	F1-ICWBL-63	0.003	0.003	0.005 ✓	-
2019 NS-00121 ✓	2023/11/27	6	F1-ICWBL-63	0.003	0.003	0.005 ✓	-
2019 FU-00128 ✓	2023/11/27	6	F1-ICWBL-63	0.003	0.003	0.011 ✓	-
2019 FU-00074 ✓	2023/11/27	6	F1-ICWBL-63	0.003	0.003	0.017 ✓	-
2019 NS-00042 ✓	2023/11/27	6	F1-ICWBL-63	0.003	0.003	0.010 ✓	-
2019 FU-00096 ✓	2023/11/27	6	F1-ICWBL-63	0.003	0.003	0.007 ✓	-
ZK-01058 ✓	2023/11/27	6	F1-ICWBL-63	0.003	0.003	0.034 ✓	-
ZK-01052 ✓	2023/11/27	6	F1-ICWBL-63	0.003	0.003	0.073 ✓	-
2019 FU-00091 ✓	2023/11/27	6	F1-ICWBL-63	0.003	0.003	0.012 ✓	-
2019 ZK-02556 ✓	2023/11/27	6	F1-ICWBL-63	0.003	0.003	0.009 ✓	-
S4 ✓	2023/11/28 ✓	6 ✓	F1-ICW-268 ✓	0.003 ✓	-	0.14 ✓	-
2019 SS-00124 ✓	2023/11/28	6	F1-ICW-268	0.003	-	0.60 ✓	-
2019 FU-00127 ✓	2023/11/28 ✓	6 ✓	F1-ICWBL-63 ✓	0.003 ✓	0.003 ✓	0.006 ✓	-
2019 NS-00114 ✓	2023/11/28	6	F1-ICWBL-63	0.003	0.003	0.004 ✓	-
2019 FU-00105 ✓	2023/11/28	6	F1-ICWBL-63	0.003	0.003	0.008 ✓	-
2019 ZK-02805 ✓	2023/11/28	6	F1-ICWBL-63	0.003	0.003	0.025 ✓	-
2019 ZK-02814 ✓	2023/11/28	6	F1-ICWBL-63	0.003	0.003	0.014 ✓	-
2018 FU-00074 ✓	2023/11/28	6	F1-ICWBL-63	0.003	0.003	0.017 ✓	-
2019 ZK-02295 ✓	2023/11/28	6	F1-ICWBL-63	0.003	0.003	0.004 ✓	-
2019 ZK-02491 ✓	2023/11/28	6	F1-ICWBL-63	0.003	0.003	0.009 ✓	-
2019 FU-00182G ✓	2023/11/28	6	F1-ICWBL-63	0.003	0.003	0.003 ✓	-
2018 FU-00088 ✓	2023/11/28	6	F1-ICWBL-63	0.003	0.003	0.006 ✓	-
2019 FU-00181G ✓	2023/11/28	6	F1-ICWBL-63	0.003	0.003	0.007 ✓	-
2019 ZK-02453 ✓	2023/11/28	6	F1-ICWBL-63	0.003	0.003	0.037 ✓	-
S8 ✓	2023/11/29 ✓	6 ✓	F1-ICW-306 ✓	0.003 ✓	-	0.19 ✓	-
S5 ✓	2023/11/29	6	F1-ICW-306	0.003	-	0.21 ✓	-
2019 ZK-02668 ✓	2023/11/29 ✓	6 ✓	F1-ICWBL-63 ✓	0.003 ✓	0.003 ✓	0.083 ✓	-
2019 ZK-02641 ✓	2023/11/29	6	F1-ICWBL-63	0.003	0.003	0.007 ✓	-
2019 ZK-02711 ✓	2023/11/29	6	F1-ICWBL-63	0.003	0.003	0.018 ✓	-
2019 ZK-02040 ✓	2023/11/29	6	F1-ICWBL-63	0.003	0.003	0.037 ✓	-
2019 NS-00004 ✓	2023/11/29	6	F1-ICWBL-63	0.003	0.003	0.009 ✓	-
2018 FU-00104 ✓	2023/11/29	6	F1-ICWBL-63	0.003	0.003	0.013 ✓	-

瓦礫等収納容器点検結果(線量測定データ)

容器番号	確認年月日	コンテナサイズ (m ³)	測定器No	BG値 (mSv/h)		表面線量当量率 (mSv/h)	
				γ	$\beta + \gamma$	γ	$\beta + \gamma$
2019 FU-00066 /	2023/11/29 /	6 /	F1-ICWBL-63 /	0.003 /	0.003 /	0.008 /	-
2019 NS-00074 /	2023/11/29	6	F1-ICWBL-63	0.003	0.003	0.006 /	-
2019 ZK-02739 /	2023/11/29	6	F1-ICWBL-63	0.003	0.003	0.11 /	-
2019 NS-00028 /	2023/11/29	6	F1-ICWBL-63	0.003	0.003	0.004 /	-
2019 ZK-02518 /	2023/11/29	6	F1-ICWBL-63	0.003	0.003	0.020 /	-
2019 ZK-02320 /	2023/11/29	6	F1-ICWBL-63	0.003	0.003	0.004 /	-
2019 SS-00260 /	2023/11/30 /	6 /	F1-ICW-269 /	0.004 /	-	0.30 /	-