

身体汚染発生状況報告(2024年6月)

作成日	2024年7月1日(月)
作成者	
審査者	
承認者	

場所:事務本館 汚染検査所

(単位:件数)

日	身体汚染	下着汚染	靴下汚染	一般服汚染	装備品汚染
1	0	0	0	0	0
2	0	0	0	0	0
3	0	0	0	0	0
4	0	0	0	0	0
5	0	0	0	0	0
6	0	0	1	0	0
7	0	0	0	0	0
8	0	0	0	0	0
9	0	0	0	0	0
10	2	0	0	0	0
11	0	0	0	0	0
12	0	0	0	0	0
13	0	0	0	0	0
14	1	0	0	0	0
15	0	0	0	0	0
16	0	0	0	0	0
17	1	0	0	0	0
18	0	0	0	0	0
19	0	0	0	0	0
20	0	1	0	0	0
21	0	0	0	0	0
22	0	0	0	0	0
23	0	0	0	0	0
24	1	0	0	0	0
25	0	2	0	0	0
26	0	0	0	0	0
27	1	0	0	0	0
28	0	0	0	1	0
29	0	0	0	0	0
30	0	0	0	0	0
合計	6	3	1	1	0

基準値:4[Bq/cm²]以下

携行品汚染発生状況報告(2024年6月)

作成日	2024年7月1日(月)
作成者	
審査者	
承認者	

場所:事務本館 汚染検査所

(単位:件数)

日	4Bq/cm ² 以上 40Bq/cm ² 以下	40Bq/cm ² 超過	汚染発生合計	除染措置	
				持出可	持出不可
1	1	0	1	0	1
2	0	0	0	0	0
3	0	0	0	0	0
4	0	0	0	0	0
5	1	0	1	0	1
6	1	0	1	0	1
7	0	0	0	0	0
8	0	0	0	0	0
9	0	0	0	0	0
10	1	0	1	0	1
11	0	0	0	0	0
12	0	0	0	0	0
13	3	0	3	0	3
14	3	0	3	0	3
15	0	0	0	0	0
16	0	0	0	0	0
17	2	0	2	0	2
18	3	0	3	0	3
19	1	0	1	0	1
20	2	0	2	0	2
21	4	0	4	0	4
22	0	0	0	0	0
23	1	0	1	0	1
24	1	0	1	0	1
25	0	0	0	0	0
26	1	0	1	0	1
27	2	0	2	0	2
28	2	0	2	0	2
29	0	0	0	0	0
30	0	0	0	0	0
合計	29	0	29	0	29

身体汚染発生状況報告(2024年6月)

場所: 免震重要棟1階 南側出入口

作成日	2024年7月1日(月)
作成者	
審査者	
承認者	

(単位: 件数)

日	身体汚染	下着汚染	靴下汚染	一般服汚染	装備品汚染
1	0	0	0	0	0
2	0	0	0	0	0
3	0	0	0	0	0
4	0	0	0	0	0
5	0	0	0	0	0
6	0	0	0	0	0
7	0	0	0	0	0
8	0	0	0	0	0
9	0	0	0	0	0
10	0	0	0	0	0
11	0	0	0	0	0
12	0	0	0	0	0
13	0	0	0	0	0
14	0	0	0	0	0
15	0	0	0	0	0
16	0	0	0	0	0
17	0	0	0	0	0
18	0	0	0	0	0
19	0	0	0	0	0
20	0	0	0	0	0
21	0	0	0	0	0
22	0	0	0	0	0
23	0	0	0	0	0
24	0	0	0	0	0
25	0	0	0	0	0
26	0	0	0	1	0
27	0	0	0	0	0
28	0	0	1	0	0
29	0	0	0	0	0
30	0	0	0	0	0
合計	0	0	1	1	0

基準値: 4[Bq/cm²] 以下

携行品汚染発生状況報告(2024年6月)

作成日	2024年7月1日(月)
作成者	
審査者	
承認者	

場所: 免震重要棟1階 南側出入口

(単位: 件数)

日	4Bq/cm ² 以上 40Bq/cm ² 以下	40Bq/cm ² 超過	汚染発生合計	除染措置	
				持出可	持出不可
1	0	0	0	0	0
2	0	0	0	0	0
3	0	0	0	0	0
4	0	0	0	0	0
5	0	0	0	0	0
6	0	0	0	0	0
7	0	0	0	0	0
8	0	0	0	0	0
9	0	0	0	0	0
10	0	0	0	0	0
11	0	0	0	0	0
12	0	0	0	0	0
13	0	0	0	0	0
14	0	0	0	0	0
15	0	0	0	0	0
16	0	0	0	0	0
17	0	0	0	0	0
18	0	0	0	0	0
19	1	0	1	0	1
20	0	0	0	0	0
21	0	0	0	0	0
22	0	0	0	0	0
23	0	0	0	0	0
24	0	0	0	0	0
25	0	0	0	0	0
26	0	0	0	0	0
27	0	0	0	0	0
28	0	0	0	0	0
29	0	0	0	0	0
30	0	0	0	0	0
合計	1	0	1	0	1

身体汚染発生状況報告(2024年6月)

場所: 免震重要棟 2階 チェックポイント

作成日	2024年7月1日(月)
作成者	
審査者	
承認者	

(単位: 件数)

日	身体汚染	下着汚染	靴下汚染	一般服汚染	装備品汚染
1	0	0	0	0	0
2	0	0	0	0	0
3	0	0	0	0	0
4	0	0	0	0	0
5	0	0	0	0	0
6	0	0	0	0	0
7	0	0	0	0	0
8	0	0	0	0	0
9	0	0	0	0	0
10	0	0	0	0	0
11	0	0	0	0	0
12	0	0	0	0	0
13	0	0	0	0	0
14	0	0	0	0	0
15	0	0	0	0	0
16	0	0	0	0	0
17	0	0	0	0	0
18	0	0	0	0	0
19	0	0	0	0	0
20	0	0	0	0	0
21	0	0	0	0	0
22	0	0	0	0	0
23	0	0	0	0	0
24	0	0	0	0	0
25	0	0	0	0	0
26	0	0	0	0	0
27	0	0	0	0	0
28	0	0	0	0	0
29	0	0	0	0	0
30	0	0	0	0	0
合計	0	0	0	0	0

基準値: 4[Bq/cm²] 以下

携行品汚染発生状況報告(2024年6月)

作成日	2024年7月1日(月)
作成者	
審査者	
承認者	

場所: 免震重要棟 2階 チェックポイント

(単位: 件数)

日	4Bq/cm ² 以上 40Bq/cm ² 以下	40Bq/cm ² 超過	汚染発生合計	除染措置	
				持出可	持出不可
1	0	0	0	0	0
2	0	0	0	0	0
3	0	0	0	0	0
4	0	0	0	0	0
5	0	0	0	0	0
6	0	0	0	0	0
7	0	0	0	0	0
8	0	0	0	0	0
9	0	0	0	0	0
10	0	0	0	0	0
11	0	0	0	0	0
12	0	0	0	0	0
13	0	0	0	0	0
14	0	0	0	0	0
15	0	0	0	0	0
16	0	0	0	0	0
17	0	0	0	0	0
18	0	0	0	0	0
19	0	0	0	0	0
20	0	0	0	0	0
21	0	0	0	0	0
22	0	0	0	0	0
23	0	0	0	0	0
24	0	0	0	0	0
25	0	0	0	0	0
26	0	0	0	0	0
27	0	0	0	0	0
28	0	0	0	0	0
29	0	0	0	0	0
30	0	0	0	0	0
合計	0	0	0	0	0

身体汚染発生状況報告(2024年6月)

場所: 1/2号機 サービス建屋(1F) 休憩所

作成日	2024年7月1日(月)
作成者	
審査者	
承認者	

(単位: 件数)

日	身体汚染	下着汚染	靴下汚染	一般服汚染	装備品汚染
1	0	0	0	0	0
2	0	0	0	0	0
3	0	0	0	0	0
4	0	0	0	0	0
5	0	0	0	0	0
6	0	0	0	0	0
7	0	0	0	0	0
8	0	0	0	0	0
9	0	0	0	0	0
10	0	0	0	0	0
11	0	0	0	0	0
12	0	0	0	0	0
13	0	0	0	0	0
14	0	0	0	0	0
15	0	0	0	0	0
16	0	0	0	0	0
17	0	0	0	0	0
18	0	0	0	0	0
19	0	0	0	0	0
20	0	0	0	0	0
21	0	0	0	0	0
22	0	0	0	0	0
23	0	0	0	0	0
24	0	0	0	0	0
25	0	0	0	0	0
26	0	0	0	0	0
27	0	0	0	0	0
28	0	0	0	0	0
29	0	0	0	0	0
30	0	0	0	0	0
合計	0	0	0	0	0

基準値: 4[Bq/cm²] 以下

携行品汚染発生状況報告(2024年6月)

作成日	2024年7月1日(月)
作成者	
審査者	
承認者	

場所:1/2号機 サービス建屋(1F) 休憩所

(単位:件数)

日	4Bq/cm ² 以上 40Bq/cm ² 以下	40Bq/cm ² 超過	汚染発生合計	除染措置	
				持出可	持出不可
1	0	0	0	0	0
2	0	0	0	0	0
3	0	0	0	0	0
4	0	0	0	0	0
5	0	0	0	0	0
6	0	0	0	0	0
7	0	0	0	0	0
8	0	0	0	0	0
9	0	0	0	0	0
10	0	0	0	0	0
11	0	0	0	0	0
12	0	0	0	0	0
13	0	0	0	0	0
14	0	0	0	0	0
15	0	0	0	0	0
16	0	0	0	0	0
17	0	0	0	0	0
18	0	0	0	0	0
19	0	0	0	0	0
20	0	0	0	0	0
21	0	0	0	0	0
22	0	0	0	0	0
23	0	0	0	0	0
24	0	0	0	0	0
25	0	0	0	0	0
26	0	0	0	0	0
27	0	0	0	0	0
28	0	0	0	0	0
29	0	0	0	0	0
30	0	0	0	0	0
合計	0	0	0	0	0

身体汚染発生状況報告(2024年6月)

場所: 1/2号機 サービス建屋(1F) 装備交換所

作成日	2024年7月1日(月)
作成者	
審査者	
承認者	

(単位: 件数)

日	身体汚染	下着汚染	靴下汚染	一般服汚染	装備品汚染
1	0	0	0	0	0
2	0	0	0	0	0
3	0	0	0	0	0
4	0	0	0	0	0
5	0	0	0	0	0
6	0	0	0	0	0
7	0	0	0	0	0
8	0	0	0	0	0
9	0	0	0	0	0
10	0	0	0	0	0
11	0	0	0	0	0
12	0	0	0	0	0
13	0	0	0	0	0
14	0	0	0	0	0
15	0	0	0	0	0
16	0	0	0	0	0
17	0	0	0	0	0
18	0	0	0	0	0
19	0	0	0	0	0
20	0	0	0	0	0
21	0	0	0	0	0
22	0	0	0	0	0
23	0	0	0	0	0
24	0	0	0	0	0
25	0	0	0	0	0
26	0	0	0	0	0
27	0	0	0	0	0
28	0	0	0	0	0
29	0	0	0	0	0
30	0	0	0	0	0
合計	0	0	0	0	0

基準値: 4[Bq/cm²] 以下

携行品汚染発生状況報告(2024年6月)

作成日	2024年7月1日(月)
作成者	
審査者	
承認者	

場所:1/2号機 サービス建屋(1F) 装備交換所

(単位:件数)

日	4Bq/cm ² 以上 40Bq/cm ² 以下	40Bq/cm ² 超過	汚染発生合計	除染措置	
				持出可	持出不可
1	0	0	0	0	0
2	0	0	0	0	0
3	0	0	0	0	0
4	0	0	0	0	0
5	0	0	0	0	0
6	0	0	0	0	0
7	0	0	0	0	0
8	0	0	0	0	0
9	0	0	0	0	0
10	0	0	0	0	0
11	0	0	0	0	0
12	0	0	0	0	0
13	0	0	0	0	0
14	0	0	0	0	0
15	0	0	0	0	0
16	0	0	0	0	0
17	0	0	0	0	0
18	0	0	0	0	0
19	0	0	0	0	0
20	0	0	0	0	0
21	0	0	0	0	0
22	0	0	0	0	0
23	0	0	0	0	0
24	0	0	0	0	0
25	0	0	0	0	0
26	0	0	0	0	0
27	0	0	0	0	0
28	0	0	0	0	0
29	0	0	0	0	0
30	0	0	0	0	0
合計	0	0	0	0	0

身体汚染発生状況報告(2024年6月)

場所: 1/2号機 サービス建屋(2F) 休憩所

作成日	2024年7月1日(月)
作成者	
審査者	
承認者	

(単位: 件数)

日	身体汚染	下着汚染	靴下汚染	一般服汚染	装備品汚染
1	0	0	0	0	0
2	0	0	0	0	0
3	0	0	0	0	0
4	0	0	0	0	0
5	0	0	0	0	0
6	0	0	0	0	0
7	0	0	0	0	0
8	0	0	0	0	0
9	0	0	0	0	0
10	0	0	0	0	0
11	0	0	0	0	0
12	0	0	0	0	0
13	0	0	0	0	0
14	0	0	0	0	0
15	0	0	0	0	0
16	0	0	0	0	0
17	0	0	0	0	0
18	0	0	0	0	0
19	0	0	0	0	0
20	0	0	0	0	0
21	0	0	0	0	0
22	0	0	0	0	0
23	0	0	0	0	0
24	0	0	0	0	0
25	0	0	0	0	0
26	0	0	0	0	0
27	0	0	0	0	0
28	0	0	0	0	0
29	0	0	0	0	0
30	0	0	0	0	0
合計	0	0	0	0	0

基準値: 4[Bq/cm²] 以下

携行品汚染発生状況報告(2024年6月)

作成日	2024年7月1日(月)
作成者	
審査者	
承認者	

場所:1/2号機 サービス建屋(2F) 休憩所

(単位:件数)

日	4Bq/cm ² 以上 40Bq/cm ² 以下	40Bq/cm ² 超過	汚染発生合計	除染措置	
				持出可	持出不可
1	0	0	0	0	0
2	0	0	0	0	0
3	0	0	0	0	0
4	0	0	0	0	0
5	0	0	0	0	0
6	0	0	0	0	0
7	0	0	0	0	0
8	0	0	0	0	0
9	0	0	0	0	0
10	0	0	0	0	0
11	0	0	0	0	0
12	0	0	0	0	0
13	0	0	0	0	0
14	0	0	0	0	0
15	0	0	0	0	0
16	0	0	0	0	0
17	0	0	0	0	0
18	0	0	0	0	0
19	0	0	0	0	0
20	0	0	0	0	0
21	0	0	0	0	0
22	0	0	0	0	0
23	0	0	0	0	0
24	0	0	0	0	0
25	0	0	0	0	0
26	0	0	0	0	0
27	0	0	0	0	0
28	0	0	0	0	0
29	0	0	0	0	0
30	0	0	0	0	0
合計	0	0	0	0	0

身体汚染発生状況報告(2024年6月)

場所: 3/4号機 サービス建屋(2F) 休憩所

作成日	2024年7月1日(月)
作成者	
審査者	
承認者	

(単位: 件数)

日	身体汚染	下着汚染	靴下汚染	一般服汚染	装備品汚染
1	0	0	0	0	0
2	0	0	0	0	0
3	0	0	0	0	0
4	0	0	0	0	0
5	0	0	0	0	0
6	0	0	0	0	0
7	0	0	0	0	0
8	0	0	0	0	0
9	0	0	0	0	0
10	0	0	0	0	0
11	0	0	0	0	0
12	0	0	0	0	0
13	0	0	0	0	0
14	0	0	0	0	0
15	0	0	0	0	0
16	0	0	0	0	0
17	0	0	0	0	0
18	0	0	0	0	0
19	0	0	0	0	0
20	0	0	0	0	0
21	0	0	0	0	0
22	0	0	0	0	0
23	0	0	0	0	0
24	0	0	0	0	0
25	0	0	0	0	0
26	0	0	0	0	0
27	0	0	0	0	0
28	0	0	0	0	0
29	0	0	0	0	0
30	0	0	0	0	0
合計	0	0	0	0	0

基準値: 4[Bq/cm²] 以下

携行品汚染発生状況報告(2024年6月)

作成日	2024年7月1日(月)
作成者	
審査者	
承認者	

場所:3/4号機 サービス建屋(2F) 休憩所

(単位:件数)

日	4Bq/cm ² 以上 40Bq/cm ² 以下	40Bq/cm ² 超過	汚染発生合計	除染措置	
				持出可	持出不可
1	0	0	0	0	0
2	0	0	0	0	0
3	0	0	0	0	0
4	0	0	0	0	0
5	0	0	0	0	0
6	0	0	0	0	0
7	0	0	0	0	0
8	0	0	0	0	0
9	0	0	0	0	0
10	0	0	0	0	0
11	0	0	0	0	0
12	0	0	0	0	0
13	0	0	0	0	0
14	0	0	0	0	0
15	0	0	0	0	0
16	0	0	0	0	0
17	0	0	0	0	0
18	0	0	0	0	0
19	0	0	0	0	0
20	0	0	0	0	0
21	0	0	0	0	0
22	0	0	0	0	0
23	0	0	0	0	0
24	0	0	0	0	0
25	0	0	0	0	0
26	0	0	0	0	0
27	0	0	0	0	0
28	0	0	0	0	0
29	0	0	0	0	0
30	0	0	0	0	0
合計	0	0	0	0	0

身体汚染発生状況報告(2024年6月)

場所: 情報棟2階 装備交換所

作成日	2024年7月1日(月)
作成者	
審査者	
承認者	

(単位: 件数)

日	身体汚染	下着汚染	靴下汚染	一般服汚染	装備品汚染
1	0	0	0	0	0
2	0	0	0	0	0
3	0	0	0	0	0
4	0	0	0	0	0
5	0	0	0	0	0
6	0	0	0	0	0
7	0	0	0	0	0
8	0	0	0	0	0
9	0	0	0	0	0
10	0	0	0	0	0
11	0	0	0	0	0
12	0	0	0	0	0
13	0	0	0	0	0
14	0	0	0	0	0
15	0	0	0	0	0
16	0	0	0	0	0
17	0	0	0	0	0
18	0	0	0	0	0
19	0	0	0	0	0
20	0	0	0	0	0
21	0	0	0	0	0
22	0	0	0	0	0
23	0	0	0	0	0
24	0	0	0	0	0
25	0	0	0	0	0
26	0	0	0	0	0
27	0	0	0	0	0
28	0	0	0	0	0
29	0	0	0	0	0
30	0	0	0	0	0
合計	0	0	0	0	0

基準値: 4[Bq/cm²] 以下

携行品汚染発生状況報告(2024年6月)

作成日	2024年7月1日(月)
作成者	
審査者	
承認者	

場所:情報棟2階 装備交換所

(単位:件数)

日	4Bq/cm ² 以上 40Bq/cm ² 以下	40Bq/cm ² 超過	汚染発生合計	除染措置	
				持出可	持出不可
1	0	0	0	0	0
2	0	0	0	0	0
3	0	0	0	0	0
4	0	0	0	0	0
5	0	0	0	0	0
6	0	0	0	0	0
7	0	0	0	0	0
8	0	0	0	0	0
9	0	0	0	0	0
10	0	0	0	0	0
11	0	0	0	0	0
12	0	0	0	0	0
13	0	0	0	0	0
14	0	0	0	0	0
15	0	0	0	0	0
16	0	0	0	0	0
17	0	0	0	0	0
18	0	0	0	0	0
19	0	0	0	0	0
20	0	0	0	0	0
21	0	0	0	0	0
22	0	0	0	0	0
23	0	0	0	0	0
24	0	0	0	0	0
25	0	0	0	0	0
26	0	0	0	0	0
27	0	0	0	0	0
28	0	0	0	0	0
29	0	0	0	0	0
30	0	0	0	0	0
合計	0	0	0	0	0

身体汚染発生状況報告(2024年6月)

場所:タンクエリア 装備交換所

作成日	2024年7月1日(月)
作成者	
審査者	
承認者	

(単位:件数)

日	身体汚染	下着汚染	靴下汚染	一般服汚染	装備品汚染
1	0	0	0	0	0
2	0	0	0	0	0
3	0	0	0	0	0
4	0	0	0	0	0
5	0	0	0	0	0
6	0	0	0	0	0
7	0	0	0	0	0
8	0	0	0	0	0
9	0	0	0	0	0
10	0	0	0	0	0
11	0	0	0	0	0
12	0	0	0	0	0
13	0	0	0	0	0
14	0	0	0	0	0
15	0	0	0	0	0
16	0	0	0	0	0
17	0	0	0	0	0
18	0	0	0	0	0
19	0	0	0	0	0
20	0	0	0	0	0
21	0	0	0	0	0
22	0	0	0	0	0
23	0	0	0	0	0
24	0	0	0	0	0
25	0	0	0	0	0
26	0	0	0	0	0
27	0	0	0	0	0
28	0	0	0	0	0
29	0	0	0	0	0
30	0	0	0	0	0
合計	0	0	0	0	0

基準値:4[Bq/cm²]以下

携行品汚染発生状況報告(2024年6月)

作成日	2024年7月1日(月)
作成者	
審査者	
承認者	

場所:タンクエリア 装備交換所

(単位:件数)

日	4Bq/cm ² 以上 40Bq/cm ² 以下	40Bq/cm ² 超過	汚染発生合計	除染措置	
				持出可	持出不可
1	0	0	0	0	0
2	0	0	0	0	0
3	0	0	0	0	0
4	0	0	0	0	0
5	0	0	0	0	0
6	0	0	0	0	0
7	0	0	0	0	0
8	0	0	0	0	0
9	0	0	0	0	0
10	0	0	0	0	0
11	0	0	0	0	0
12	0	0	0	0	0
13	0	0	0	0	0
14	0	0	0	0	0
15	0	0	0	0	0
16	0	0	0	0	0
17	0	0	0	0	0
18	0	0	0	0	0
19	0	0	0	0	0
20	0	0	0	0	0
21	0	0	0	0	0
22	0	0	0	0	0
23	0	0	0	0	0
24	0	0	0	0	0
25	0	0	0	0	0
26	0	0	0	0	0
27	0	0	0	0	0
28	0	0	0	0	0
29	0	0	0	0	0
30	0	0	0	0	0
合計	0	0	0	0	0

身体汚染発生状況報告(2024年6月)

作成日	2024年7月1日(月)
作成者	
審査者	
承認者	

場所: 移動式給水車

(単位: 件数)

日	身体汚染	下着汚染	靴下汚染	一般服汚染	装備品汚染
1	0	0	0	0	0
2	0	0	0	0	0
3	0	0	0	0	0
4	0	0	0	0	0
5	0	0	0	0	0
6	0	0	0	0	0
7	0	0	0	0	0
8	0	0	0	0	0
9	0	0	0	0	0
10	0	0	0	0	0
11	0	0	0	0	0
12	0	0	0	0	0
13	0	0	0	0	0
14	0	0	0	0	0
15	0	0	0	0	0
16	0	0	0	0	0
17	0	0	0	0	0
18	0	0	0	0	0
19	0	0	0	0	0
20	0	0	0	0	0
21	0	0	0	0	0
22	0	0	0	0	0
23	0	0	0	0	0
24	0	0	0	0	0
25	0	0	0	0	0
26	0	0	0	0	0
27	0	0	0	0	0
28	0	0	0	0	0
29	0	0	0	0	0
30	0	0	0	0	0
合計	0	0	0	0	0

基準値: 4[Bq/cm²] 以下

携行品汚染発生状況報告(2024年6月)

作成日	2024年7月1日(月)
作成者	
審査者	
承認者	

場所: 移動式給水車

(単位: 件数)

日	4Bq/cm ² 以上 40Bq/cm ² 以下	40Bq/cm ² 超過	汚染発生合計	除染措置	
				持出可	持出不可
1	0	0	0	0	0
2	0	0	0	0	0
3	0	0	0	0	0
4	0	0	0	0	0
5	0	0	0	0	0
6	0	0	0	0	0
7	0	0	0	0	0
8	0	0	0	0	0
9	0	0	0	0	0
10	0	0	0	0	0
11	0	0	0	0	0
12	0	0	0	0	0
13	0	0	0	0	0
14	0	0	0	0	0
15	0	0	0	0	0
16	0	0	0	0	0
17	0	0	0	0	0
18	0	0	0	0	0
19	0	0	0	0	0
20	0	0	0	0	0
21	0	0	0	0	0
22	0	0	0	0	0
23	0	0	0	0	0
24	0	0	0	0	0
25	0	0	0	0	0
26	0	0	0	0	0
27	0	0	0	0	0
28	0	0	0	0	0
29	0	0	0	0	0
30	0	0	0	0	0
合計	0	0	0	0	0