

GM	メンバー

瓦礫等収納容器点検結果(線量測定データ)

容器番号	確認年月日	コンテナサイズ (㎡)	測定器No	BG値 (mSv/h)		表面線量当量率 (mSv/h)	
				γ	$\beta + \gamma$	γ	$\beta + \gamma$
OK-0323A	2024/3/1	10	F1-ICW-297	0.003	-	0.003	-
A0076	2024/3/1	10	F1-ICW-297	0.003	-	0.003	-
OK-0358A	2024/3/1	10	F1-ICW-297	0.003	-	0.018	-
B0103	2024/3/1	10	F1-ICW-297	0.003	-	0.003	-
B0100	2024/3/1	10	F1-ICW-297	0.003	-	0.003	-
A0009	2024/3/1	10	F1-ICW-297	0.003	-	0.003	-
D0042	2024/3/1	10	F1-ICW-297	0.003	-	0.058	-
A0026	2024/3/1	10	F1-ICW-297	0.003	-	0.003	-
OK-0030	2024/3/2	10	F1-ICWBL-63	0.003	0.003	0.010	-
OK-0376A	2024/3/2	10	F1-ICWBL-63	0.003	0.003	0.005	-
OK-0289	2024/3/2	10	F1-ICWBL-63	0.003	0.003	0.003	-
B0138	2024/3/2	10	F1-ICWBL-63	0.003	0.003	0.008	-
OK-0342A	2024/3/2	10	F1-ICWBL-63	0.003	0.003	0.005	-
B0014	2024/3/2	10	F1-ICWBL-63	0.003	0.003	0.009	-
OK-0019	2024/3/2	10	F1-ICWBL-63	0.003	0.003	0.004	-
OK-0206	2024/3/2	10	F1-ICWBL-63	0.003	0.003	0.005	-
A0036	2024/3/2	10	F1-ICWBL-63	0.003	0.003	0.006	-
OK-0064	2024/3/2	10	F1-ICWBL-63	0.003	0.003	0.010	-
C0010	2024/3/2	10	F1-ICW-297	0.003	-	0.005	-
B0043	2024/3/2	10	F1-ICW-297	0.003	-	0.022	-
OK-0244	2024/3/2	10	F1-ICW-297	0.003	-	0.004	-
A0174	2024/3/2	10	F1-ICW-297	0.003	-	0.003	-
A0070	2024/3/2	10	F1-ICW-297	0.003	-	0.005	-
OK-0147	2024/3/2	10	F1-ICW-297	0.003	-	0.003	-
OK-0012	2024/3/2	10	F1-ICW-297	0.003	-	0.003	-
B0031	2024/3/2	10	F1-ICW-297	0.003	-	0.011	-
A0197	2024/3/2	10	F1-ICW-297	0.003	-	0.003	-
A0017	2024/3/4	10	F1-ICWBL-63	0.003	0.003	0.012	-
C0012	2024/3/4	10	F1-ICWBL-63	0.003	0.003	0.038	-
B0113	2024/3/4	10	F1-ICWBL-63	0.003	0.003	0.011	-
OK-0280	2024/3/4	10	F1-ICWBL-63	0.003	0.003	0.004	-
A0180	2024/3/4	10	F1-ICWBL-63	0.003	0.003	0.018	-
B0013	2024/3/4	10	F1-ICWBL-63	0.003	0.003	0.006	-
OK-0045	2024/3/4	10	F1-ICWBL-63	0.003	0.003	0.009	-
OK-0369A	2024/3/4	10	F1-ICWBL-63	0.003	0.003	0.008	-
OK-0215	2024/3/4	10	F1-ICWBL-63	0.003	0.003	0.007	-
A0142	2024/3/4	10	F1-ICWBL-63	0.003	0.003	0.005	-

瓦礫等収納容器点検結果(線量測定データ)

容器番号	確認年月日	コンテナサイズ (m ³)	測定器No	BG値 (mSv/h)		表面線量当量率 (mSv/h)	
				γ	$\beta + \gamma$	γ	$\beta + \gamma$
OK-0028	2024/3/4	10	F1-ICW-297	0.003	-	0.004	-
B0098	2024/3/4	10	F1-ICW-297	0.003	-	0.005	-
D0001	2024/3/4	10	F1-ICW-297	0.003	-	0.003	-
C0007	2024/3/4	10	F1-ICW-297	0.003	-	0.014	-
OK-0282	2024/3/4	10	F1-ICW-297	0.003	-	0.003	-
A0171	2024/3/4	10	F1-ICW-297	0.003	-	0.004	-
OK-0382A	2024/3/4	10	F1-ICW-297	0.003	-	0.003	-
B0068	2024/3/4	10	F1-ICW-297	0.003	-	0.003	-
A0068	2024/3/5	10	F1-ICWBL-63	0.003	0.003	0.003	-
B0008	2024/3/5	10	F1-ICWBL-63	0.003	0.003	0.007	-
OK-0124	2024/3/5	10	F1-ICWBL-63	0.003	0.003	0.003	-
B0122	2024/3/5	10	F1-ICWBL-63	0.003	0.003	0.007	-
B0060	2024/3/5	10	F1-ICWBL-63	0.003	0.003	0.005	-
OK-0257	2024/3/5	10	F1-ICWBL-63	0.003	0.003	0.003	-
OK-0099	2024/3/5	10	F1-ICWBL-63	0.003	0.003	0.004	-
OK-0087	2024/3/5	10	F1-ICWBL-63	0.003	0.003	0.005	-
OK-0216	2024/3/5	10	F1-ICWBL-63	0.003	0.003	0.005	-
OK0032	2024/3/5	10	F1-ICWBL-63	0.003	0.003	0.007	-
C0026	2024/3/5	10	F1-ICW-297	0.003	-	0.003	-
OK-0321A	2024/3/5	10	F1-ICW-297	0.003	-	0.003	-
A0203	2024/3/5	10	F1-ICW-297	0.003	-	0.004	-
A0078	2024/3/5	10	F1-ICW-297	0.003	-	0.065	-
OK-0322A	2024/3/5	10	F1-ICW-297	0.003	-	0.003	-
A0251	2024/3/5	10	F1-ICW-297	0.003	-	0.004	-
OK-0438A	2024/3/5	10	F1-ICW-297	0.003	-	0.003	-
OK-0157	2024/3/5	10	F1-ICW-297	0.003	-	0.003	-
A0243	2024/3/6	10	F1-ICW-297	0.003	-	0.003	-
A0257	2024/3/6	10	F1-ICW-297	0.003	-	0.004	-
C0011	2024/3/6	10	F1-ICW-297	0.003	-	0.012	-
OK-0260	2024/3/6	10	F1-ICW-297	0.003	-	0.004	-
OK-0035	2024/3/7	10	F1-ICWBL-63	0.003	0.003	0.007	-
OK-0006	2024/3/7	10	F1-ICWBL-63	0.003	0.003	0.010	-
B0018	2024/3/7	10	F1-ICWBL-63	0.003	0.003	0.004	-
OK-0273	2024/3/7	10	F1-ICWBL-63	0.003	0.003	0.005	-
OK-0057	2024/3/7	10	F1-ICWBL-63	0.003	0.003	0.005	-
C0039	2024/3/7	10	F1-ICWBL-63	0.003	0.003	0.005	-
OK-0221	2024/3/7	10	F1-ICWBL-63	0.003	0.003	0.004	-

瓦礫等収納容器点検結果(線量測定データ)

容器番号	確認年月日	コンテナサイズ (m ³)	測定器No	BG値 (mSv/h)		表面線量当量率 (mSv/h)	
				γ	$\beta + \gamma$	γ	$\beta + \gamma$
OK-0040✓	2024/3/7✓	10✓	F1-ICWBL-63✓	0.003✓	0.003✓	0.008✓	-
A0089✓	2024/3/7	10	F1-ICWBL-63	0.003	0.003	0.004✓	-
OK-0141✓	2024/3/7	10	F1-ICWBL-63	0.003	0.003	0.024✓	-
OK-0139✓	2024/3/7✓	10✓	F1-ICW-334✓	0.003✓	-	0.043✓	-
OK-0046✓	2024/3/7	10	F1-ICW-334	0.003	-	0.003✓	-
B0126✓	2024/3/7	10	F1-ICW-334	0.003	-	0.003✓	-
OK-0345A✓	2024/3/7	10	F1-ICW-334	0.003	-	0.003✓	-
OK-0050✓	2024/3/7	10	F1-ICW-334	0.003	-	0.013✓	-
B0080✓	2024/3/7	10	F1-ICW-334	0.003	-	0.004✓	-
OK-0293✓	2024/3/7	10	F1-ICW-334	0.003	-	0.004✓	-
OK-0076✓	2024/3/7	10	F1-ICW-334	0.003	-	0.004✓	-
A0134✓	2024/3/11✓	10✓	F1-ICW-297✓	0.003✓	-	0.004✓	-
B0045✓	2024/3/11	10	F1-ICW-297	0.003	-	0.003✓	-
OK-0258✓	2024/3/11	10	F1-ICW-297	0.003	-	0.003✓	-
A0001✓	2024/3/11	10	F1-ICW-297	0.003	-	0.014✓	-
OK-0080✓	2024/3/11	10	F1-ICW-297	0.003	-	0.004✓	-
OK-0326A✓	2024/3/11	10	F1-ICW-297	0.003	-	0.004✓	-
OK-0426A✓	2024/3/11	10	F1-ICW-297	0.003	-	0.003✓	-
B0081✓	2024/3/11✓	10✓	F1-ICWBL-63✓	0.003✓	0.003✓	0.005✓	-
OK-0074✓	2024/3/11	10	F1-ICWBL-63	0.003	0.003	0.005✓	-
C0004✓	2024/3/11	10	F1-ICWBL-63	0.003	0.003	0.032✓	-
OK-0389A✓	2024/3/11	10	F1-ICWBL-63	0.003	0.003	0.006✓	-
D0025✓	2024/3/11	10	F1-ICWBL-63	0.003	0.003	0.006✓	-
OK-0381A✓	2024/3/11	10	F1-ICWBL-63	0.003	0.003	0.007✓	-
D0006✓	2024/3/11	10	F1-ICWBL-63	0.003	0.003	0.060✓	-
OK-0101✓	2024/3/11	10	F1-ICWBL-63	0.003	0.003	0.008✓	-
OK-0406A✓	2024/3/11	10	F1-ICWBL-63	0.003	0.003	0.008✓	-
D0015✓	2024/3/11	10	F1-ICWBL-63	0.003	0.003	0.031✓	-
OK-0253✓	2024/3/12✓	10✓	F1-ICW-297✓	0.003✓	-	0.010✓	-
OK-0409A✓	2024/3/12	10	F1-ICW-297	0.003	-	0.004✓	-
OK-0405A✓	2024/3/12	10	F1-ICW-297	0.003	-	0.023✓	-
OK-0337A✓	2024/3/12	10	F1-ICW-297	0.003	-	0.004✓	-
OK-0338A✓	2024/3/12	10	F1-ICW-297	0.003	-	0.005✓	-
A0131✓	2024/3/12	10	F1-ICW-297	0.003	-	0.007✓	-
OK-0335A✓	2024/3/12	10	F1-ICW-297	0.003	-	0.005✓	-
OK-0440A✓	2024/3/12	10	F1-ICW-297	0.003	-	0.004✓	-
B0109✓	2024/3/12	10	F1-ICW-297	0.003	-	0.004✓	-

瓦礫等収納容器点検結果(線量測定データ)

容器番号	確認年月日	コンテナサイズ (m ³)	測定器No	BG値 (mSv/h)		表面線量当量率 (mSv/h)	
				γ	$\beta + \gamma$	γ	$\beta + \gamma$
A0103 ✓	2024/3/12 ✓	10 ✓	F1-ICWBL-63 ✓	0.003 ✓	0.003 ✓	0.008 ✓	-
D0019 ✓	2024/3/12	10	F1-ICWBL-63	0.003	0.003	0.004 ✓	-
A0104 ✓	2024/3/12	10	F1-ICWBL-63	0.003	0.003	0.005 ✓	-
A0132 ✓	2024/3/12	10	F1-ICWBL-63	0.003	0.003	0.006 ✓	-
OK-0138 ✓	2024/3/12	10	F1-ICWBL-63	0.003	0.003	0.006 ✓	-
OK-0445A ✓	2024/3/12	10	F1-ICWBL-63	0.003	0.003	0.004 ✓	-
C0003 ✓	2024/3/12	10	F1-ICWBL-63	0.003	0.003	0.005 ✓	-
B0011 ✓	2024/3/12	10	F1-ICWBL-63	0.003	0.003	0.006 ✓	-
A0143 ✓	2024/3/12	10	F1-ICWBL-63	0.003	0.003	0.010 ✓	-
A0242 ✓	2024/3/12	10	F1-ICWBL-63	0.003	0.003	0.004 ✓	-
OK-0299 ✓	2024/3/12 ✓	10 ✓	F1-ICWBL-101 ✓	0.004 ✓	0.004 ✓	0.18 ✓	-
OK-0054 ✓	2024/3/13 ✓	10 ✓	F1-ICW-297 ✓	0.003 ✓	-	0.003 ✓	-
OK-0085 ✓	2024/3/13	10	F1-ICW-297	0.003	-	0.004 ✓	-
OK-0100 ✓	2024/3/13	10	F1-ICW-297	0.003	-	0.004 ✓	-
B0101 ✓	2024/3/13	10	F1-ICW-297	0.003	-	0.004 ✓	-
B0128 ✓	2024/3/13	10	F1-ICW-297	0.003	-	0.003 ✓	-
OK-0089 ✓	2024/3/13	10	F1-ICW-297	0.003	-	0.005 ✓	-
A0234 ✓	2024/3/13 ✓	10 ✓	F1-ICWBL-63 ✓	0.003 ✓	0.003 ✓	0.005 ✓	-
OK-0391A ✓	2024/3/13	10	F1-ICWBL-63	0.003	0.003	0.009 ✓	-
B0142 ✓	2024/3/13	10	F1-ICWBL-63	0.003	0.003	0.005 ✓	-
A0060 ✓	2024/3/13	10	F1-ICWBL-63	0.003	0.003	0.020 ✓	-
B0024 ✓	2024/3/13	10	F1-ICWBL-63	0.003	0.003	0.005 ✓	-
OK-0329A ✓	2024/3/13	10	F1-ICWBL-63	0.003	0.003	0.008 ✓	-
A0179 ✓	2024/3/13	10	F1-ICWBL-63	0.003	0.003	0.006 ✓	-
B0089 ✓	2024/3/13	10	F1-ICWBL-63	0.003	0.003	0.006 ✓	-
OK-0300 ✓	2024/3/13	10	F1-ICWBL-63	0.003	0.003	0.007 ✓	-
OK-0439A ✓	2024/3/13	10	F1-ICWBL-63	0.003	0.003	0.005 ✓	-
B0073 ✓	2024/3/14 ✓	10 ✓	F1-ICW-297 ✓	0.003 ✓	-	0.011 ✓	-
OK-0067 ✓	2024/3/14	10	F1-ICW-297	0.003	-	0.010 ✓	-
OK-0091 ✓	2024/3/14	10	F1-ICW-297	0.003	-	0.013 ✓	-
C0035 ✓	2024/3/14	10	F1-ICW-297	0.003	-	0.005 ✓	-
OK-0005 ✓	2024/3/14	10	F1-ICW-297	0.003	-	0.005 ✓	-
B0077 ✓	2024/3/14	10	F1-ICW-297	0.003	-	0.032 ✓	-
OK-0128 ✓	2024/3/14	10	F1-ICW-297	0.003	-	0.004 ✓	-
B0022 ✓	2024/3/14	10	F1-ICW-297	0.003	-	0.038 ✓	-
A0207 ✓	2024/3/14	10	F1-ICW-297	0.003	-	0.003 ✓	-
A0061 ✓	2024/3/14 ✓	10 ✓	F1-ICWBL-63 ✓	0.003 ✓	0.003 ✓	0.006 ✓	-

瓦礫等収納容器点検結果(線量測定データ)

容器番号	確認年月日	コンテナサイズ (m ³)	測定器No	BG値 (mSv/h)		表面線量当量率 (mSv/h)	
				γ	$\beta + \gamma$	γ	$\beta + \gamma$
OK-0446A✓	2024/3/14✓	10✓	F1-ICWBL-63✓	0.003✓	0.003✓	0.004✓	-
C0047✓	2024/3/14	10	F1-ICWBL-63	0.003	0.003	0.006✓	-
OK-0065✓	2024/3/14	10	F1-ICWBL-63	0.003	0.003	0.006✓	-
B0003✓	2024/3/14	10	F1-ICWBL-63	0.003	0.003	0.004✓	-
A0141✓	2024/3/14	10	F1-ICWBL-63	0.003	0.003	0.005✓	-
C0033✓	2024/3/14	10	F1-ICWBL-63	0.003	0.003	0.004✓	-
OK-0262✓	2024/3/14	10	F1-ICWBL-63	0.003	0.003	0.004✓	-
B0042✓	2024/3/14	10	F1-ICWBL-63	0.003	0.003	0.005✓	-
B0058✓	2024/3/14	10	F1-ICWBL-63	0.003	0.003	0.004✓	-
OK-0228✓	2024/3/15✓	10✓	F1-ICW-290✓	0.003✓	-	0.003✓	-
A0030✓	2024/3/15	10	F1-ICW-290	0.003	-	0.004✓	-
OK-0281✓	2024/3/15	10	F1-ICW-290	0.003	-	0.004✓	-
OK-0011✓	2024/3/15	10	F1-ICW-290	0.003	-	0.009✓	-
A0039✓	2024/3/15	10	F1-ICW-290	0.003	-	0.011✓	-
OK-0082✓	2024/3/15	10	F1-ICW-290	0.003	-	0.030✓	-
OK-0071✓	2024/3/15	10	F1-ICW-290	0.003	-	0.008✓	-
OK-0041✓	2024/3/15	10	F1-ICW-290	0.003	-	0.005✓	-
OK-0058✓	2024/3/15	10	F1-ICW-290	0.003	-	0.004✓	-
OK-0327A✓	2024/3/15✓	10✓	F1-ICWBL-63✓	0.003✓	0.003✓	0.004✓	-
OK-0284✓	2024/3/15	10	F1-ICWBL-63	0.003	0.003	0.005✓	-
OK-0370A✓	2024/3/15	10	F1-ICWBL-63	0.003	0.003	0.003✓	-
OK-0437A✓	2024/3/15	10	F1-ICWBL-63	0.003	0.003	0.003✓	-
OK-0203✓	2024/3/15	10	F1-ICWBL-63	0.003	0.003	0.006✓	-
D0050✓	2024/3/15	10	F1-ICWBL-63	0.003	0.003	0.12✓	-
OK-0144✓	2024/3/15	10	F1-ICWBL-63	0.003	0.003	0.007✓	-
OK-0399A✓	2024/3/15	10	F1-ICWBL-63	0.003	0.003	0.006✓	-
C0006✓	2024/3/16✓	10✓	F1-ICW-297✓	0.003✓	-	0.010✓	-
C0037✓	2024/3/16	10	F1-ICW-297	0.003	-	0.007✓	-
OK-0047✓	2024/3/16	10	F1-ICW-297	0.003	-	0.013✓	-
A0090✓	2024/3/16	10	F1-ICW-297	0.003	-	0.008✓	-
A0114✓	2024/3/16	10	F1-ICW-297	0.003	-	0.004✓	-
OK-0038✓	2024/3/16	10	F1-ICW-297	0.003	-	0.005✓	-
A0111✓	2024/3/16	10	F1-ICW-297	0.003	-	0.003✓	-
A0219✓	2024/3/16	10	F1-ICW-297	0.003	-	0.004✓	-
C0008✓	2024/3/16✓	10✓	F1-ICWBL-63✓	0.003✓	0.003✓	0.010✓	-
OK-0423A✓	2024/3/16	10	F1-ICWBL-63	0.003	0.003	0.004✓	-
B0030✓	2024/3/16	10	F1-ICWBL-63	0.003	0.003	0.003✓	-

瓦礫等収納容器点検結果(線量測定データ)

容器番号	確認年月日	コンテナサイズ (m)	測定器No	BG値 (mSv/h)		表面線量当量率 (mSv/h)	
				γ	$\beta + \gamma$	γ	$\beta + \gamma$
C0023	2024/3/16	10	F1-ICWBL-63	0.003	0.003	0.003	-
OK-0328A	2024/3/16	10	F1-ICWBL-63	0.003	0.003	0.007	-
OK-0018	2024/3/16	10	F1-ICWBL-63	0.003	0.003	0.005	-
OK-0390A	2024/3/16	10	F1-ICWBL-63	0.003	0.003	0.005	-
OK-0427A	2024/3/16	10	F1-ICWBL-63	0.003	0.003	0.003	-
OK-0429A	2024/3/16	10	F1-ICWBL-63	0.003	0.003	0.004	-
OK-0432A	2024/3/16	10	F1-ICWBL-63	0.003	0.003	0.005	-
A0255	2024/3/18	10	F1-ICW-297	0.003	-	0.003	-
OK-0320A	2024/3/18	10	F1-ICW-297	0.003	-	0.004	-
A0120	2024/3/18	10	F1-ICW-297	0.003	-	0.004	-
OK-0410A	2024/3/18	10	F1-ICW-297	0.003	-	0.006	-
OK-0211	2024/3/18	10	F1-ICW-297	0.003	-	0.009	-
OK-0263	2024/3/18	10	F1-ICW-297	0.003	-	0.012	-
OK-0430A	2024/3/18	10	F1-ICW-297	0.003	-	0.006	-
OK-0365A	2024/3/18	10	F1-ICW-297	0.003	-	0.005	-
B0027	2024/3/18	10	F1-ICWBL-63	0.003	0.003	0.006	-
A0007	2024/3/18	10	F1-ICWBL-63	0.003	0.003	0.005	-
B0102	2024/3/18	10	F1-ICWBL-63	0.003	0.003	0.005	-
A0109	2024/3/18	10	F1-ICWBL-63	0.003	0.003	0.013	-
OK-0373A	2024/3/18	10	F1-ICWBL-63	0.003	0.003	0.013	-
A0249	2024/3/18	10	F1-ICWBL-63	0.003	0.003	0.008	-
OK-0292	2024/3/18	10	F1-ICWBL-63	0.003	0.003	0.006	-
B0055	2024/3/18	10	F1-ICWBL-63	0.003	0.003	0.004	-
A0233	2024/3/18	10	F1-ICWBL-63	0.003	0.003	0.005	-
OK-0431A	2024/3/18	10	F1-ICWBL-63	0.003	0.003	0.004	-
OK-0428A	2024/3/19	10	F1-ICW-286	0.003	-	0.004	-
A0144	2024/3/19	10	F1-ICW-286	0.003	-	0.005	-
A0193	2024/3/19	10	F1-ICW-286	0.003	-	0.004	-
OK-0336A	2024/3/19	10	F1-ICW-286	0.003	-	0.003	-
A0101	2024/3/19	10	F1-ICW-286	0.003	-	0.012	-
A0058	2024/3/19	10	F1-ICW-286	0.003	-	0.004	-
B0118	2024/3/19	10	F1-ICW-286	0.003	-	0.010	-
OK-0425A	2024/3/19	10	F1-ICW-286	0.003	-	0.007	-
A0049	2024/3/19	10	F1-ICWBL-63	0.003	0.003	0.003	-
A0261	2024/3/19	10	F1-ICWBL-63	0.003	0.003	0.003	-
B0136	2024/3/19	10	F1-ICWBL-63	0.003	0.003	0.009	-
A0082	2024/3/19	10	F1-ICWBL-63	0.003	0.003	0.003	-

瓦礫等収納容器点検結果(線量測定データ)

容器番号	確認年月日	コンテナサイズ (m ³)	測定器No	BG値 (mSv/h)		表面線量当量率 (mSv/h)	
				γ	$\beta + \gamma$	γ	$\beta + \gamma$
A0222✓	2024/3/19✓	10✓	F1-ICWBL-63✓	0.003✓	0.003✓	0.004✓	—
A0202✓	2024/3/19	10	F1-ICWBL-63	0.003	0.003	0.014✓	—
A0032✓	2024/3/19	10	F1-ICWBL-63	0.003	0.003	0.005✓	—
A0250✓	2024/3/19	10	F1-ICWBL-63	0.003	0.003	0.005✓	—
B0114✓	2024/3/21✓	10✓	F1-ICWBL-63✓	0.003✓	0.003✓	0.003✓	—
A0124✓	2024/3/21	10	F1-ICWBL-63	0.003	0.003	0.004✓	—
B0050✓	2024/3/21	10	F1-ICWBL-63	0.003	0.003	0.005✓	—
C0050✓	2024/3/21	10	F1-ICWBL-63	0.003	0.003	0.015✓	—
A0184✓	2024/3/21	10	F1-ICWBL-63	0.003	0.003	0.004✓	—
A0081✓	2024/3/21	10	F1-ICWBL-63	0.003	0.003	0.092✓	—
B0028✓	2024/3/21	10	F1-ICWBL-63	0.003	0.003	0.006✓	—
B0029✓	2024/3/21	10	F1-ICWBL-63	0.003	0.003	0.004✓	—
A0022✓	2024/3/22✓	10✓	F1-ICWBL-63✓	0.003✓	0.003✓	0.006✓	—
C0041✓	2024/3/22	10	F1-ICWBL-63	0.003	0.003	0.009✓	—
A0148✓	2024/3/22	10	F1-ICWBL-63	0.003	0.003	0.008✓	—
A0216✓	2024/3/22	10	F1-ICWBL-63	0.003	0.003	0.007✓	—
A0110✓	2024/3/22	10	F1-ICWBL-63	0.003	0.003	0.008✓	—
B0086✓	2024/3/22	10	F1-ICWBL-63	0.003	0.003	0.004✓	—
A0024✓	2024/3/22	10	F1-ICWBL-63	0.003	0.003	0.005✓	—
A0108✓	2024/3/22	10	F1-ICWBL-63	0.003	0.003	0.005✓	—
A0136✓	2024/3/23✓	10✓	F1-ICWBL-63✓	0.003✓	0.003✓	0.012✓	—
A0084✓	2024/3/23	10	F1-ICWBL-63	0.003	0.003	0.008✓	—
A0091✓	2024/3/23	10	F1-ICWBL-63	0.003	0.003	0.004✓	—
C0022✓	2024/3/23	10	F1-ICWBL-63	0.003	0.003	0.009✓	—
A0172✓	2024/3/23	10	F1-ICWBL-63	0.003	0.003	0.014✓	—
B0054✓	2024/3/23	10	F1-ICWBL-63	0.003	0.003	0.007✓	—
A0107✓	2024/3/23	10	F1-ICWBL-63	0.003	0.003	0.007✓	—
B0006✓	2024/3/23	10	F1-ICWBL-63	0.003	0.003	0.009✓	—
B0044✓	2024/3/23	10	F1-ICWBL-63	0.003	0.003	0.007✓	—