

GM	メンバー

瓦礫等収納容器点検結果(線量測定データ)

容器番号	確認年月日	コンテナサイズ (m ³)	測定器No	BG値 (mSv/h)		表面線量当量率 (mSv/h)	
				γ	$\beta + \gamma$	γ	$\beta + \gamma$
OK-0262	2025/3/1	10	F1-ICWBL-37	0.004	0.004	0.004	—
C0003	2025/3/1	10	F1-ICWBL-37	0.004	0.004	0.004	—
A0142	2025/3/1	10	F1-ICWBL-37	0.004	0.004	0.004	—
OK-0431A	2025/3/1	10	F1-ICWBL-37	0.004	0.004	0.005	—
B0117	2025/3/1	10	F1-ICWBL-37	0.004	0.004	0.004	—
OK-0370A	2025/3/1	10	F1-ICWBL-37	0.004	0.004	0.004	—
B0050	2025/3/1	10	F1-ICWBL-37	0.004	0.004	0.004	—
A0124	2025/3/1	10	F1-ICWBL-37	0.004	0.004	0.004	—
A0091	2025/3/1	10	F1-ICWBL-37	0.004	0.004	0.004	—
B0114	2025/3/1	10	F1-ICWBL-37	0.004	0.004	0.004	—
OK-0126	2025/3/3	10	F1-ICWBL-37	0.004	0.004	0.028	—
C0029	2025/3/3	10	F1-ICWBL-37	0.004	0.004	0.009	—
OK-0215	2025/3/3	10	F1-ICWBL-37	0.004	0.004	0.004	—
B0042	2025/3/3	10	F1-ICWBL-37	0.004	0.004	0.004	—
A0065	2025/3/3	10	F1-ICWBL-37	0.004	0.004	0.014	—
B0084	2025/3/3	10	F1-ICWBL-37	0.004	0.004	0.004	—
D0025	2025/3/3	10	F1-ICWBL-37	0.004	0.004	0.004	—
B0119	2025/3/4	10	F1-ICWBL-37	0.004	0.004	0.007	—
OK-0083	2025/3/4	10	F1-ICWBL-37	0.004	0.004	0.006	—
OK-0110	2025/3/4	10	F1-ICWBL-37	0.004	0.004	0.006	—
B0029	2025/3/4	10	F1-ICWBL-37	0.004	0.004	0.004	—
D0044	2025/3/4	10	F1-ICWBL-37	0.004	0.004	0.021	—
OK-0073	2025/3/4	10	F1-ICWBL-37	0.004	0.004	0.004	—
B0015	2025/3/4	10	F1-ICWBL-37	0.004	0.004	0.005	—
OK-0152	2025/3/4	10	F1-ICWBL-37	0.004	0.004	0.004	—
A0119	2025/3/5	10	F1-ICWBL-37	0.004	0.004	0.004	—
B0069	2025/3/5	10	F1-ICWBL-37	0.004	0.004	0.006	—
OK-0344A	2025/3/5	10	F1-ICWBL-37	0.004	0.004	0.005	—
A0008	2025/3/5	10	F1-ICWBL-37	0.004	0.004	0.004	—
A0011	2025/3/5	10	F1-ICWBL-37	0.004	0.004	0.004	—
OK-0079	2025/3/5	10	F1-ICWBL-37	0.004	0.004	0.004	—
B0066	2025/3/6	10	F1-ICWBL-37	0.004	0.004	0.005	—
D0030	2025/3/6	10	F1-ICWBL-37	0.004	0.004	0.005	—
A0025	2025/3/6	10	F1-ICWBL-37	0.004	0.004	0.021	—
OK-0093	2025/3/6	10	F1-ICWBL-37	0.004	0.004	0.004	—
OK-0426A	2025/3/6	10	F1-ICWBL-37	0.004	0.004	0.004	—

瓦礫等収納容器点検結果(線量測定データ)

容器番号	確認年月日	コンテナサイズ (m ³)	測定器No	BG値 (mSv/h)		表面線量当量率 (mSv/h)	
				γ	$\beta + \gamma$	γ	$\beta + \gamma$
B0065 ✓	2025/3/6 ✓	10 ✓	F1-ICWBL-37 ✓	0.004 ✓	0.004 ✓	0.005 ✓	—
A0054 ✓	2025/3/6	10	F1-ICWBL-37	0.004	0.004	0.004 ✓	—
OK-0290 ✓	2025/3/6	10	F1-ICWBL-37	0.004	0.004	0.004 ✓	—
B0044 ✓	2025/3/6	10	F1-ICWBL-37	0.004	0.004	0.004 ✓	—
A0261 ✓	2025/3/6	10	F1-ICWBL-37	0.004	0.004	0.004 ✓	—
A0181 ✓	2025/3/8 ✓	10 ✓	F1-ICWBL-37 ✓	0.004 ✓	0.004 ✓	0.005 ✓	—
OK-0061 ✓	2025/3/8	10	F1-ICWBL-37	0.004	0.004	0.004 ✓	—
OK-0072 ✓	2025/3/8	10	F1-ICWBL-37	0.004	0.004	0.005 ✓	—
OK-0288 ✓	2025/3/8	10	F1-ICWBL-37	0.004	0.004	0.10 ✓	—
A0235 ✓	2025/3/8	10	F1-ICWBL-37	0.004	0.004	0.005 ✓	—
A0136 ✓	2025/3/8	10	F1-ICWBL-37	0.004	0.004	0.011 ✓	—
B0136 ✓	2025/3/8	10	F1-ICWBL-37	0.004	0.004	0.004 ✓	—
D0006 ✓	2025/3/8	10	F1-ICWBL-37	0.004	0.004	0.12 ✓	—
A0216 ✓	2025/3/8	10	F1-ICWBL-37	0.004	0.004	0.005 ✓	—
OK-0060 ✓	2025/3/8	10	F1-ICWBL-37	0.004	0.004	0.004 ✓	0.004 ✓
OK-0163 ✓	2025/3/10 ✓	10 ✓	F1-ICWBL-37 ✓	0.004 ✓	0.004 ✓	0.005 ✓	—
OK-0386A ✓	2025/3/10	10	F1-ICWBL-37	0.004	0.004	0.006 ✓	—
C0039 ✓	2025/3/10	10	F1-ICWBL-37	0.004	0.004	0.006 ✓	—
OK-0148 ✓	2025/3/10	10	F1-ICWBL-37	0.004	0.004	0.005 ✓	—
A0171 ✓	2025/3/10	10	F1-ICWBL-37	0.004	0.004	0.004 ✓	—
OK-0160 ✓	2025/3/10	10	F1-ICWBL-37	0.004	0.004	0.004 ✓	—
OK-0245 ✓	2025/3/10	10	F1-ICWBL-37	0.004	0.004	0.013 ✓	—
ZK-00304 ✓	2025/3/11 ✓	6 ✓	F1-ICWBL-97 ✓	0.004 ✓	0.004 ✓	0.004 ✓	—
S103 ✓	2025/3/11	6	F1-ICWBL-97	0.004	0.004	0.23 ✓	—
OK-0338A ✓	2025/3/11 ✓	10 ✓	F1-ICWBL-37 ✓	0.004 ✓	0.004 ✓	0.006 ✓	—
OK-0157 ✓	2025/3/11	10	F1-ICWBL-37	0.004	0.004	0.005 ✓	0.001 ✓
A0243 ✓	2025/3/11	10	F1-ICWBL-37	0.004	0.004	0.004 ✓	—
C0011 ✓	2025/3/11	10	F1-ICWBL-37	0.004	0.004	0.004 ✓	—
A0070 ✓	2025/3/12 ✓	10 ✓	F1-ICWBL-37 ✓	0.004 ✓	0.004 ✓	0.005 ✓	—
OK-0359A ✓	2025/3/12	10	F1-ICWBL-37	0.004	0.004	0.005 ✓	—
B0041 ✓	2025/3/12	10	F1-ICWBL-37	0.004	0.004	0.005 ✓	—
OK-0115 ✓	2025/3/12	10	F1-ICWBL-37	0.004	0.004	0.004 ✓	—
OK-0260 ✓	2025/3/12	10	F1-ICWBL-37	0.004	0.004	0.005 ✓	—
A0257 ✓	2025/3/12	10	F1-ICWBL-37	0.004	0.004	0.004 ✓	—
OK-0080 ✓	2025/3/12	10	F1-ICWBL-37	0.004	0.004	0.007 ✓	—
OK-0282 ✓	2025/3/12	10	F1-ICWBL-37	0.004	0.004	0.005 ✓	—
B0068 ✓	2025/3/12	10	F1-ICWBL-37	0.004	0.004	0.004 ✓	—

瓦礫等収納容器点検結果(線量測定データ)

容器番号	確認年月日	コンテナサイズ (m ³)	測定器No	BG値 (mSv/h)		表面線量当量率 (mSv/h)	
				γ	$\beta + \gamma$	γ	$\beta + \gamma$
OK-0035 ✓	2025/3/12 ✓	10 ✓	F1-ICWBL-37 ✓	0.004 ✓	0.004 ✓	0.005 ✓	0.003 ✓
A0251 ✓	2025/3/13 ✓	10 ✓	F1-ICWBL-37 ✓	0.004 ✓	0.004 ✓	0.006 ✓	—
C0038 ✓	2025/3/13	10	F1-ICWBL-37	0.004	0.004	0.017 ✓	—
A0131 ✓	2025/3/13	10	F1-ICWBL-37	0.004	0.004	0.005 ✓	—
OK-0440A ✓	2025/3/13	10	F1-ICWBL-37	0.004	0.004	0.004 ✓	—
A0166 ✓	2025/3/13	10	F1-ICWBL-37	0.004	0.004	0.011 ✓	—
B0130 ✓	2025/3/13	10	F1-ICWBL-37	0.004	0.004	0.004 ✓	—
B0043 ✓	2025/3/13	10	F1-ICWBL-37	0.004	0.004	0.007 ✓	—
A0174 ✓	2025/3/13	10	F1-ICWBL-37	0.004	0.004	0.004 ✓	—
OK-0289 ✓	2025/3/13	10	F1-ICWBL-37	0.004	0.004	0.004 ✓	—
A0036 ✓	2025/3/13	10	F1-ICWBL-37	0.004	0.004	0.005 ✓	—
KM-10195 ✓	2025/3/13 ✓	6 ✓	F1-ICWBL-97 ✓	0.004 ✓	0.004 ✓	0.004 ✓	—
TB-188 ✓	2025/3/13	6	F1-ICWBL-97	0.004	0.004	0.004 ✓	—
ZK-00274 ✓	2025/3/13	6	F1-ICWBL-97	0.004	0.004	0.004 ✓	—
A0148 ✓	2025/3/14 ✓	10 ✓	F1-ICWBL-37 ✓	0.004 ✓	0.004 ✓	0.010 ✓	—
OK-0244 ✓	2025/3/14	10	F1-ICWBL-37	0.004	0.004	0.005 ✓	—
A0049 ✓	2025/3/14	10	F1-ICWBL-37	0.004	0.004	0.005 ✓	—
A0022 ✓	2025/3/14	10	F1-ICWBL-37	0.004	0.004	0.005 ✓	—
A0085 ✓	2025/3/14	10	F1-ICWBL-37	0.004	0.004	0.005 ✓	—
B0125 ✓	2025/3/14	10	F1-ICWBL-37	0.004	0.004	0.005 ✓	—
OK-0283 ✓	2025/3/14	10	F1-ICWBL-37	0.004	0.004	0.006 ✓	—
OK-0222 ✓	2025/3/14	10	F1-ICWBL-37	0.004	0.004	0.005 ✓	—
OK-0048 ✓	2025/3/14	10	F1-ICWBL-37	0.004	0.004	0.006 ✓	—
A0236 ✓	2025/3/14	10	F1-ICWBL-37	0.004	0.004	0.006 ✓	—
S115 ✓	2025/3/14 ✓	6 ✓	F1-ICWBL-97 ✓	0.004 ✓	0.004 ✓	1.75 ✓	—
OK-0284 ✓	2025/3/15 ✓	10 ✓	F1-ICWBL-37 ✓	0.004 ✓	0.004 ✓	0.005 ✓	—
A0234 ✓	2025/3/15	10	F1-ICWBL-37	0.004	0.004	0.004 ✓	—
B0140 ✓	2025/3/15	10	F1-ICWBL-37	0.004	0.004	0.005 ✓	—
OK-0300 ✓	2025/3/15	10	F1-ICWBL-37	0.004	0.004	0.004 ✓	—
A0179 ✓	2025/3/15	10	F1-ICWBL-37	0.004	0.004	0.004 ✓	—
A0094 ✓	2025/3/15	10	F1-ICWBL-37	0.004	0.004	0.004 ✓	—
OK-0006 ✓	2025/3/15	10	F1-ICWBL-37	0.004	0.004	0.006 ✓	—
OK-0074 ✓	2025/3/15	10	F1-ICWBL-37	0.004	0.004	0.005 ✓	—
A0143 ✓	2025/3/15	10	F1-ICWBL-37	0.004	0.004	0.012 ✓	—
OK-0098 ✓	2025/3/15	10	F1-ICWBL-37	0.004	0.004	0.004 ✓	—
B0098 ✓	2025/3/17 ✓	10 ✓	F1-ICWBL-37 ✓	0.004 ✓	0.004 ✓	0.007 ✓	—
B0046 ✓	2025/3/17	10	F1-ICWBL-37	0.004	0.004	0.005 ✓	—

瓦礫等収納容器点検結果(線量測定データ)

容器番号	確認年月日	コンテナサイズ (m ³)	測定器No	BG値 (mSv/h)		表面線量当量率 (mSv/h)	
				γ	$\beta + \gamma$	γ	$\beta + \gamma$
B0021 ✓	2025/3/17 ✓	10 ✓	F1-ICWBL-37 ✓	0.004 ✓	0.004 ✓	0.005 ✓	—
A0183 ✓	2025/3/17	10	F1-ICWBL-37	0.004	0.004	0.005 ✓	—
B0027 ✓	2025/3/17	10	F1-ICWBL-37	0.004	0.004	0.009 ✓	—
A0103 ✓	2025/3/17	10	F1-ICWBL-37	0.004	0.004	0.004 ✓	—
A0061 ✓	2025/3/17	10	F1-ICWBL-37	0.004	0.004	0.004 ✓	—
OK-0138 ✓	2025/3/18 ✓	10 ✓	F1-ICWBL-37 ✓	0.004 ✓	0.004 ✓	0.008 ✓	—
A0104 ✓	2025/3/18	10	F1-ICWBL-37	0.004	0.004	0.006 ✓	—
D0032 ✓	2025/3/18	10	F1-ICWBL-37	0.004	0.004	0.006 ✓	—
B0128 ✓	2025/3/18	10	F1-ICWBL-37	0.004	0.004	0.005 ✓	—
B0003 ✓	2025/3/18	10	F1-ICWBL-37	0.004	0.004	0.005 ✓	—
A0110 ✓	2025/3/18	10	F1-ICWBL-37	0.004	0.004	0.008 ✓	—
A0024 ✓	2025/3/18	10	F1-ICWBL-37	0.004	0.004	0.005 ✓	—
OK-0018 ✓	2025/3/18	10	F1-ICWBL-37	0.004	0.004	0.004 ✓	—
B0030 ✓	2025/3/18	10	F1-ICWBL-37	0.004	0.004	0.004 ✓	—
C0032 ✓	2025/3/18	10	F1-ICWBL-37	0.004	0.004	0.005 ✓	—
A0007 ✓	2025/3/19 ✓	10 ✓	F1-ICWBL-37 ✓	0.004 ✓	0.004 ✓	0.004 ✓	—
B0109 ✓	2025/3/19	10	F1-ICWBL-37	0.004	0.004	0.004 ✓	—
OK-0425A ✓	2025/3/19	10	F1-ICWBL-37	0.004	0.004	0.004 ✓	—
A0193 ✓	2025/3/19	10	F1-ICWBL-37	0.004	0.004	0.004 ✓	—
A0058 ✓	2025/3/19	10	F1-ICWBL-37	0.004	0.004	0.004 ✓	—
OK-0336A ✓	2025/3/19	10	F1-ICWBL-37	0.004	0.004	0.004 ✓	—
A0101 ✓	2025/3/19	10	F1-ICWBL-37	0.004	0.004	0.007 ✓	—
B0118 ✓	2025/3/19	10	F1-ICWBL-37	0.004	0.004	0.004 ✓	—
OK-0428A ✓	2025/3/19	10	F1-ICWBL-37	0.004	0.004	0.004 ✓	—
A0144 ✓	2025/3/19	10	F1-ICWBL-37	0.004	0.004	0.004 ✓	—