

瓦礫等収納容器点検結果(線量測定データ)

GM	メンバー

容器番号	確認年月日	コンテナサイズ (m <sup>3</sup> )	測定器No	BG値 (mSv/h)		表面線量当量率 (mSv/h)	
				$\gamma$	$\beta + \gamma$	$\gamma$	$\beta + \gamma$
2019 SS-00250	2025/11/4	6	F1-ICWBL-249	0.004	0.004	0.017	-
2022 SK-00994	2025/11/4	6	F1-ICWBL-249	0.004	0.004	0.045	-
2019 ZK-03151	2025/11/4	6	F1-ICWBL-249	0.004	0.004	0.086	-
2019 ZK-02462	2025/11/4	6	F1-ICWBL-249	0.004	0.004	0.018	-
2019 ZK-02501	2025/11/4	6	F1-ICWBL-249	0.004	0.004	0.012	-
2021 FU-00142	2025/11/4	6	F1-ICWBL-249	0.004	0.004	0.12	-
2020 FU-00183	2025/11/4	6	F1-ICWBL-249	0.004	0.004	0.036	-
ZK-00820	2025/11/4	6	F1-ICWBL-249	0.004	0.004	0.004	-
2021 SS-40044	2025/11/4	6	F1-ICWBL-249	0.004	0.004	0.007	-
ZK-00443	2025/11/4	6	F1-ICWBL-249	0.004	0.004	0.004	-
2021 SS-40321	2025/11/4	6	F1-ICWBL-249	0.004	0.004	0.004	-
ZK-00556	2025/11/4	6	F1-ICWBL-249	0.004	0.004	0.004	-
TB-185	2025/11/4	6	F1-ICWBL-249	0.004	0.004	0.004	-
ZK-00492	2025/11/4	6	F1-ICWBL-249	0.004	0.004	0.004	-
ZK-00501	2025/11/4	6	F1-ICWBL-249	0.004	0.004	0.004	-
2019 ZK-02372	2025/11/4	6	F1-ICWBL-249	0.004	0.004	0.004	-
2021 SS-40463	2025/11/4	6	F1-ICWBL-249	0.004	0.004	0.004	-
ZK-00374	2025/11/5	6	F1-ICWBL-249	0.004	0.004	0.004	-
2021 SS-40427	2025/11/5	6	F1-ICWBL-249	0.004	0.004	0.009	-
2021 SS-40214	2025/11/5	6	F1-ICWBL-249	0.004	0.004	0.004	-
2021 SS-40546	2025/11/5	6	F1-ICWBL-249	0.004	0.004	0.004	-
2019 ZK-02740	2025/11/5	6	F1-ICWBL-249	0.004	0.004	0.14	-
ZK-00991	2025/11/5	6	F1-ICWBL-249	0.004	0.004	0.004	-
ZK-00876	2025/11/5	6	F1-ICWBL-249	0.004	0.004	0.004	-
KM-00385	2025/11/5	6	F1-ICWBL-249	0.004	0.004	0.14	-
ZK-00921	2025/11/5	6	F1-ICWBL-249	0.004	0.004	0.073	-
ZK-00983	2025/11/5	6	F1-ICWBL-249	0.004	0.004	0.33	-
ZK-00642	2025/11/5	6	F1-ICWBL-249	0.004	0.004	0.009	-
2021 SS-40455	2025/11/5	6	F1-ICWBL-249	0.004	0.004	0.11	-
2022 CT-00288	2025/11/5	6	F1-ICWBL-249	0.004	0.004	0.080	-
ZK-00636	2025/11/5	6	F1-ICWBL-249	0.004	0.004	0.006	-
2021 SS-40314	2025/11/5	6	F1-ICWBL-249	0.004	0.004	0.004	-
KM-00093	2025/11/5	6	F1-ICWBL-249	0.004	0.004	0.17	-
2021 SK-00164	2025/11/5	6	F1-ICWBL-249	0.004	0.004	0.020	-
KM-00329	2025/11/5	6	F1-ICWBL-249	0.004	0.004	0.004	-
ZK-00634	2025/11/6	6	F1-ICWBL-249	0.004	0.004	0.011	-



瓦礫等収納容器点検結果(線量測定データ)

容器番号	確認年月日	コンテナサイズ (m <sup>3</sup> )	測定器No	BG値 (mSv/h)		表面線量当量率 (mSv/h)	
				$\gamma$	$\beta + \gamma$	$\gamma$	$\beta + \gamma$
2021 SS-40504	2025/11/6	6	F1-ICWBL-249	0.004	0.004	0.008	-
ZK-00895	2025/11/6	6	F1-ICWBL-249	0.004	0.004	0.005	-
TB-169	2025/11/6	6	F1-ICWBL-249	0.004	0.004	0.004	-
2019 ZK-02850	2025/11/6	6	F1-ICWBL-249	0.004	0.004	0.029	-
2019 NS-00016	2025/11/6	6	F1-ICWBL-249	0.004	0.004	0.009	-
ZK-00629	2025/11/6	6	F1-ICWBL-249	0.004	0.004	0.007	-
ZK-00405	2025/11/6	6	F1-ICWBL-249	0.004	0.004	0.007	-
ZK-00901	2025/11/6	6	F1-ICWBL-249	0.004	0.004	0.19	-
ZK-00399	2025/11/6	6	F1-ICWBL-249	0.004	0.004	0.11	-
ZK-01198	2025/11/6	6	F1-ICWBL-249	0.004	0.004	0.004	-
ZK-00370	2025/11/6	6	F1-ICWBL-249	0.004	0.004	0.004	-
TB-036	2025/11/6	6	F1-ICWBL-249	0.004	0.004	0.044	-
2019 FU-00189	2025/11/6	6	F1-ICWBL-249	0.004	0.004	0.89	-
2019 FU-00124	2025/11/6	6	F1-ICWBL-249	0.004	0.004	0.23	-
2019 ZK-02413	2025/11/6	6	F1-ICWBL-249	0.004	0.004	0.024	-
2019 ZK-02648	2025/11/7	6	F1-ICWBL-249	0.004	0.004	0.004	-
2021 SS-40473	2025/11/7	6	F1-ICWBL-249	0.004	0.004	0.022	-
2021 FU-00111	2025/11/7	6	F1-ICWBL-249	0.004	0.004	0.021	-
2019 ZK-03071	2025/11/7	6	F1-ICWBL-249	0.004	0.004	0.007	-
2021 SS-40508	2025/11/7	6	F1-ICWBL-249	0.004	0.004	0.004	-
2019 ZK-02905	2025/11/7	6	F1-ICWBL-249	0.004	0.004	0.012	-
ZK-00598	2025/11/7	6	F1-ICWBL-249	0.004	0.004	0.004	-
ZK-00493	2025/11/7	6	F1-ICWBL-249	0.004	0.004	0.004	-
2018 ZK-01976	2025/11/7	6	F1-ICWBL-249	0.004	0.004	0.010	-
2018 ZK-01785	2025/11/7	6	F1-ICWBL-249	0.004	0.004	0.22	-
2018 FU-00150	2025/11/7	6	F1-ICWBL-249	0.004	0.004	0.57	-
2019 ZK-02002	2025/11/7	6	F1-ICWBL-249	0.004	0.004	0.010	-
ZK-00747	2025/11/7	6	F1-ICWBL-249	0.004	0.004	0.20	-
ZK-00930	2025/11/7	6	F1-ICWBL-249	0.004	0.004	0.025	-
2021 SS-40460	2025/11/7	6	F1-ICWBL-249	0.004	0.004	0.013	-
KM-00083	2025/11/7	6	F1-ICWBL-249	0.004	0.004	0.015	-
2019 ZK-02754	2025/11/7	6	F1-ICWBL-249	0.004	0.004	0.053	-
2020 ZK-03677	2025/11/7	6	F1-ICWBL-249	0.004	0.004	0.10	-
2020 SS-00346	2025/11/7	6	F1-ICWBL-249	0.004	0.004	1.08	-
2019 SS-00296	2025/11/7	6	F1-ICWBL-249	0.004	0.004	0.006	-
2019 ZK-03015	2025/11/8	6	F1-ICWBL-249	0.004	0.004	0.014	-



瓦礫等収納容器点検結果(線量測定データ)

容器番号	確認年月日	コンテナサイズ (m <sup>3</sup> )	測定器No	BG値 (mSv/h)		表面線量当量率 (mSv/h)	
				$\gamma$	$\beta + \gamma$	$\gamma$	$\beta + \gamma$
2001 SST-00003	2025/11/8	6	F1-ICWBL-249	0.004	0.004	0.11	-
ZK-00635	2025/11/8	6	F1-ICWBL-249	0.004	0.004	0.007	-
2019 SS-00414	2025/11/8	6	F1-ICWBL-249	0.004	0.004	0.010	-
ZK-00764	2025/11/8	6	F1-ICWBL-249	0.004	0.004	0.12	-
TB-096	2025/11/8	6	F1-ICWBL-249	0.004	0.004	0.004	-
2021 SS-40425	2025/11/8	6	F1-ICWBL-249	0.004	0.004	0.004	-
2019 ZK-02669	2025/11/8	6	F1-ICWBL-249	0.004	0.004	0.006	-
2021 SS-40320	2025/11/8	6	F1-ICWBL-249	0.004	0.004	0.004	-
2019 SS-00159	2025/11/8	6	F1-ICWBL-249	0.004	0.004	0.10	-
2021 SS-40370	2025/11/8	6	F1-ICWBL-249	0.004	0.004	0.005	-
ZK-00856	2025/11/8	6	F1-ICWBL-249	0.004	0.004	0.004	-
2019 ZK-02280	2025/11/10	6	F1-ICWBL-249	0.004	0.004	0.065	-
ZK-00643	2025/11/10	6	F1-ICWBL-249	0.004	0.004	0.005	-
2019 FU-00230G	2025/11/10	6	F1-ICWBL-249	0.004	0.004	0.021	-
2019 ZK-02764	2025/11/10	6	F1-ICWBL-249	0.004	0.004	0.096	-
2021 SK-00021	2025/11/10	6	F1-ICWBL-249	0.004	0.004	0.051	-
2019 FU-00376	2025/11/10	6	F1-ICWBL-249	0.004	0.004	0.037	-
2019 ZK-03076	2025/11/10	6	F1-ICWBL-249	0.004	0.004	0.006	-
2019 ZK-02683	2025/11/10	6	F1-ICWBL-249	0.004	0.004	0.004	-
2021 SS-30009	2025/11/10	6	F1-ICWBL-249	0.004	0.004	0.004	-
ZK-00821	2025/11/10	6	F1-ICWBL-249	0.004	0.004	0.010	-
ZK-00459	2025/11/10	6	F1-ICWBL-249	0.004	0.004	0.004	-
2019 ZK-03148	2025/11/10	6	F1-ICWBL-249	0.004	0.004	0.010	-
2021 SS-40420	2025/11/10	6	F1-ICWBL-249	0.004	0.004	0.004	-
2019 ZK-02909	2025/11/10	6	F1-ICWBL-249	0.004	0.004	0.023	-
KM-00046	2025/11/10	6	F1-ICWBL-249	0.004	0.004	0.004	-
2021 FU-00158	2025/11/10	6	F1-ICWBL-249	0.004	0.004	0.010	-
2021 SS-40507	2025/11/10	6	F1-ICWBL-249	0.004	0.004	0.004	-
2021 SK-00017	2025/11/10	6	F1-ICWBL-249	0.004	0.004	0.040	-
2021 SS-40462	2025/11/10	6	F1-ICWBL-249	0.004	0.004	0.008	-
2020 FU-00225	2025/11/10	6	F1-ICWBL-249	0.004	0.004	0.84	-
2021 SS-40347	2025/11/11	6	F1-ICWBL-249	0.004	0.004	0.005	-
S 27	2025/11/11	6	F1-ICWBL-249	0.004	0.004	0.16	-
S 24	2025/11/11	6	F1-ICWBL-249	0.004	0.004	0.22	-
2019 SS-00146	2025/11/11	6	F1-ICWBL-249	0.004	0.004	0.61	-
2021 SS-40247	2025/11/11	6	F1-ICWBL-249	0.004	0.004	0.004	-



瓦礫等収納容器点検結果(線量測定データ)

容器番号	確認年月日	コンテナサイズ (m <sup>3</sup> )	測定器No	BG値 (mSv/h)		表面線量当量率 (mSv/h)	
				$\gamma$	$\beta + \gamma$	$\gamma$	$\beta + \gamma$
ZK-00663	2025/11/11	6	F1-ICWBL-249	0.004	0.004	0.14	-
2020 SS-00283	2025/11/11	6	F1-ICWBL-249	0.004	0.004	0.44	-
2021 SS-40457	2025/11/11	6	F1-ICWBL-249	0.004	0.004	0.024	-
2021 SS-40557	2025/11/11	6	F1-ICWBL-249	0.004	0.004	0.073	-
2018 ZK-01859	2025/11/11	6	F1-ICWBL-249	0.004	0.004	0.018	-
KM-00396	2025/11/11	6	F1-ICWBL-249	0.004	0.004	0.028	-
KM-00084	2025/11/11	6	F1-ICWBL-249	0.004	0.004	0.47	-
2021 SS-40510	2025/11/11	6	F1-ICWBL-249	0.004	0.004	0.004	-
2019 ZK-02416	2025/11/11	6	F1-ICWBL-249	0.004	0.004	0.50	-
2019 SS-00566	2025/11/11	6	F1-ICWBL-249	0.004	0.004	0.60	-
2019 SS-00429	2025/11/11	6	F1-ICWBL-249	0.004	0.004	0.53	-
2019 SS-00222	2025/11/11	6	F1-ICWBL-249	0.004	0.004	0.54	-
2021 SS-40495	2025/11/11	6	F1-ICWBL-249	0.004	0.004	0.004	-
2020 ZK-03527	2025/11/11	6	F1-ICWBL-249	0.004	0.004	0.062	-
2020 ZK-03991	2025/11/11	6	F1-ICWBL-249	0.004	0.004	0.31	-
2019 ZK-02988	2025/11/12	6	F1-ICWBL-249	0.004	0.004	0.007	-
S 2	2025/11/12	6	F1-ICWBL-249	0.004	0.004	0.32	-
2019 ZK-03087	2025/11/12	6	F1-ICWBL-249	0.004	0.004	0.006	-
2019 ZK-03008	2025/11/12	6	F1-ICWBL-249	0.004	0.004	0.008	-
2019 ZK-03095	2025/11/12	6	F1-ICWBL-249	0.004	0.004	0.011	-
2019 ZK-03028	2025/11/12	6	F1-ICWBL-249	0.004	0.004	0.004	-
2021 ZK-05110	2025/11/12	6	F1-ICWBL-249	0.004	0.004	0.25	-
ZK-00925	2025/11/12	6	F1-ICWBL-249	0.004	0.004	0.25	-
2019 SS-00213	2025/11/12	6	F1-ICWBL-249	0.004	0.004	0.16	-
2019 SS-00259	2025/11/12	6	F1-ICWBL-249	0.004	0.004	0.011	-
ZK-00149	2025/11/12	6	F1-ICWBL-249	0.004	0.004	0.38	-
ZK-00072	2025/11/12	6	F1-ICWBL-249	0.004	0.004	0.74	-
ZK-00863	2025/11/12	6	F1-ICWBL-249	0.004	0.004	0.004	-
2019 ZK-03052	2025/11/12	6	F1-ICWBL-249	0.004	0.004	0.004	-
2019 ZK-03005	2025/11/12	6	F1-ICWBL-249	0.004	0.004	0.004	-
2019 SS-00123	2025/11/12	6	F1-ICWBL-249	0.004	0.004	0.47	-
2022 SK-01112	2025/11/12	6	F1-ICWBL-249	0.004	0.004	0.080	-
2021 ZK-05152	2025/11/12	6	F1-ICWBL-249	0.004	0.004	0.60	-
2022 SK-00845	2025/11/12	6	F1-ICWBL-249	0.004	0.004	0.042	-
2021 SS-40523	2025/11/12	6	F1-ICWBL-249	0.004	0.004	0.011	-
2021 SS-40383	2025/11/13	6	F1-ICWBL-249	0.004	0.004	0.39	-



瓦礫等収納容器点検結果(線量測定データ)

容器番号	確認年月日	コンテナサイズ (m <sup>3</sup> )	測定器No	BG値 (mSv/h)		表面線量当量率 (mSv/h)	
				$\gamma$	$\beta + \gamma$	$\gamma$	$\beta + \gamma$
2022 SS-00796	2025/11/13	6	F1-ICWBL-249	0.004	0.004	0.36	-
2020 SS-00066	2025/11/13	6	F1-ICWBL-249	0.004	0.004	0.76	-
2019 SS-00112	2025/11/13	6	F1-ICWBL-249	0.004	0.004	0.050	-
ZK-01110	2025/11/13	6	F1-ICWBL-249	0.004	0.004	0.006	-
2020 ZK-03372	2025/11/13	6	F1-ICWBL-249	0.004	0.004	0.059	-
2022 FU-00282	2025/11/13	6	F1-ICWBL-249	0.004	0.004	0.18	-
2021 ZK-05035	2025/11/13	6	F1-ICWBL-249	0.004	0.004	0.46	-
2020 SS-00293	2025/11/13	6	F1-ICWBL-249	0.004	0.004	0.54	-
KM-00270	2025/11/13	6	F1-ICWBL-249	0.004	0.004	0.044	-
2019 SS-00261	2025/11/13	6	F1-ICWBL-249	0.004	0.004	0.071	-
KM-10010	2025/11/13	6	F1-ICWBL-249	0.004	0.004	0.22	-
2019 SS-00308	2025/11/13	6	F1-ICWBL-249	0.004	0.004	0.10	-
2022 SK-01223	2025/11/13	6	F1-ICWBL-249	0.004	0.004	0.10	-
2022 CT-00032	2025/11/13	6	F1-ICWBL-249	0.004	0.004	0.024	-
ZK-00390	2025/11/13	6	F1-ICWBL-249	0.004	0.004	0.007	-
2022 SK-01228	2025/11/13	6	F1-ICWBL-249	0.004	0.004	0.087	-
2022 FU-00040	2025/11/13	6	F1-ICWBL-249	0.004	0.004	0.010	-
2021 SS-40560	2025/11/13	6	F1-ICWBL-249	0.004	0.004	0.018	-
2022 CT-00002	2025/11/13	6	F1-ICWBL-249	0.004	0.004	0.53	-
2022 CT-00097	2025/11/14	6	F1-ICWBL-249	0.004	0.004	0.19	-
2020 SS-00263	2025/11/14	6	F1-ICWBL-249	0.004	0.004	0.023	-
ZK-00884	2025/11/14	6	F1-ICWBL-249	0.004	0.004	0.012	-
2022 CT-00576	2025/11/14	6	F1-ICWBL-249	0.004	0.004	0.72	-
2022 SK-01216	2025/11/14	6	F1-ICWBL-249	0.004	0.004	0.10	-
2022 CT-00358	2025/11/14	6	F1-ICWBL-249	0.004	0.004	0.11	-
2022 CT-00504	2025/11/14	6	F1-ICWBL-249	0.004	0.004	0.12	-
2022 CT-00078	2025/11/14	6	F1-ICWBL-249	0.004	0.004	0.35	-
2022 CT-00048	2025/11/14	6	F1-ICWBL-249	0.004	0.004	0.18	-
KM-10014	2025/11/14	6	F1-ICWBL-249	0.004	0.004	0.27	-
KM-10009	2025/11/14	6	F1-ICWBL-249	0.004	0.004	0.066	-
2022 CT-00043	2025/11/14	6	F1-ICWBL-249	0.004	0.004	0.12	-
KM-10013	2025/11/14	6	F1-ICWBL-249	0.004	0.004	0.15	-
2019 ZK-02798	2025/11/14	6	F1-ICWBL-249	0.004	0.004	0.007	-
2020 SS-00298	2025/11/14	6	F1-ICWBL-249	0.004	0.004	0.31	-
2022 CT-00060	2025/11/14	6	F1-ICWBL-249	0.004	0.004	0.014	-
2019 ZK-02927	2025/11/14	6	F1-ICWBL-249	0.004	0.004	0.018	-



瓦礫等収納容器点検結果(線量測定データ)

容器番号	確認年月日	コンテナサイズ (m <sup>3</sup> )	測定器No	BG値 (mSv/h)		表面線量当量率 (mSv/h)	
				$\gamma$	$\beta + \gamma$	$\gamma$	$\beta + \gamma$
2019 SS-00578	2025/11/14	6	F1-ICWBL-249	0.004	0.004	0.025	-
2022 CT-00099	2025/11/14	6	F1-ICWBL-249	0.004	0.004	0.78	-
2020 SS-00415	2025/11/14	6	F1-ICWBL-249	0.004	0.004	0.12	-
2019 SS-00111	2025/11/15	6	F1-ICWBL-249	0.004	0.004	0.22	-
2020 ZK-03645	2025/11/15	6	F1-ICWBL-249	0.004	0.004	0.048	-
2021 FU-00146	2025/11/15	6	F1-ICWBL-249	0.004	0.004	0.092	-
2020 FU-00136	2025/11/15	6	F1-ICWBL-249	0.004	0.004	0.24	-
2022 SK-00733	2025/11/15	6	F1-ICWBL-249	0.004	0.004	0.045	-
ZK-00367	2025/11/15	6	F1-ICWBL-249	0.004	0.004	0.012	-
ZK-00908	2025/11/15	6	F1-ICWBL-249	0.004	0.004	0.004	-
2019 SS-00580	2025/11/15	6	F1-ICWBL-249	0.004	0.004	0.027	-
ZK-00412	2025/11/15	6	F1-ICWBL-249	0.004	0.004	0.064	-
2021 SS-30362	2025/11/15	6	F1-ICWBL-249	0.004	0.004	0.090	-
2021 SS-30329	2025/11/15	6	F1-ICWBL-249	0.004	0.004	0.015	-
ZK-00881	2025/11/15	6	F1-ICWBL-249	0.004	0.004	0.004	-
2021 FU-00226	2025/11/15	6	F1-ICWBL-249	0.004	0.004	1.20	-
2019 FU-00118	2025/11/17	6	F1-ICWBL-249	0.004	0.004	0.005	-
2019 FU-00219G	2025/11/17	6	F1-ICWBL-249	0.004	0.004	0.13	-
TB-140	2025/11/17	6	F1-ICWBL-249	0.004	0.004	0.004	-
2019 ZK-02375	2025/11/17	6	F1-ICWBL-249	0.004	0.004	0.004	-
2018 ZK-01436	2025/11/17	6	F1-ICWBL-249	0.004	0.004	0.034	-
ZK-00386	2025/11/17	6	F1-ICWBL-249	0.004	0.004	0.004	-
ZK-00557	2025/11/17	6	F1-ICWBL-249	0.004	0.004	0.023	-
ZK-00655	2025/11/17	6	F1-ICWBL-249	0.004	0.004	0.004	-
2021 SS-40159	2025/11/17	6	F1-ICWBL-249	0.004	0.004	0.004	-
ZK-00573	2025/11/17	6	F1-ICWBL-249	0.004	0.004	0.004	-
ZK-01104	2025/11/17	6	F1-ICWBL-249	0.004	0.004	0.011	-
2019 ZK-02542	2025/11/17	6	F1-ICWBL-249	0.004	0.004	0.024	-
2019 FU-00336	2025/11/17	6	F1-ICWBL-249	0.004	0.004	0.012	-
2021 SS-30051	2025/11/17	6	F1-ICWBL-249	0.004	0.004	0.098	-
TB-152	2025/11/17	6	F1-ICWBL-249	0.004	0.004	0.004	-
ZK-00766	2025/11/17	6	F1-ICWBL-249	0.004	0.004	0.010	-
2019 ZK-02661	2025/11/17	6	F1-ICWBL-249	0.004	0.004	0.004	-
ZK-01192	2025/11/17	6	F1-ICWBL-249	0.004	0.004	0.013	-
ZK-00860	2025/11/17	6	F1-ICWBL-249	0.004	0.004	0.006	-
2021 SS-40195	2025/11/17	6	F1-ICWBL-249	0.004	0.004	0.004	-



瓦礫等収納容器点検結果(線量測定データ)

容器番号	確認年月日	コンテナサイズ (㎡)	測定器No	BG値 (mSv/h)		表面線量当量率 (mSv/h)	
				$\gamma$	$\beta + \gamma$	$\gamma$	$\beta + \gamma$
TB-281	2025/11/18	6	F1-ICWBL-58	0.004	0.004	0.025	-
2019 ZK-03111	2025/11/18	6	F1-ICWBL-58	0.004	0.004	0.007	-
2022 SS-00273	2025/11/18	6	F1-ICWBL-58	0.004	0.004	0.006	-
2019 SS-00477	2025/11/18	6	F1-ICWBL-58	0.004	0.004	0.008	-
KM-10012	2025/11/18	6	F1-ICWBL-58	0.004	0.004	0.41	-
KM-00080	2025/11/18	6	F1-ICWBL-58	0.004	0.004	0.13	-
KM-10011	2025/11/18	6	F1-ICWBL-58	0.004	0.004	0.58	-
2022 SS-00301	2025/11/18	6	F1-ICWBL-58	0.004	0.004	0.004	-
2021 SS-40356	2025/11/18	6	F1-ICWBL-58	0.004	0.004	0.55	-
2022 SK-00379	2025/11/18	6	F1-ICWBL-58	0.004	0.004	0.066	-
2022 SS-00275	2025/11/18	6	F1-ICWBL-58	0.004	0.004	0.004	-
2021 SS-40339	2025/11/18	6	F1-ICWBL-58	0.004	0.004	0.004	-
2022 SS-00290	2025/11/18	6	F1-ICWBL-58	0.004	0.004	0.004	-
2021 SS-40199	2025/11/18	6	F1-ICWBL-58	0.004	0.004	0.004	-
2021 SS-40432	2025/11/18	6	F1-ICWBL-58	0.004	0.004	0.13	-
2021 SS-40342	2025/11/18	6	F1-ICWBL-58	0.004	0.004	0.004	-
ZK-00873	2025/11/18	6	F1-ICWBL-58	0.004	0.004	0.004	-
ZK-00462	2025/11/18	6	F1-ICWBL-58	0.004	0.004	0.004	-
2019 ZK-02805	2025/11/18	6	F1-ICWBL-58	0.004	0.004	0.016	-
2019 SS-00270	2025/11/18	6	F1-ICWBL-58	0.004	0.004	0.009	-
ZK-01189	2025/11/19	6	F1-ICWBL-58	0.004	0.004	0.006	-
2019 SS-00036	2025/11/19	6	F1-ICWBL-58	0.004	0.004	0.008	-
2021 SS-40325	2025/11/19	6	F1-ICWBL-58	0.004	0.004	0.004	-
2019 ZK-02732	2025/11/19	6	F1-ICWBL-58	0.004	0.004	0.008	-
KM-10016	2025/11/19	6	F1-ICWBL-58	0.004	0.004	0.58	-
KM-10028	2025/11/19	6	F1-ICWBL-58	0.004	0.004	0.10	-
KM-10041	2025/11/19	6	F1-ICWBL-58	0.004	0.004	0.073	-
2021 SS-40423	2025/11/19	6	F1-ICWBL-58	0.004	0.004	0.019	-
2022 SK-00427	2025/11/19	6	F1-ICWBL-58	0.004	0.004	0.004	-
2021 SS-40421	2025/11/19	6	F1-ICWBL-58	0.004	0.004	0.004	-
2021 SS-40127	2025/11/19	6	F1-ICWBL-58	0.004	0.004	0.004	-
2021 SS-40111	2025/11/19	6	F1-ICWBL-58	0.004	0.004	0.004	-
ZK-00976	2025/11/19	6	F1-ICWBL-58	0.004	0.004	0.51	-
2022 SS-00281	2025/11/19	6	F1-ICWBL-58	0.004	0.004	0.004	-
2021 TA-00014	2025/11/19	6	F1-ICWBL-58	0.004	0.004	0.15	-
2021 SS-40197	2025/11/19	6	F1-ICWBL-58	0.004	0.004	0.004	-



瓦礫等収納容器点検結果(線量測定データ)

容器番号	確認年月日	コンテナサイズ (m <sup>3</sup> )	測定器No	BG値 (mSv/h)		表面線量当量率 (mSv/h)	
				$\gamma$	$\beta + \gamma$	$\gamma$	$\beta + \gamma$
2019 ZK-02825	2025/11/19	6	F1-ICWBL-58	0.004	0.004	0.13	-
2021 SS-30129	2025/11/19	6	F1-ICWBL-58	0.004	0.004	0.11	-
2022 SS-00286	2025/11/19	6	F1-ICWBL-58	0.004	0.004	0.004	-
2019 ZK-02672	2025/11/19	6	F1-ICWBL-58	0.004	0.004	0.040	-
2022 SK-00467	2025/11/20	6	F1-ICWBL-58	0.004	0.004	0.004	-
ZK-00898	2025/11/20	6	F1-ICWBL-58	0.004	0.004	0.004	-
2021 SS-40501	2025/11/20	6	F1-ICWBL-58	0.004	0.004	0.004	-
2021 SS-30191	2025/11/20	6	F1-ICWBL-58	0.004	0.004	0.004	-
2021 SS-30151	2025/11/20	6	F1-ICWBL-58	0.004	0.004	0.004	-
KM-10095	2025/11/20	6	F1-ICWBL-58	0.004	0.004	0.060	-
KM-10034	2025/11/20	6	F1-ICWBL-58	0.004	0.004	0.27	-
KM-10090	2025/11/20	6	F1-ICWBL-58	0.004	0.004	0.14	-
KM-10101	2025/11/20	6	F1-ICWBL-58	0.004	0.004	0.28	-
2021 SS-40333	2025/11/20	6	F1-ICWBL-58	0.004	0.004	0.004	-
2022 SK-00422	2025/11/20	6	F1-ICWBL-58	0.004	0.004	0.004	-
ZK-00628	2025/11/20	6	F1-ICWBL-58	0.004	0.004	0.004	-
2022 SS-00279	2025/11/20	6	F1-ICWBL-58	0.004	0.004	0.004	-
2021 SS-40343	2025/11/20	6	F1-ICWBL-58	0.004	0.004	0.043	-
2021 SS-40547	2025/11/20	6	F1-ICWBL-58	0.004	0.004	0.004	-
2022 SS-00278	2025/11/20	6	F1-ICWBL-58	0.004	0.004	0.004	-
2021 SS-40552	2025/11/20	6	F1-ICWBL-58	0.004	0.004	0.004	-
2021 SS-30077	2025/11/20	6	F1-ICWBL-58	0.004	0.004	0.21	-
2021 FU-10009	2025/11/20	6	F1-ICWBL-58	0.004	0.004	0.28	-
2021 SS-40525	2025/11/20	6	F1-ICWBL-58	0.004	0.004	0.004	-
2022 SS-00291	2025/11/21	6	F1-ICWBL-58	0.004	0.004	0.004	-
2021 SS-40043	2025/11/21	6	F1-ICWBL-58	0.004	0.004	0.014	-
2021 SS-40196	2025/11/21	6	F1-ICWBL-58	0.004	0.004	0.004	-
KM-10061	2025/11/21	6	F1-ICWBL-58	0.004	0.004	0.018	-
KM-10102	2025/11/21	6	F1-ICWBL-58	0.004	0.004	0.56	-
KM-10040	2025/11/21	6	F1-ICWBL-58	0.004	0.004	0.25	-
2021 FU-00145	2025/11/21	6	F1-ICWBL-58	0.004	0.004	0.004	-
2020 ZK-03701	2025/11/21	6	F1-ICWBL-58	0.004	0.004	0.55	-
2022 SK-00468	2025/11/21	6	F1-ICWBL-58	0.004	0.004	0.004	-
2022 SK-00459	2025/11/21	6	F1-ICWBL-58	0.004	0.004	0.004	-
2022 SS-00025	2025/11/21	6	F1-ICWBL-58	0.004	0.004	0.019	-
2020 ZK-03411	2025/11/21	6	F1-ICWBL-58	0.004	0.004	0.44	-



瓦礫等収納容器点検結果(線量測定データ)

容器番号	確認年月日	コンテナサイズ (m <sup>3</sup> )	測定器No	BG値 (mSv/h)		表面線量当量率 (mSv/h)	
				$\gamma$	$\beta + \gamma$	$\gamma$	$\beta + \gamma$
2021 SS-40528 ✓	2025/11/21 ✓	6	F1-ICWBL-58 ✓	0.004 ✓	0.004 ✓	0.004 ✓	- ✓
2021 SS-40034 ✓	2025/11/21 ✓	6	F1-ICWBL-58 ✓	0.004 ✓	0.004 ✓	0.004 ✓	- ✓
2021 ZK-04832 ✓	2025/11/21 ✓	6	F1-ICWBL-58 ✓	0.004 ✓	0.004 ✓	0.004 ✓	- ✓
2021 SS-30021 ✓	2025/11/21 ✓	6	F1-ICWBL-58 ✓	0.004 ✓	0.004 ✓	0.004 ✓	- ✓
2021 SS-40271 ✓	2025/11/21 ✓	6	F1-ICWBL-58 ✓	0.004 ✓	0.004 ✓	0.004 ✓	- ✓
2021 SS-30106 ✓	2025/11/21 ✓	6	F1-ICWBL-58 ✓	0.004 ✓	0.004 ✓	0.004 ✓	- ✓
2021 ZK-04755 ✓	2025/11/21 ✓	6	F1-ICWBL-58 ✓	0.004 ✓	0.004 ✓	0.004 ✓	- ✓
ZK-00364 ✓	2025/11/21 ✓	6	F1-ICWBL-58 ✓	0.004 ✓	0.004 ✓	0.020 ✓	- ✓
KM-10039 ✓	2025/11/26 ✓	6	F1-ICWBL-149 ✓	0.004 ✓	0.004 ✓	0.011 ✓	- ✓
KM-10036 ✓	2025/11/26 ✓	6	F1-ICWBL-149 ✓	0.004 ✓	0.004 ✓	0.043 ✓	- ✓
KM-10035 ✓	2025/11/26 ✓	6	F1-ICWBL-149 ✓	0.004 ✓	0.004 ✓	0.11 ✓	- ✓
KM-10038 ✓	2025/11/26 ✓	6	F1-ICWBL-149 ✓	0.004 ✓	0.004 ✓	0.075 ✓	- ✓
KM-10083 ✓	2025/11/27 ✓	6	F1-ICWBL-149 ✓	0.004 ✓	0.004 ✓	0.21 ✓	- ✓
KM-10086 ✓	2025/11/27 ✓	6	F1-ICWBL-149 ✓	0.004 ✓	0.004 ✓	0.27 ✓	- ✓
KM-10087 ✓	2025/11/27 ✓	6	F1-ICWBL-149 ✓	0.004 ✓	0.004 ✓	0.71 ✓	- ✓
KM-10085 ✓	2025/11/27 ✓	6	F1-ICWBL-149 ✓	0.004 ✓	0.004 ✓	0.18 ✓	- ✓
KM-10064 ✓	2025/11/28 ✓	6	F1-ICWBL-149 ✓	0.004 ✓	0.004 ✓	0.016 ✓	- ✓
KM-10088 ✓	2025/11/28 ✓	6	F1-ICWBL-149 ✓	0.004 ✓	0.004 ✓	0.23 ✓	- ✓
2020 ZK-04554 ✓	2025/11/28 ✓	6	F1-ICWBL-149 ✓	0.004 ✓	0.004 ✓	0.013 ✓	- ✓