Analysis Results of Fish <Sampled within a 20km Radius of the Fukushima Daiichi Nuclear Power Station> (γ)

(1/1)

		Date of Sampling		Analysis Item		
Place of Sampling	Name of Sample (Region)		Cs-134	Cs-137	Cs (Sum)	Analysis Laboratory
	('3')		(Bq/kg(Raw))	(Bq/kg(Raw))	(Bq/kg(Raw))	
Around 3km Offshore of Ukedo River (T-S3)	Yellow goosefish (whole)	2024/2/8	< 4.0E+00	< 3.8E+00	ND	Tokyo Power Technology Ltd.
Around 3km Offshore of Ukedo River (T-S3)	Common skete (muscle)	2024/2/8	< 3.8E+00	< 4.2E+00	ND	Tokyo Power Technology Ltd.
Around 3km Offshore of Ukedo River (T-S3)	Flatfish (muscle) No.1	2024/2/8	< 5.6E+00	< 5.0E+00	ND	KAKEN Co., Ltd.
Around 3km Offshore of Ukedo River (T-S3)	Searobin (muscle)	2024/2/8	< 2.8E+00	< 3.1E+00	ND	Tokyo Power Technology Ltd.
Around 3km Offshore of 1F Site (T-S4)	Lepidotrigla microptena (muscle)	2024/2/8	< 4.2E+00	< 3.1E+00	ND	Tokyo Power Technology Ltd.
Around 3km Offshore of 1F Site (T-S4)	Yellow goosefish (whole)	2024/2/8	< 3.9E+00	< 4.4E+00	ND	Tokyo Power Technology Ltd.
Around 3km Offshore of 1F Site (T-S4)	Common skete (muscle)	2024/2/8	< 3.8E+00	< 3.7E+00	ND	Tokyo Power Technology Ltd.
Around 3km Offshore of 1F Site (T-S4)	Searobin (muscle)	2024/2/8	< 4.0E+00	< 3.7E+00	ND	Tokyo Power Technology Ltd.
Around 3km Offshore of 1F Site (T-S4)	Smooth dogfish (muscle)	2024/2/8	< 3.7E+00	< 3.4E+00	ND	Tokyo Power Technology Ltd.
Around 3km Offshore of 1F Site (T-S4)	Marbled sole (muscle)	2024/2/8	< 3.2E+00	4.8E+00	4.8E+00	Tokyo Power Technology Ltd.

- Inequality sign (<: less than) indicates that measurement result is less than the detection limit (ND).
- Reference value (on and after April 1, 2012): Sum of radioactivity concentrations for Cs-134 and Cs-137: 1.0E+02Bq/kg.
- · Values are expressed in exponential notation. For example, "3.1E+01" means " 3.1×10^{1} " and equals 31. Similarly, "3.1E+00" means " 3.1×10^{0} " and equals 3.1, and "3.1E-01" means " 3.1×10^{-1} " and equals 0.31.

$\mbox{ Analysis Results of Fish} $$ < \mbox{Sampled within a 20km Radius of the Fukushima Daiichi Nuclear Power Station} > (\gamma)$

(1/1)

		Date of Sampling		Analysis Item		
Place of Sampling	Name of Sample (Region)		Cs-134	Cs-137	Cs (Sum)	Analysis Laboratory
	(3 ,)		(Bq/kg(Raw))	(Bq/kg(Raw))	(Bq/kg(Raw))	
Around 4km Offshore of Kuma River (T-S8)	Common skete (muscle)	2024/3/5	< 3.7E+00	< 3.1E+00	ND	Tokyo Power Technology Ltd.
Around 4km Offshore of Kuma River (T-S8)	Microstomus achne (muscle)	2024/3/5	< 3.6E+00	< 3.1E+00	ND	Tokyo Power Technology Ltd.
Around 4km Offshore of Kuma River (T-S8)	Flatfish (muscle) No.1	2024/3/5	< 3.7E+00	< 4.1E+00	ND	Tokyo Power Technology Ltd.
Around 4km Offshore of Kuma River (T-S8)	Searobin (muscle)	2024/3/5	< 4.2E+00	< 3.9E+00	ND	Tokyo Power Technology Ltd.
_	_	_	_	_	_	_
_	_	_	_	_	_	_
_	_	_	_	_	_	_
_	=	—	_	_	_	_
_	_	_	_	_	_	_
_	_	_	_	_	_	_

- Inequality sign (<: less than) indicates that measurement result is less than the detection limit (ND).
- $\cdot \ \text{Reference value (on and after April 1, 2012): Sum of radioactivity concentrations for Cs-134 and Cs-137: 1.0E+02Bq/kg.}$
- · Values are expressed in exponential notation. For example, "3.1E+01" means " 3.1×10^{1} " and equals 31. Similarly, "3.1E+00" means " 3.1×10^{0} " and equals 3.1, and "3.1E-01" means " 3.1×10^{-1} " and equals 0.31.

Analysis Results of Fish <Sampled within a 20km Radius of the Fukushima Daiichi Nuclear Power Station> (H-3)

		Date of Sampling	Analysis Item				Reference				Reference
Place of Sampling Name of Sampl (Region)	Name of Sample		H-3(Bq/L)		H-3(Bq/kg(Raw))		Cs (Sum)	Analysis Laboratory	Name of Sample	Date of Sampling	H-3
	(Region)		Free Water	Organically Bound	Free Water	Organically Bound	(Bq/kg(Raw))				(Bq/L)
Around 1km Offshore of Ota River (T-S1)	Flatfish (muscle)	2023/10/18	7.6E-02	Tritium < 2.5E-01	Tritium 5.8E-02	Tritium < 3.7E-02	ND	KAKEN Co., Ltd.	Seawater	2023/10/17	< 7.0E-02
Around 3km Offshore of Odaka Ward (T-S2)	Flatfish (muscle)	2023/10/18	1.8E-01	< 2.4E-01	1.4E-01	< 3.8E-02	ND	KAKEN Co., Ltd.	Seawater	2023/10/17	< 7.0E-02
Around 3km Offshore of Ukedo River (T-S3)	Flatfish (muscle)	2023/10/13	9.6E-02	< 2.4E-01	7.5E-02	< 3.5E-02	ND	KAKEN Co., Ltd.	Seawater	2023/10/12	< 7.1E-02
Around 3km Offshore of 1F Site (T-S4)	Flatfish (muscle)	2023/10/13	1.1E-01	< 2.6E-01	9.0E-02	< 3.7E-02	ND	KAKEN Co., Ltd.	Seawater	2023/10/12	< 7.0E-02
Around 2km Offshore of Kido River (T-S5)	Flatfish (muscle)	2023/10/18	7.7E-02	< 2.5E-01	6.0E-02	< 3.5E-02	ND	KAKEN Co., Ltd.	Seawater	2023/10/17	1.1E-01
Around 2km Offshore of 2F Site (T-S7)	Flatfish (muscle)	2023/10/18	1.2E-01	< 2.5E-01	9.1E-02	< 3.2E-02	ND	TEPCO	Seawater	2023/10/17	1.1E-01
Around 4km Offshore of Kuma River (T-S8)	Flatfish (muscle)	2023/10/13	8.4E-02	< 2.8E-01	6.5E-02	< 4.1E-02	ND	Kyushu Environmental Evaluation Association	Seawater	2023/10/12	6.5E-02
Around 15km Offshore of Odaka Ward (T-B1)	-	_	_	_	_	_	_	_	Seawater	2023/10/3	1.1E-01
Around 18km Offshore of Ukedo River (T-B2)	_	-	_	_	_	_	_	_	Seawater	2023/10/3	< 7.7E-02
Around 10km Offshore of 1F Site (T-B3)	_	_	_	_	_	_	_	_	Seawater	2023/10/24	< 7.2E-02
Around 10km Offshore of 2F Site (T-B4)	_	_	_	_	_	_	_	_	Seawater	2023/10/24	< 8.1E-02
• Seawater is sampled from the surface layer. • Inequality sign (<: less than) indicates that measurement result is less than the detection limit (ND).						WHO Guidelines for Drinking-water Quality ^{*1}		1.0E+04			

[&]quot;-" indicates that the sampling was stopped or samples could not be collected, or the analysis was stopped due to lack of samples.

[·] Values are expressed in exponential notation. For example, "3.1E+01" means "3.1×101" and equals 31.

Similarly, "3.1E+00" means "3.1x 10^{0} " and equals 3.1, and "3.1E-01" means "3.1x 10^{-1} " and equals 0.31.

[•] Reference value (on and after April 1, 2012): Sum of radioactivity concentrations for Cs-134 and Cs-137: 1.0E+02Bq/kg.

[·] Free Water Tritium means tritium which exists in the tissues of plants and animals as water and is discharged from tissues in the same manner as water.

Organically Bound Tritium means tritium which organically bonds with protein etc. in the tissues of plants and animals and is taken into the tissues, and is discharged from the tissues through cellular metabolism.

[•] For the evaluation of the analyis results, please refer to the "Status of the Fukushima Daiichi NPS (Daily Report)"(in Japanese only). https://www.tepco.co.jp/press/report/

^{*1} Guideline level for H-3 in WHO Guidelines for Drinking-water Quality

[·] Data except for H-3 of T-S7 have already been released.

Analysis Results of Fish <Sampled within a 20km Radius of the Fukushima Daiichi Nuclear Power Station> (H-3)

			Analysis Item				Reference				Reference
Place of Sampling	Name of Sample	Date of Sampling	H-3(Bq/L)		H-3(Bq/kg(Raw))		Cs (Sum)	Analysis Laboratory	Name of Sample	Date of Sampling	H-3
	(Region)		Free Water Tritium	Organically Bound Tritium	Free Water Tritium	Organically Bound Tritium	(Bq/kg(Raw))				(Bq/L)
Around 1km Offshore of Ota River (T-S1)	Flatfish (muscle)	2023/11/9	1.5E-01	< 2.5E-01	1.1E-01	< 3.8E-02	ND	KAKEN Co., Ltd.	Seawater	2023/11/8	1.6E-01
Around 3km Offshore of Odaka Ward (T-S2)	Flatfish (muscle)	2023/11/10	under analysis	under analysis	under analysis	under analysis	_	_	Seawater	2023/11/8	1.2E-01
Around 3km Offshore of Ukedo River (T-S3)	Flatfish (muscle)	2023/11/9	1.4E-01	< 2.6E-01	1.1E-01	< 3.5E-02	ND	KAKEN Co., Ltd.	Seawater	2023/11/8	1.2E-01
Around 3km Offshore of 1F Site (T-S4)	Flatfish (muscle)	2023/11/9	2.0E-01	< 2.6E-01	1.5E-01	< 3.5E-02	ND	KAKEN Co., Ltd.	Seawater	2023/11/8	1.0E-01
Around 2km Offshore of Kido River (T-S5)	=	_	=	_	=	_	_	_	Seawater	2023/11/20	1.4E-01
Around 2km Offshore of 2F Site (T-S7)	Flatfish (muscle)	2023/11/21	under analysis	under analysis	under analysis	under analysis	_	_	Seawater	2023/11/20	2.5E-01
Around 4km Offshore of Kuma River (T-S8)	Flatfish (muscle)	2023/11/9	1.6E-01	< 2.7E-01	1.3E-01	< 3.8E-02	ND	Kyushu Environmental Evaluation Association	Seawater	2023/11/8	9.7E-02
Around 15km Offshore of Odaka Ward (T-B1)	_	_	_	_	_	_	_	_	Seawater	2023/11/14	< 7.3E-02
Around 18km Offshore of Ukedo River (T-B2)	Flatfish (muscle)	2023/11/14	under analysis	under analysis	under analysis	under analysis	_	_	Seawater	2023/11/14	< 7.8E-02
Around 10km Offshore of 1F Site (T-B3)	=	_	_	_	=	_	_	_	Seawater	2023/11/28	< 7.3E-02
Around 10km Offshore of 2F Site (T-B4)	_	_	-	_	_	-	-	_	Seawater	2023/11/28	< 7.7E-02
• Seawater is sampled from the surface layer. • Inequality sign (<: less than) indicates that measurement result is less than the detection limit (ND).							WHO Guidelines for Drinking-water Quality*1		1.0E+04		

Inequality sign (<: less than) indicates that measurement result is less than the detection limit (ND).

^{· &}quot;-" indicates that the sampling was stopped or samples could not be collected, or the analysis was stopped due to lack of samples.

[·] Values are expressed in exponential notation. For example, "3.1E+01" means "3.1×101" and equals 31. Similarly, "3.1E+00" means " 3.1×10^{0} " and equals 3.1, and "3.1E-01" means " 3.1×10^{-1} " and equals 0.31.

[·] Reference value (on and after April 1, 2012): Sum of radioactivity concentrations for Cs-134 and Cs-137: 1.0E+02Bq/kg.

[•] Free Water Tritium means tritium which exists in the tissues of plants and animals as water and is discharged from tissues in the same manner as water.

Organically Bound Tritium means tritium which organically bonds with protein etc. in the tissues of plants and animals and is taken into the tissues, and is discharged from the tissues through cellular metabolism.

[•] For the evaluation of the analyis results, please refer to the "Status of the Fukushima Daiichi NPS (Daily Report)"(in Japanese only). https://www.tepco.co.jp/press/report/

^{*1} Guideline level for H-3 in WHO Guidelines for Drinking-water Quality

Analysis Results of Fish <Sampled within a 20km Radius of the Fukushima Daiichi Nuclear Power Station> (Sr)

			Analys	is Item		
Place of Sampling	Name of Sample	Date of Sampling	Sr-90	Reference	Analysis Laboratory	
race of Sumpling	(Region)	Dute of Sampling	3. 30	Cs (Sum)	Analysis Euboratory	
			(Bq/kg(Raw))	(Bq/kg(Raw))		
Around 1km Offshore of Ota River (T-S1)	Flathead (whole) No.1	2023/12/21	3.6E-02	4.7E+00	KANSO TECHNOS CO.,	
Alound 1km onshore of Ota River (1-31)	Hatriedd (Whole) No.1	2023/12/21	3.0L-02	4.71+00	LTD.	
Around 3km Offshore of 1F Site (T-S4)	Red sea bream (whole) No.1	2023/11/9	1.2E-02	ND	Kyushu Environmental	
Attouria sign enshale of 11 size (1 s 1)	Red Sed Bredin (Whole) No.1	2023/11/3	1.22 02	110	Evaluation Association	
Around 2km Offshore of 2F Site (T-S7)	Japanese angel shark (whole) No.1	2023/10/18	2.1E-02	3.6E+00	KANSO TECHNOS CO.,	
Attouria ziam orishore of zir site (1 37)	supuriese driger shark (whole) No.1	2023/10/10	2.12 02	3.02 1 00	LTD.	
Around 2km Offshore of 2F Site (T-S7)	Common skete (whole) No.1	2023/12/6	7.3E-02	3.4E+00	KANSO TECHNOS CO.,	
7 Todala Zidir Grishole of Zi Site (1 37)	Common skete (Whole) No.1	2023/12/0	7.52 02	3.12100	LTD.	
Around 4km Offshore of Kuma River (T-S8)	Flatfish (whole) No.1	2023/10/13	< 8.9E-03	ND	Kyushu Environmental	
A dana man dishore of Rama River (1 30)	riddion (whole) No.1	2023, 10, 13	\ 0.5E 05	140	Evaluation Association	

- Inequality sign (<: less than) indicates that measurement result is less than the detection limit (ND).
- Reference value (on and after April 1, 2012): Sum of radioactivity concentrations for Cs-134 and Cs-137: 1.0E+02Bq/kg.
- Edible parts (muscles) of fish were used to measure Cs. Whole fish (except for internal organs) including bones were used to measure Sr.
- · Values are expressed in exponential notation. For example, "3.1E+01" means " 3.1×10^{1} " and equals 31. Similarly, "3.1E+00" means " 3.1×10^{0} " and equals 3.1, and "3.1E-01" means " 3.1×10^{-1} " and equals 0.31.