




<sup>\*\*</sup> Guideline level for Tritium(H-3) in WHO Guidelines for Drinking-water Quality is 1.0E+04Bq/L (10,000Bq/L).






<sup>※</sup> Guideline level for Tritium(H-3) in WHO Guidelines for Drinking-water Quality is 1.0E+04Bq/L (10,000Bq/L).




 $<sup>\</sup>stackrel{*}{\times}$  Guideline level for Tritium(H-3) in WHO Guidelines for Drinking-water Quality is 1.0E+04Bq/L (10,000Bq/L).



<sup>※</sup> Guideline level for Tritium(H-3) in WHO Guidelines for Drinking-water Quality is 1.0E+04Bq/L (10,000Bq/L).

Investigation Level: Index for determining actions (inspection of facilities and operational procedures, increased monitoring, etc.) to be taken before the Discharge Suspension Level is reached. 


\*\* ND indicates that concentrations were below detection limits. Detection limits vary depending on the measurement environment and the measurement device.




<sup>※</sup> Guideline level for Tritium(H-3) in WHO Guidelines for Drinking-water Quality is 1.0E+04Bq/L (10,000Bq/L).

Investigation Level: Index for determining actions (inspection of facilities and operational procedures, increased monitoring, etc.) to be taken before the Discharge Suspension Level is reached. 

\*\* ND indicates that concentrations were below detection limits. Detection limits vary depending on the measurement environment and the measurement device.



<sup>※</sup> Guideline level for Tritium(H-3) in WHO Guidelines for Drinking-water Quality is 1.0E+04Bq/L (10,000Bq/L).



2024/9/30

Discharge Suspension Level: Index for determining if discharge needs to be suspended.

2024/7/1

(1.0E+00Bq/L)1Bq/L

2024/4/1

2025/3/31

2025/6/30

2025/9/29

2025/12/29


2024/12/30

2026/3/30

<sup>※</sup> Guideline level for Tritium(H-3) in WHO Guidelines for Drinking-water Quality is 1.0E+04Bq/L (10,000Bq/L).

Investigation Level: Index for determining actions (inspection of facilities and operational procedures, increased monitoring, etc.) to be taken before the Discharge Suspension Level is reached. 


\*\* ND indicates that concentrations were below detection limits. Detection limits vary depending on the measurement environment and the measurement device.



<sup>※</sup> Guideline level for Tritium(H-3) in WHO Guidelines for Drinking-water Quality is 1.0E+04Bq/L (10,000Bq/L).

Investigation Level: Index for determining actions (inspection of facilities and operational procedures, increased monitoring, etc.) to be taken before the Discharge Suspension Level is reached. 


\*\* ND indicates that concentrations were below detection limits. Detection limits vary depending on the measurement environment and the measurement device.



<sup>※</sup> Guideline level for Tritium(H-3) in WHO Guidelines for Drinking-water Quality is 1.0E+04Bq/L (10,000Bq/L).

Investigation Level: Index for determining actions (inspection of facilities and operational procedures, increased monitoring, etc.) to be taken before the Discharge Suspension Level is reached. 


\*\* ND indicates that concentrations were below detection limits. Detection limits vary depending on the measurement environment and the measurement device.




<sup>※</sup> Guideline level for Tritium(H-3) in WHO Guidelines for Drinking-water Quality is 1.0E+04Bq/L (10,000Bq/L).


Investigation Level: Index for determining actions (inspection of facilities and operational procedures, increased monitoring, etc.) to be taken before the Discharge Suspension Level is reached. 

\*\* ND indicates that concentrations were below detection limits. Detection limits vary depending on the measurement environment and the measurement device.



<sup>%</sup> Guideline level for Tritium(H-3) in WHO Guidelines for Drinking-water Quality is 1.0E+04Bq/L (10,000Bq/L).





<sup>%</sup> Guideline level for Tritium(H-3) in WHO Guidelines for Drinking-water Quality is 1.0E+04Bq/L (10,000Bq/L).

TEPCO Holdings Fukushima Daiichi D&D Engineering Company

## Analysis Results of Seawater within a 10km square in front of the power station (Measurements to obtain results quickly)

Summary	Confirmed to not exceed Discharge Suspension Level (30Bq/L)
	nor Investigation Level (20Bq/L) *1

Sampling Location	Date and Time of Sampling	H-3 (Bq/L)
3km offshore of 1F site (T-D5)	_	_
Around 3km offshore of Ukedo River (T-S3)	2025/10/14 09:56	< 6.2E+00
Around 3km offshore of 1F site (T-S4)	2025/10/14 10:23	< 6.2E+00
Around 4km offshore of Kumagawa (T-S8)	2025/10/14 08:03	< 6.2E+00

- · A "less than" symbol (<) indicates that the analysis result was less than the detection limit.
- A hyphen "-" indicates that the sampling was not applicable.
- · Sampling may be canceled due to the weather condition, etc..
- $\boldsymbol{\cdot}$  Values are expressed in exponential notation.

For example, "3.1E+01" means "3.1 $\times$ 10<sup>1</sup>" and equals 31. Similarly, "3.1E+00" means "3.1 $\times$ 10<sup>0</sup>" and equals 3.1, and "3.1E-01" means "3.1 $\times$ 10<sup>-1</sup>" and equals 0.31.

\*1 Discharge Suspension Level: Index for determining if discharge needs to be suspended.

Investigation Level: Index for determining actions (inspection of facilities and operational procedures,

increased monitoring, etc.) to be taken before the Discharge Suspension Level is reached.

[reference] WHO's drinking water quality guidelines for tritium:1E+04Bq/L (10,000 Bq/L)