Analysis Results of Fish <Sampled from the Port Area of the Fukushima Daiichi Nuclear Power Station>

(1/1)

			Analysis Item		
Place of Sampling	Name of Sample (Region)	Date of Sampling	Cs-134	Cs-137	Cs (Sum)
	(ringsorry)		(Bq/kg(Raw))	(Bq/kg(Raw))	(Bq/kg(Raw))
Port area (Near south breakwater)	Striped mullet (muscle) No.1	2022/2/7	< 2.1E+00	4.8E+00	4.8E+00
Port area (Near north breakwater)	Striped mullet (muscle) No.1	2022/2/22	< 2.8E+00	9.0E+01	9.0E+01
Port area (Near north breakwater)	Spotbelly rockfish (muscle) No.1	2022/2/1	< 2.4E+00	2.1E+01	2.1E+01
Port area (North of east wave breaker)	Marbled sole (muscle) No.1	2022/2/14	< 2.9E+00	8.4E+00	8.4E+00

- · Half life of each nuclide: Cs-134 (Approx. 2 years), Cs-137 (Approx. 30 years)
- $\cdot \ \text{Inequality sign (<: less than) indicates that measurement result is less than the detection limit (ND)}.$
- Reference value (on and after April 1, 2012): Sum of radioactivity concentrations for Cs-134 and Cs-137: 1.0E+02Bq/kg.
- Values are expressed in exponential notation. For example, "3.1E+01" means " 3.1×10^{11} " and equals 31. Similarly, "3.1E+00" means " 3.1×10^{01} " and equals 3.1, and " 3.1×10^{01} " means " 3.1×10^{01} " and equals 0.31.