

Nuclide analysis results of ocean soil

Reference

(Data summarized on March 6)

Place of Sampling	3km offshore of Haramachi-ku	3km offshore of Odaka-ku	Iwasawa offshore 3km	8km offshore of Odaka-ku	8km offshore of Iwasawa shore
Time of Sampling	Mar 04, 2012 (Not sampled)	Mar 04, 2012 (Not sampled)	Mar 04, 2012 8:00 AM	Mar 04, 2012 (Not sampled)	Mar 04, 2012 10:45 AM
Detected Nuclides (Half-life)	Radioactivity density (Bq/kg· moist soil)				
I-131 (about 8 days)	-	-	ND	-	ND
Cs-134 (about 2 years)	-	-	250	-	170
Cs-137 (about 30 years)	-	-	330	-	240

* Data of other nuclides are under evaluation.


* "ND" means the sampled data is below measurable limit.

I-131: approx. 6Bq/kg· moist soil)

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

Sanpling of 3 points out of 5 points were not conducted due to bad weather.

Radioactivity Density of Ocean Soil at 8km offshore of Iwasawa shore (Bq/kg (moist soil))



Radioactivity Density of Ocean Soil at 3km offshore of Iwasawa shore (Bq/kg (moist soil))

