

[Appendix] Monitoring data by a monitoring car at Fukushima Daiichi Nuclear Power Station

Measurement Date : 03/24/2011

Measurement Time	Measured Place	γ Ray	Neutron Ray	Wind Direction	Wind Velocity (m/s)
9:30 AM	Main Gate	210.7 μ Sv/h	under 0.01 μ Sv/h	east-southeast	2.5
9:20 AM	Main Gate	210.8 μ Sv/h	under 0.01 μ Sv/h	southeast	2.2
9:10 AM	Main Gate	210.8 μ Sv/h	under 0.01 μ Sv/h	east-southeast	2.5
9:00 AM	Main Gate	210.1 μ Sv/h	under 0.01 μ Sv/h	southeast	1.8
8:50 AM	Main Gate	211.1 μ Sv/h	under 0.01 μ Sv/h	southeast	1.5
8:40 AM	Main Gate	211.5 μ Sv/h	under 0.01 μ Sv/h	southeast	1.7
8:30 AM	Main Gate	211.2 μ Sv/h	under 0.01 μ Sv/h	southeast	1.7
8:20 AM	Main Gate	211.6 μ Sv/h	under 0.01 μ Sv/h	south	1.2
8:10 AM	Main Gate	211.6 μ Sv/h	under 0.01 μ Sv/h	south	1.2
8:00 AM	Main Gate	211.6 μ Sv/h	under 0.01 μ Sv/h	southwest	0.8
7:50 AM	Main Gate	211.7 μ Sv/h	under 0.01 μ Sv/h	south	0.8
7:40 AM	Main Gate	211.9 μ Sv/h	under 0.01 μ Sv/h	south	1.0
7:30 AM	Main Gate	211.9 μ Sv/h	under 0.01 μ Sv/h	southeast	1.2
7:20 AM	Main Gate	211.8 μ Sv/h	under 0.01 μ Sv/h	west	0.8
7:10 AM	Main Gate	212.0 μ Sv/h	under 0.01 μ Sv/h	west	1.1
7:00 AM	Main Gate	212.2 μ Sv/h	under 0.01 μ Sv/h	northwest	0.9
6:50 AM	Main Gate	212.3 μ Sv/h	under 0.01 μ Sv/h	west-northwest	0.7
6:40 AM	Main Gate	213.7 μ Sv/h	under 0.01 μ Sv/h	west-southwest	0.7
6:30 AM	Main Gate	230.9 μ Sv/h	under 0.01 μ Sv/h	east-southeast	0.8
6:20 AM	Main Gate	214.7 μ Sv/h	under 0.01 μ Sv/h	south-southeast	0.5
6:10 AM	Main Gate	212.8 μ Sv/h	under 0.01 μ Sv/h	north	0.7
6:00 AM	Main Gate	212.8 μ Sv/h	under 0.01 μ Sv/h	north	0.4
5:50 AM	Main Gate	213.6 μ Sv/h	under 0.01 μ Sv/h	west	0.7
5:40 AM	Main Gate	216.2 μ Sv/h	under 0.01 μ Sv/h	southwest	0.8
5:30 AM	Main Gate	213.8 μ Sv/h	under 0.01 μ Sv/h	east-southeast	0.8
5:20 AM	Main Gate	213.6 μ Sv/h	under 0.01 μ Sv/h	south	0.6
5:10 AM	Main Gate	214.0 μ Sv/h	under 0.01 μ Sv/h	south-southeast	0.7
5:00 AM	Main Gate	214.4 μ Sv/h	under 0.01 μ Sv/h	southeast	0.9
4:50 AM	Main Gate	214.3 μ Sv/h	under 0.01 μ Sv/h	west	1.2
4:40 AM	Main Gate	214.7 μ Sv/h	under 0.01 μ Sv/h	north-northwest	1.2
4:30 AM	Main Gate	214.5 μ Sv/h	under 0.01 μ Sv/h	north	0.2
4:20 AM	Main Gate	214.7 μ Sv/h	under 0.01 μ Sv/h	south	0.3
4:10 AM	Main Gate	215.0 μ Sv/h	under 0.01 μ Sv/h	north	0.6
4:00 AM	Main Gate	215.1 μ Sv/h	under 0.01 μ Sv/h	west-northwest	0.5
3:50 AM	Main Gate	215.4 μ Sv/h	under 0.01 μ Sv/h	west	1.0
3:40 AM	Main Gate	215.7 μ Sv/h	under 0.01 μ Sv/h	west	0.9
3:30 AM	Main Gate	215.5 μ Sv/h	under 0.01 μ Sv/h	southwest	0.7
3:20 AM	Main Gate	216.2 μ Sv/h	under 0.01 μ Sv/h	southwest	0.6
3:10 AM	Main Gate	216.5 μ Sv/h	under 0.01 μ Sv/h	west-southwest	0.9
3:00 AM	Main Gate	216.6 μ Sv/h	under 0.01 μ Sv/h	west	1.0
2:50 AM	Main Gate	216.6 μ Sv/h	under 0.01 μ Sv/h	west-southwest	0.5
2:40 AM	Main Gate	216.8 μ Sv/h	under 0.01 μ Sv/h	west	1.0
2:30 AM	Main Gate	217.2 μ Sv/h	under 0.01 μ Sv/h	west-northwest	1.2
2:20 AM	Main Gate	217.5 μ Sv/h	under 0.01 μ Sv/h	west-northwest	1.6
2:10 AM	Main Gate	218.7 μ Sv/h	under 0.01 μ Sv/h	west-northwest	1.7
2:00 AM	Main Gate	218.9 μ Sv/h	under 0.01 μ Sv/h	west-northwest	1.3
1:50 AM	Main Gate	219.2 μ Sv/h	under 0.01 μ Sv/h	west	0.8
1:40 AM	Main Gate	219.2 μ Sv/h	under 0.01 μ Sv/h	northwest	0.6
1:30 AM	Main Gate	219.7 μ Sv/h	under 0.01 μ Sv/h	north	0.8
1:20 AM	Main Gate	220.0 μ Sv/h	under 0.01 μ Sv/h	northwest	1.3
1:10 AM	Main Gate	220.4 μ Sv/h	under 0.01 μ Sv/h	west-northwest	1.6
1:00 AM	Main Gate	220.6 μ Sv/h	under 0.01 μ Sv/h	west-northwest	1.6
0:50 AM	Main Gate	221.0 μ Sv/h	under 0.01 μ Sv/h	west-northwest	1.4
0:40 AM	Main Gate	221.7 μ Sv/h	under 0.01 μ Sv/h	west-northwest	1.3
0:30 AM	Main Gate	221.5 μ Sv/h	under 0.01 μ Sv/h	west	1.2
0:20 AM	Main Gate	221.8 μ Sv/h	under 0.01 μ Sv/h	north	0.5
0:10 AM	Main Gate	222.0 μ Sv/h	under 0.01 μ Sv/h	south	0.4
0:00 AM	Main Gate	222.3 μ Sv/h	under 0.01 μ Sv/h	northwest	0.3