

[Appendix] Monitoring data by a monitoring car at Fukushima Daiichi Nuclear Power Station

Measurement Date : 03/25/2011

Measurement Time	Measured Place	γ Ray	Neutron Ray	Wind Direction	Wind Velocity (m/s)
11:00 AM	Main Gate	259.0 μ Sv/h	under 0.01 μ Sv/h	east-southeast	2.8
10:50 AM	Main Gate	264.7 μ Sv/h	under 0.01 μ Sv/h	east-southeast	2.4
10:40 AM	Main Gate	286.5 μ Sv/h	under 0.01 μ Sv/h	east-southeast	2.1
10:30 AM	Main Gate	540.0 μ Sv/h	under 0.01 μ Sv/h	east	1.9
10:20 AM	Main Gate	430.8 μ Sv/h	under 0.01 μ Sv/h	east	2.0
10:10 AM	Main Gate	203.2 μ Sv/h	under 0.01 μ Sv/h	east-northeast	1.7
10:00 AM	Main Gate	216.2 μ Sv/h	under 0.01 μ Sv/h	east	1.7
9:50 AM	Main Gate	204.2 μ Sv/h	under 0.01 μ Sv/h	northeast	1.6
9:40 AM	Main Gate	191.7 μ Sv/h	under 0.01 μ Sv/h	east	2.2
9:30 AM	Main Gate	193.7 μ Sv/h	under 0.01 μ Sv/h	north	2.3
9:20 AM	Main Gate	192.5 μ Sv/h	under 0.01 μ Sv/h	northeast	2.3
9:10 AM	Main Gate	192.3 μ Sv/h	under 0.01 μ Sv/h	north	3.1
9:00 AM	Main Gate	192.6 μ Sv/h	under 0.01 μ Sv/h	north	1.9
8:50 AM	Main Gate	192.8 μ Sv/h	under 0.01 μ Sv/h	north-northeast	1.4
8:40 AM	Main Gate	196.3 μ Sv/h	under 0.01 μ Sv/h	northeast	1.1
8:30 AM	Main Gate	196.3 μ Sv/h	under 0.01 μ Sv/h	north	1.1
8:20 AM	Main Gate	193.3 μ Sv/h	under 0.01 μ Sv/h	north	1.6
8:10 AM	Main Gate	193.9 μ Sv/h	under 0.01 μ Sv/h	north	1.3
8:00 AM	Main Gate	193.8 μ Sv/h	under 0.01 μ Sv/h	north-northwest	1.0
7:50 AM	Main Gate	193.3 μ Sv/h	under 0.01 μ Sv/h	north	1.2
7:40 AM	Main Gate	192.5 μ Sv/h	under 0.01 μ Sv/h	north-northwest	1.3
7:30 AM	Main Gate	192.3 μ Sv/h	under 0.01 μ Sv/h	north-northwest	1.1
7:20 AM	Main Gate	192.7 μ Sv/h	under 0.01 μ Sv/h	north-northwest	0.8
7:10 AM	Main Gate	192.5 μ Sv/h	under 0.01 μ Sv/h	north-northwest	0.9
7:00 AM	Main Gate	192.6 μ Sv/h	under 0.01 μ Sv/h	west	0.9
6:50 AM	Main Gate	192.5 μ Sv/h	under 0.01 μ Sv/h	northwest	1.1
6:40 AM	Main Gate	193.0 μ Sv/h	under 0.01 μ Sv/h	west	1.0
6:30 AM	Main Gate	192.9 μ Sv/h	under 0.01 μ Sv/h	west-northwest	0.9
6:20 AM	Main Gate	193.0 μ Sv/h	under 0.01 μ Sv/h	west-northwest	1.1
6:10 AM	Main Gate	193.6 μ Sv/h	under 0.01 μ Sv/h	west-northwest	1.0
6:00 AM	Main Gate	193.8 μ Sv/h	under 0.01 μ Sv/h	west-northwest	1.5
5:50 AM	Main Gate	193.8 μ Sv/h	under 0.01 μ Sv/h	west-northwest	1.6
5:40 AM	Main Gate	194.1 μ Sv/h	under 0.01 μ Sv/h	northwest	1.8
5:30 AM	Main Gate	194.2 μ Sv/h	under 0.01 μ Sv/h	northwest	0.9
5:20 AM	Main Gate	194.3 μ Sv/h	under 0.01 μ Sv/h	northwest	0.9
5:10 AM	Main Gate	194.4 μ Sv/h	under 0.01 μ Sv/h	north-northwest	0.8
5:00 AM	Main Gate	194.4 μ Sv/h	under 0.01 μ Sv/h	west-northwest	0.9
4:50 AM	Main Gate	194.5 μ Sv/h	under 0.01 μ Sv/h	north	0.8
4:40 AM	Main Gate	194.5 μ Sv/h	under 0.01 μ Sv/h	north	0.9
4:30 AM	Main Gate	195.0 μ Sv/h	under 0.01 μ Sv/h	north-northwest	1.1
4:20 AM	Main Gate	195.0 μ Sv/h	under 0.01 μ Sv/h	northwest	1.2
4:10 AM	Main Gate	195.0 μ Sv/h	under 0.01 μ Sv/h	northwest	1.7
4:00 AM	Main Gate	195.1 μ Sv/h	under 0.01 μ Sv/h	west	0.8
3:50 AM	Main Gate	195.1 μ Sv/h	under 0.01 μ Sv/h	north	1.0
3:40 AM	Main Gate	195.5 μ Sv/h	under 0.01 μ Sv/h	northwest	1.1
3:30 AM	Main Gate	195.6 μ Sv/h	under 0.01 μ Sv/h	northwest	1.8
3:20 AM	Main Gate	195.6 μ Sv/h	under 0.01 μ Sv/h	west	0.8
3:10 AM	Main Gate	195.7 μ Sv/h	under 0.01 μ Sv/h	west	1.0
3:00 AM	Main Gate	195.7 μ Sv/h	under 0.01 μ Sv/h	west	1.0
2:50 AM	Main Gate	195.8 μ Sv/h	under 0.01 μ Sv/h	west	0.7
2:40 AM	Main Gate	195.9 μ Sv/h	under 0.01 μ Sv/h	west-southwest	0.5
2:30 AM	Main Gate	196.1 μ Sv/h	under 0.01 μ Sv/h	west	0.5
2:20 AM	Main Gate	196.3 μ Sv/h	under 0.01 μ Sv/h	north-northwest	0.7
2:10 AM	Main Gate	196.4 μ Sv/h	under 0.01 μ Sv/h	south-southwest	0.5
2:00 AM	Main Gate	196.5 μ Sv/h	under 0.01 μ Sv/h	southeast	0.5
1:50 AM	Main Gate	196.5 μ Sv/h	under 0.01 μ Sv/h	west	0.6
1:40 AM	Main Gate	196.5 μ Sv/h	under 0.01 μ Sv/h	southwest	0.6
1:30 AM	Main Gate	196.9 μ Sv/h	under 0.01 μ Sv/h	southwest	0.5
1:20 AM	Main Gate	197.0 μ Sv/h	under 0.01 μ Sv/h	west	0.5
1:10 AM	Main Gate	197.7 μ Sv/h	under 0.01 μ Sv/h	west-southwest	0.7
1:00 AM	Main Gate	198.6 μ Sv/h	under 0.01 μ Sv/h	west	1.0
0:50 AM	Main Gate	198.8 μ Sv/h	under 0.01 μ Sv/h	west-northwest	0.7
0:40 AM	Main Gate	198.9 μ Sv/h	under 0.01 μ Sv/h	northwest	0.8
0:30 AM	Main Gate	199.0 μ Sv/h	under 0.01 μ Sv/h	west	0.5
0:20 AM	Main Gate	199.0 μ Sv/h	under 0.01 μ Sv/h	west	0.8
0:10 AM	Main Gate	199.3 μ Sv/h	under 0.01 μ Sv/h	west	0.8
0:00 AM	Main Gate	199.5 μ Sv/h	under 0.01 μ Sv/h	northwest	1.3