

[Appendix] Monitoring data by a monitoring car at Fukushima Daiichi Nuclear Power Station

Measurement Date : 03/26/2011

Measurement Time	Measured Place	γ Ray	Neutron Ray	Wind Direction	Wind Velocity (m/s)
8:00 AM	Main Gate	170.3 μ Sv/h	under 0.01 μ Sv/h	north	2.6
7:50 AM	Main Gate	170.1 μ Sv/h	under 0.01 μ Sv/h	north-northwest	2.7
7:40 AM	Main Gate	169.9 μ Sv/h	under 0.01 μ Sv/h	north	2.9
7:30 AM	Main Gate	170.0 μ Sv/h	under 0.01 μ Sv/h	northwest	2.3
7:20 AM	Main Gate	169.8 μ Sv/h	under 0.01 μ Sv/h	north-northwest	2.8
7:10 AM	Main Gate	169.0 μ Sv/h	under 0.01 μ Sv/h	west-northwest	2.6
7:00 AM	Main Gate	169.5 μ Sv/h	under 0.01 μ Sv/h	west-northwest	2.3
6:50 AM	Main Gate	169.7 μ Sv/h	under 0.01 μ Sv/h	northwest	2.4
6:40 AM	Main Gate	169.6 μ Sv/h	under 0.01 μ Sv/h	north-northwest	2.2
6:30 AM	Main Gate	169.2 μ Sv/h	under 0.01 μ Sv/h	northwest	2.5
6:20 AM	Main Gate	168.3 μ Sv/h	under 0.01 μ Sv/h	northwest	2.7
6:10 AM	Main Gate	168.0 μ Sv/h	under 0.01 μ Sv/h	west-northwest	2.7
6:00 AM	Main Gate	169.0 μ Sv/h	under 0.01 μ Sv/h	northwest	2.5
5:50 AM	Main Gate	168.0 μ Sv/h	under 0.01 μ Sv/h	northwest	2.9
5:40 AM	Main Gate	167.8 μ Sv/h	under 0.01 μ Sv/h	northwest	2.7
5:30 AM	Main Gate	167.6 μ Sv/h	under 0.01 μ Sv/h	northwest	2.7
5:20 AM	Main Gate	167.4 μ Sv/h	under 0.01 μ Sv/h	north-northwest	3.0
5:10 AM	Main Gate	167.1 μ Sv/h	under 0.01 μ Sv/h	north	3.4
5:00 AM	Main Gate	166.9 μ Sv/h	under 0.01 μ Sv/h	northwest	6.1
4:50 AM	Main Gate	167.1 μ Sv/h	under 0.01 μ Sv/h	north	3.2
4:40 AM	Main Gate	167.1 μ Sv/h	under 0.01 μ Sv/h	northwest	2.7
4:30 AM	Main Gate	167.8 μ Sv/h	under 0.01 μ Sv/h	northwest	2.3
4:20 AM	Main Gate	168.1 μ Sv/h	under 0.01 μ Sv/h	northwest	2.6
4:10 AM	Main Gate	169.1 μ Sv/h	under 0.01 μ Sv/h	northwest	2.8
4:00 AM	Main Gate	169.2 μ Sv/h	under 0.01 μ Sv/h	northwest	2.6
3:50 AM	Main Gate	169.5 μ Sv/h	under 0.01 μ Sv/h	northwest	2.9
3:40 AM	Main Gate	169.2 μ Sv/h	under 0.01 μ Sv/h	northwest	2.7
3:30 AM	Main Gate	169.8 μ Sv/h	under 0.01 μ Sv/h	northwest	3.0
3:20 AM	Main Gate	170.7 μ Sv/h	under 0.01 μ Sv/h	north-northwest	3.0
3:10 AM	Main Gate	171.0 μ Sv/h	under 0.01 μ Sv/h	north-northwest	3.7
3:00 AM	Main Gate	172.4 μ Sv/h	under 0.01 μ Sv/h	north	5.9
2:50 AM	Main Gate	173.0 μ Sv/h	under 0.01 μ Sv/h	north	5.0
2:40 AM	Main Gate	174.4 μ Sv/h	under 0.01 μ Sv/h	north-northwest	3.2
2:30 AM	Main Gate	175.5 μ Sv/h	under 0.01 μ Sv/h	north	3.5
2:20 AM	Main Gate	176.6 μ Sv/h	under 0.01 μ Sv/h	north-northwest	2.9
2:10 AM	Main Gate	178.1 μ Sv/h	under 0.01 μ Sv/h	north-northwest	4.0
2:00 AM	Main Gate	179.9 μ Sv/h	under 0.01 μ Sv/h	north	5.3
1:50 AM	Main Gate	180.8 μ Sv/h	under 0.01 μ Sv/h	northwest	3.0
1:40 AM	Main Gate	181.8 μ Sv/h	under 0.01 μ Sv/h	northwest	1.9
1:30 AM	Main Gate	182.1 μ Sv/h	under 0.01 μ Sv/h	northwest	2.7
1:20 AM	Main Gate	182.3 μ Sv/h	under 0.01 μ Sv/h	west	2.4
1:10 AM	Main Gate	182.4 μ Sv/h	under 0.01 μ Sv/h	northwest	2.7
1:00 AM	Main Gate	182.5 μ Sv/h	under 0.01 μ Sv/h	northwest	3.2
0:50 AM	Main Gate	182.7 μ Sv/h	under 0.01 μ Sv/h	north-northwest	3.2
0:40 AM	Main Gate	182.8 μ Sv/h	under 0.01 μ Sv/h	north-northwest	2.6
0:30 AM	Main Gate	183.2 μ Sv/h	under 0.01 μ Sv/h	northwest	2.2
0:20 AM	Main Gate	183.8 μ Sv/h	under 0.01 μ Sv/h	west	2.5
0:10 AM	Main Gate	184.0 μ Sv/h	under 0.01 μ Sv/h	northwest	1.8
0:00 AM	Main Gate	184.4 μ Sv/h	under 0.01 μ Sv/h	northwest	2.3