

Fixed point Monitoring Status by Temporary Monitoring Post at Fukushima Daiichi Nuclear Power Station

Date	Radiation Dose Rate (mSv/h) At the Main Buiding	Radiation Dose Rate (μ Sv/h) At the Main Gate	Radiation Dose Rate (μ Sv/h) At the West Gate
2011/3/30 9:00	1.05	169	78
2011/3/30 8:30	1.06	165	79
2011/3/30 8:00	1.06	166	79
2011/3/30 7:30	1.07	167	79
2011/3/30 7:00	1.07	165	79
2011/3/30 6:30	1.07	166	78
2011/3/30 6:00	1.08	163	80
2011/3/30 5:30	1.08	167	81
2011/3/30 5:00	1.08	166	80
2011/3/30 4:30	1.08	167	81
2011/3/30 4:00	1.08	165	82
2011/3/30 3:30	1.08	169	80
2011/3/30 3:00	1.08	166	80
2011/3/30 2:30	1.08	167	80
2011/3/30 2:00	1.09	167	81
2011/3/30 1:30	1.09	166	81
2011/3/30 1:00	1.10	168	82
2011/3/30 0:30	1.10	167	82
2011/3/30 0:00	1.09	168	80

Monitoring data by a monitoring car* at Fukushima Daiichi Nuclear Power Station

* The car supplements fixed point Monitoring Status by Temporary Monitoring Post

Measurement Date : 03/30/2011

Measurement Time	Measured Place	γ Ray	Neutron Ray	Wind Direction	Wind Velocity (m/s)
9:00 AM	West Gate	109.3 μ Sv/h	under 0.01 μ Sv/h	east	2.2
8:50 AM	West Gate	109.6 μ Sv/h	under 0.01 μ Sv/h	east-southeast	2.2
8:40 AM	West Gate	109.5 μ Sv/h	under 0.01 μ Sv/h	east	1.6
8:30 AM	West Gate	109.4 μ Sv/h	under 0.01 μ Sv/h	east-northeast	1.4
8:20 AM	West Gate	109.6 μ Sv/h	under 0.01 μ Sv/h	north	0.8
8:10 AM	West Gate	109.7 μ Sv/h	under 0.01 μ Sv/h	northeast	0.6
8:00 AM	West Gate	109.8 μ Sv/h	under 0.01 μ Sv/h	west-northwest	0.6
7:50 AM	West Gate	109.8 μ Sv/h	under 0.01 μ Sv/h	north-northwest	0.6
7:40 AM	West Gate	109.7 μ Sv/h	under 0.01 μ Sv/h	northwest	0.6
7:30 AM	West Gate	109.9 μ Sv/h	under 0.01 μ Sv/h	west-northwest	0.5
7:20 AM	West Gate	109.9 μ Sv/h	under 0.01 μ Sv/h	west	0.6
7:10 AM	West Gate	109.8 μ Sv/h	under 0.01 μ Sv/h	west-southwest	0.8
7:00 AM	West Gate	110.0 μ Sv/h	under 0.01 μ Sv/h	west-northwest	0.5
6:50 AM	West Gate	110.0 μ Sv/h	under 0.01 μ Sv/h	northwest	0.5
6:40 AM	West Gate	109.8 μ Sv/h	under 0.01 μ Sv/h	west-northwest	0.6
6:30 AM	West Gate	109.9 μ Sv/h	under 0.01 μ Sv/h	west-southwest	0.5
6:20 AM	West Gate	110.1 μ Sv/h	under 0.01 μ Sv/h	west-southwest	0.3
6:10 AM	West Gate	110.3 μ Sv/h	under 0.01 μ Sv/h	west	0.3
6:00 AM	West Gate	110.2 μ Sv/h	under 0.01 μ Sv/h	east-northeast	0.4
5:50 AM	West Gate	110.1 μ Sv/h	under 0.01 μ Sv/h	west-northwest	0.4
5:40 AM	West Gate	110.2 μ Sv/h	under 0.01 μ Sv/h	north-northeast	0.4
5:30 AM	West Gate	110.3 μ Sv/h	under 0.01 μ Sv/h	west	0.6
5:20 AM	West Gate	110.4 μ Sv/h	under 0.01 μ Sv/h	west-southwest	0.8
5:10 AM	West Gate	110.6 μ Sv/h	under 0.01 μ Sv/h	west	0.5
5:00 AM	West Gate	110.6 μ Sv/h	under 0.01 μ Sv/h	north-northwest	0.5
4:50 AM	West Gate	110.6 μ Sv/h	under 0.01 μ Sv/h	west-southwest	0.7
4:40 AM	West Gate	110.6 μ Sv/h	under 0.01 μ Sv/h	southwest	0.7
4:30 AM	West Gate	110.8 μ Sv/h	under 0.01 μ Sv/h	southwest	0.7
4:20 AM	West Gate	110.8 μ Sv/h	under 0.01 μ Sv/h	west-southwest	0.6
4:10 AM	West Gate	110.8 μ Sv/h	under 0.01 μ Sv/h	west	0.6
4:00 AM	West Gate	110.9 μ Sv/h	under 0.01 μ Sv/h	west	0.6
3:50 AM	West Gate	111.0 μ Sv/h	under 0.01 μ Sv/h	northwest	0.7
3:40 AM	West Gate	111.1 μ Sv/h	under 0.01 μ Sv/h	west	0.3
3:30 AM	West Gate	111.1 μ Sv/h	under 0.01 μ Sv/h	northwest	0.3
3:20 AM	West Gate	111.3 μ Sv/h	under 0.01 μ Sv/h	north	0.4
3:10 AM	West Gate	111.3 μ Sv/h	under 0.01 μ Sv/h	west	0.3
3:00 AM	West Gate	110.7 μ Sv/h	under 0.01 μ Sv/h	northwest	0.3
2:50 AM	West Gate	110.7 μ Sv/h	under 0.01 μ Sv/h	west	0.2
2:40 AM	West Gate	110.8 μ Sv/h	under 0.01 μ Sv/h	north-northwest	0.5
2:30 AM	West Gate	110.8 μ Sv/h	under 0.01 μ Sv/h	west-southwest	0.4
2:20 AM	West Gate	110.9 μ Sv/h	under 0.01 μ Sv/h	south-southeast	0.5
2:10 AM	West Gate	111.1 μ Sv/h	under 0.01 μ Sv/h	south-southeast	0.5
2:00 AM	West Gate	111.1 μ Sv/h	under 0.01 μ Sv/h	south	0.9
1:50 AM	West Gate	111.2 μ Sv/h	under 0.01 μ Sv/h	south	0.9
1:40 AM	West Gate	111.2 μ Sv/h	under 0.01 μ Sv/h	southwest	0.8
1:30 AM	West Gate	111.4 μ Sv/h	under 0.01 μ Sv/h	northwest	0.9
1:20 AM	West Gate	111.6 μ Sv/h	under 0.01 μ Sv/h	northwest	1.0
1:10 AM	West Gate	111.7 μ Sv/h	under 0.01 μ Sv/h	northwest	1.1
1:00 AM	West Gate	111.8 μ Sv/h	under 0.01 μ Sv/h	north-northwest	0.8
0:50 AM	West Gate	111.9 μ Sv/h	under 0.01 μ Sv/h	northwest	0.8
0:40 AM	West Gate	111.8 μ Sv/h	under 0.01 μ Sv/h	east	0.4
0:30 AM	West Gate	111.8 μ Sv/h	under 0.01 μ Sv/h	northeast	0.4
0:20 AM	West Gate	112.1 μ Sv/h	under 0.01 μ Sv/h	east	0.4
0:10 AM	West Gate	112.4 μ Sv/h	under 0.01 μ Sv/h	northeast	0.5
0:00 AM	West Gate	112.5 μ Sv/h	under 0.01 μ Sv/h	northeast	0.3