

Fixed point Monitoring Status by Temporary Monitoring Post at Fukushima Daiichi Nuclear Power Station

Date	Radiation Dose Rate (mSv/h) At the Main Buiding	Radiation Dose Rate (μ Sv/h) At the Main Gate	Radiation Dose Rate (μ Sv/h) At the West Gate
2011/4/3 9:00	0.83	127	59
2011/4/3 8:30	0.83	126	59
2011/4/3 8:00	0.83	128	59
2011/4/3 7:30	0.83	128	59
2011/4/3 7:00	0.84	127	60
2011/4/3 6:30	0.84	126	60
2011/4/3 6:00	0.84	125	59
2011/4/3 5:30	0.84	125	59
2011/4/3 5:00	0.84	127	60
2011/4/3 4:30	0.84	127	60
2011/4/3 4:00	0.84	126	59
2011/4/3 3:30	0.84	127	60
2011/4/3 3:00	0.84	128	60
2011/4/3 2:30	0.84	127	60
2011/4/3 2:00	0.84	127	60
2011/4/3 1:30	0.84	128	60
2011/4/3 1:00	0.84	127	60
2011/4/3 0:30	0.84	128	60
2011/4/3 0:00	0.84	128	60

Monitoring data by a monitoring car* at Fukushima Daiichi Nuclear Power Station

* The car supplements fixed point Monitoring Status by Temporary Monitoring Post

Measurement Date : 04/03/2011

Measurement Time	Measured Place	γ Ray	Neutron Ray	Wind Direction	Wind Velocity (m/s)
9:00 AM	West Gate	79.5 μ Sv/h	under 0.01 μ Sv/h	west	2.2
8:50 AM	West Gate	79.7 μ Sv/h	under 0.01 μ Sv/h	west-northwest	2.1
8:40 AM	West Gate	79.7 μ Sv/h	under 0.01 μ Sv/h	west-northwest	2.3
8:30 AM	West Gate	79.7 μ Sv/h	under 0.01 μ Sv/h	northwest	1.6
8:20 AM	West Gate	79.8 μ Sv/h	under 0.01 μ Sv/h	west	1.7
8:10 AM	West Gate	79.8 μ Sv/h	under 0.01 μ Sv/h	west	2.0
8:00 AM	West Gate	79.8 μ Sv/h	under 0.01 μ Sv/h	west	2.2
7:50 AM	West Gate	79.6 μ Sv/h	under 0.01 μ Sv/h	west-northwest	2.0
7:40 AM	West Gate	80.1 μ Sv/h	under 0.01 μ Sv/h	west-southwest	1.4
7:30 AM	West Gate	79.7 μ Sv/h	under 0.01 μ Sv/h	west-northwest	1.3
7:20 AM	West Gate	80.0 μ Sv/h	under 0.01 μ Sv/h	northwest	0.6
7:10 AM	West Gate	80.0 μ Sv/h	under 0.01 μ Sv/h	northwest	0.9
7:00 AM	West Gate	79.8 μ Sv/h	under 0.01 μ Sv/h	west-southwest	1.1
6:50 AM	West Gate	79.9 μ Sv/h	under 0.01 μ Sv/h	north-northwest	0.7
6:40 AM	West Gate	80.0 μ Sv/h	under 0.01 μ Sv/h	north	1.0
6:30 AM	West Gate	80.2 μ Sv/h	under 0.01 μ Sv/h	northwest	1.0
6:20 AM	West Gate	80.1 μ Sv/h	under 0.01 μ Sv/h	west	1.1
6:10 AM	West Gate	80.0 μ Sv/h	under 0.01 μ Sv/h	west-southwest	1.2
6:00 AM	West Gate	80.2 μ Sv/h	under 0.01 μ Sv/h	northwest	0.9
5:50 AM	West Gate	80.2 μ Sv/h	under 0.01 μ Sv/h	northwest	0.5
5:40 AM	West Gate	80.2 μ Sv/h	under 0.01 μ Sv/h	north-northwest	0.8
5:30 AM	West Gate	80.0 μ Sv/h	under 0.01 μ Sv/h	north-northwest	1.0
5:20 AM	West Gate	80.3 μ Sv/h	under 0.01 μ Sv/h	west-northwest	0.8
5:10 AM	West Gate	80.3 μ Sv/h	under 0.01 μ Sv/h	north-northwest	0.8
5:00 AM	West Gate	80.5 μ Sv/h	under 0.01 μ Sv/h	northwest	0.8
4:50 AM	West Gate	80.5 μ Sv/h	under 0.01 μ Sv/h	west-northwest	1.0
4:40 AM	West Gate	80.5 μ Sv/h	under 0.01 μ Sv/h	northeast	1.0
4:30 AM	West Gate	80.5 μ Sv/h	under 0.01 μ Sv/h	northwest	1.2
4:20 AM	West Gate	80.7 μ Sv/h	under 0.01 μ Sv/h	north-northwest	1.2
4:10 AM	West Gate	80.6 μ Sv/h	under 0.01 μ Sv/h	west	1.0
4:00 AM	West Gate	80.7 μ Sv/h	under 0.01 μ Sv/h	west	0.6
3:50 AM	West Gate	80.7 μ Sv/h	under 0.01 μ Sv/h	west	0.8
3:40 AM	West Gate	80.8 μ Sv/h	under 0.01 μ Sv/h	west-northwest	0.9
3:30 AM	West Gate	80.9 μ Sv/h	under 0.01 μ Sv/h	west	0.7
3:20 AM	West Gate	80.9 μ Sv/h	under 0.01 μ Sv/h	northwest	1.1
3:10 AM	West Gate	80.9 μ Sv/h	under 0.01 μ Sv/h	north-northwest	0.9
3:00 AM	West Gate	81.0 μ Sv/h	under 0.01 μ Sv/h	northwest	0.4
2:50 AM	West Gate	81.0 μ Sv/h	under 0.01 μ Sv/h	north-northwest	1.2
2:40 AM	West Gate	81.1 μ Sv/h	under 0.01 μ Sv/h	west-northwest	1.8
2:30 AM	West Gate	81.3 μ Sv/h	under 0.01 μ Sv/h	north-northwest	0.7
2:20 AM	West Gate	81.1 μ Sv/h	under 0.01 μ Sv/h	north-northeast	0.4
2:10 AM	West Gate	81.2 μ Sv/h	under 0.01 μ Sv/h	west-northwest	0.6
2:00 AM	West Gate	81.2 μ Sv/h	under 0.01 μ Sv/h	west-northwest	0.4
1:50 AM	West Gate	81.2 μ Sv/h	under 0.01 μ Sv/h	north-northeast	0.4
1:40 AM	West Gate	81.1 μ Sv/h	under 0.01 μ Sv/h	northeast	0.7
1:30 AM	West Gate	81.4 μ Sv/h	under 0.01 μ Sv/h	north-northwest	0.8
1:20 AM	West Gate	81.6 μ Sv/h	under 0.01 μ Sv/h	west	0.9
1:10 AM	West Gate	81.4 μ Sv/h	under 0.01 μ Sv/h	north	0.9
1:00 AM	West Gate	81.4 μ Sv/h	under 0.01 μ Sv/h	east-northeast	0.6
0:50 AM	West Gate	81.5 μ Sv/h	under 0.01 μ Sv/h	north-northeast	1.8
0:40 AM	West Gate	81.5 μ Sv/h	under 0.01 μ Sv/h	north-northeast	1.0
0:30 AM	West Gate	81.6 μ Sv/h	under 0.01 μ Sv/h	northeast	0.9
0:20 AM	West Gate	81.8 μ Sv/h	under 0.01 μ Sv/h	north-northwest	1.1
0:10 AM	West Gate	81.9 μ Sv/h	under 0.01 μ Sv/h	northwest	1.1
0:00 AM	West Gate	81.8 μ Sv/h	under 0.01 μ Sv/h	north-northwest	1.8

