

Fixed point Monitoring Status by Temporary Monitoring Post at Fukushima Daiichi Nuclear Power Station

Date	Radiation Dose Rate (mSv/h) At the Main Buiding	Radiation Dose Rate (μ Sv/h) At the Main Gate	Radiation Dose Rate (μ Sv/h) At the West Gate
2011/4/3 21:00	0.80	120	56
2011/4/3 20:30	0.79	121	56
2011/4/3 20:00	0.80	121	55
2011/4/3 19:30	0.79	123	55
2011/4/3 19:00	0.79	121	55
2011/4/3 18:30	0.78	121	55
2011/4/3 18:00	0.78	124	55
2011/4/3 17:30	0.78	122	55
2011/4/3 17:00	0.78	124	55
2011/4/3 16:30	0.78	124	55
2011/4/3 16:00	0.78	125	55
2011/4/3 15:30	0.78	124	55
2011/4/3 15:00	0.78	124	55
2011/4/3 14:30	0.78	125	56
2011/4/3 14:00	0.79	125	56
2011/4/3 13:30	0.79	126	56
2011/4/3 13:00	0.79	126	56
2011/4/3 12:30	0.80	125	56
2011/4/3 12:00	0.80	126	57
2011/4/3 11:30	0.80	124	57
2011/4/3 11:00	0.81	127	58
2011/4/3 10:30	0.81	128	58
2011/4/3 10:00	0.82	127	58
2011/4/3 9:30	0.82	128	59
2011/4/3 9:00	0.83	127	59
2011/4/3 8:30	0.83	126	59
2011/4/3 8:00	0.83	128	59
2011/4/3 7:30	0.83	128	59
2011/4/3 7:00	0.84	127	60
2011/4/3 6:30	0.84	126	60
2011/4/3 6:00	0.84	125	59
2011/4/3 5:30	0.84	125	59
2011/4/3 5:00	0.84	127	60
2011/4/3 4:30	0.84	127	60
2011/4/3 4:00	0.84	126	59
2011/4/3 3:30	0.84	127	60
2011/4/3 3:00	0.84	128	60
2011/4/3 2:30	0.84	127	60
2011/4/3 2:00	0.84	127	60
2011/4/3 1:30	0.84	128	60
2011/4/3 1:00	0.84	127	60
2011/4/3 0:30	0.84	128	60
2011/4/3 0:00	0.84	128	60

Monitoring data by a monitoring car* at Fukushima Daiichi Nuclear Power Station

* The car supplements fixed point Monitoring Status by Temporary Monitoring Post

Measurement Date : 04/03/2011

Measurement Time	Measured Place	γ Ray	Neutron Ray	Wind Direction	Wind Velocity (m/s)
9:00 PM	West Gate	76.7 μ Sv/h	under 0.01 μ Sv/h	north	0.2
8:50 PM	West Gate	76.6 μ Sv/h	under 0.01 μ Sv/h	west	0.2
8:40 PM	West Gate	76.9 μ Sv/h	under 0.01 μ Sv/h	north	0.2
8:30 PM	West Gate	77.0 μ Sv/h	under 0.01 μ Sv/h	north-northwest	0.4
8:20 PM	West Gate	77.0 μ Sv/h	under 0.01 μ Sv/h	northwest	0.3
8:10 PM	West Gate	76.9 μ Sv/h	under 0.01 μ Sv/h	west	0.6
8:00 PM	West Gate	77.1 μ Sv/h	under 0.01 μ Sv/h	northwest	0.5
7:50 PM	West Gate	77.1 μ Sv/h	under 0.01 μ Sv/h	northwest	0.6
7:40 PM	West Gate	77.1 μ Sv/h	under 0.01 μ Sv/h	northwest	0.4
7:30 PM	West Gate	77.1 μ Sv/h	under 0.01 μ Sv/h	northeast	0.6
7:20 PM	West Gate	77.2 μ Sv/h	under 0.01 μ Sv/h	north-northeast	0.5
7:10 PM	West Gate	77.3 μ Sv/h	under 0.01 μ Sv/h	north	0.9
7:00 PM	West Gate	77.2 μ Sv/h	under 0.01 μ Sv/h	north-northwest	0.7
6:50 PM	West Gate	77.3 μ Sv/h	under 0.01 μ Sv/h	west-northwest	0.9
6:40 PM	West Gate	77.5 μ Sv/h	under 0.01 μ Sv/h	northwest	0.9
6:30 PM	West Gate	77.4 μ Sv/h	under 0.01 μ Sv/h	west-northwest	0.9
6:20 PM	West Gate	77.4 μ Sv/h	under 0.01 μ Sv/h	west	0.9
6:10 PM	West Gate	77.6 μ Sv/h	under 0.01 μ Sv/h	north-northwest	1.3
6:00 PM	West Gate	77.6 μ Sv/h	under 0.01 μ Sv/h	west	1.4
5:50 PM	West Gate	77.5 μ Sv/h	under 0.01 μ Sv/h	west	1.3
5:40 PM	West Gate	77.7 μ Sv/h	under 0.01 μ Sv/h	west	1.4
5:30 PM	West Gate	77.7 μ Sv/h	under 0.01 μ Sv/h	southwest	1.5
5:20 PM	West Gate	77.8 μ Sv/h	under 0.01 μ Sv/h	west-northwest	1.6
5:10 PM	West Gate	77.9 μ Sv/h	under 0.01 μ Sv/h	west	1.9
5:00 PM	West Gate	77.9 μ Sv/h	under 0.01 μ Sv/h	west	1.9
4:50 PM	West Gate	77.9 μ Sv/h	under 0.01 μ Sv/h	west-southwest	1.5
4:40 PM	West Gate	77.9 μ Sv/h	under 0.01 μ Sv/h	northwest	1.8
4:30 PM	West Gate	77.9 μ Sv/h	under 0.01 μ Sv/h	west-northwest	2.0
4:20 PM	West Gate	78.0 μ Sv/h	under 0.01 μ Sv/h	west-southwest	2.3
4:10 PM	West Gate	78.0 μ Sv/h	under 0.01 μ Sv/h	northwest	2.6
4:00 PM	West Gate	78.1 μ Sv/h	under 0.01 μ Sv/h	west	2.0
3:50 PM	West Gate	78.1 μ Sv/h	under 0.01 μ Sv/h	north-northwest	2.2
3:40 PM	West Gate	78.1 μ Sv/h	under 0.01 μ Sv/h	west	2.1
3:30 PM	West Gate	78.3 μ Sv/h	under 0.01 μ Sv/h	north-northwest	2.1
3:20 PM	West Gate	78.1 μ Sv/h	under 0.01 μ Sv/h	north-northwest	2.2
3:10 PM	West Gate	78.3 μ Sv/h	under 0.01 μ Sv/h	west-southwest	2.4
3:00 PM	West Gate	78.4 μ Sv/h	under 0.01 μ Sv/h	west	1.8
2:50 PM	West Gate	78.3 μ Sv/h	under 0.01 μ Sv/h	west	2.0
2:40 PM	West Gate	78.4 μ Sv/h	under 0.01 μ Sv/h	northwest	2.0
2:30 PM	West Gate	78.4 μ Sv/h	under 0.01 μ Sv/h	southwest	2.4
2:20 PM	West Gate	78.4 μ Sv/h	under 0.01 μ Sv/h	west-southwest	2.4
2:10 PM	West Gate	78.3 μ Sv/h	under 0.01 μ Sv/h	southwest	2.6
2:00 PM	West Gate	78.6 μ Sv/h	under 0.01 μ Sv/h	west-northwest	3.0
1:50 PM	West Gate	78.6 μ Sv/h	under 0.01 μ Sv/h	southwest	2.5
1:40 PM	West Gate	79.0 μ Sv/h	under 0.01 μ Sv/h	west	2.9
1:30 PM	West Gate	78.6 μ Sv/h	under 0.01 μ Sv/h	west-southwest	2.0
1:20 PM	West Gate	78.7 μ Sv/h	under 0.01 μ Sv/h	west-northwest	1.6
1:10 PM	West Gate	78.7 μ Sv/h	under 0.01 μ Sv/h	southwest	1.6
1:00 PM	West Gate	78.9 μ Sv/h	under 0.01 μ Sv/h	north	0.9
0:50 PM	West Gate	78.9 μ Sv/h	under 0.01 μ Sv/h	southeast	1.5
0:40 PM	West Gate	79.0 μ Sv/h	under 0.01 μ Sv/h	west-southwest	2.0
0:30 PM	West Gate	79.1 μ Sv/h	under 0.01 μ Sv/h	west	1.6
0:20 PM	West Gate	79.0 μ Sv/h	under 0.01 μ Sv/h	north-northwest	1.3
0:10 PM	West Gate	79.1 μ Sv/h	under 0.01 μ Sv/h	west-southwest	1.2
0:00 PM	West Gate	79.0 μ Sv/h	under 0.01 μ Sv/h	north	1.2
11:50 AM	West Gate	79.1 μ Sv/h	under 0.01 μ Sv/h	east	2.3
11:40 AM	West Gate	79.1 μ Sv/h	under 0.01 μ Sv/h	east	1.9
11:30 AM	West Gate	79.0 μ Sv/h	under 0.01 μ Sv/h	northeast	1.3
11:20 AM	West Gate	79.2 μ Sv/h	under 0.01 μ Sv/h	west	1.9
11:10 AM	West Gate	79.0 μ Sv/h	under 0.01 μ Sv/h	west-southwest	2.0
11:00 AM	West Gate	79.2 μ Sv/h	under 0.01 μ Sv/h	west	1.2
10:50 AM	West Gate	79.4 μ Sv/h	under 0.01 μ Sv/h	northwest	1.4
10:40 AM	West Gate	79.4 μ Sv/h	under 0.01 μ Sv/h	northeast	1.8
10:30 AM	West Gate	79.3 μ Sv/h	under 0.01 μ Sv/h	west	1.2
10:20 AM	West Gate	79.3 μ Sv/h	under 0.01 μ Sv/h	east-northeast	1.7
10:10 AM	West Gate	79.4 μ Sv/h	under 0.01 μ Sv/h	north-northwest	2.0
10:00 AM	West Gate	79.4 μ Sv/h	under 0.01 μ Sv/h	northwest	1.7
9:50 AM	West Gate	79.4 μ Sv/h	under 0.01 μ Sv/h	northwest	1.3

Measurement Time	Measured Place	γ Ray	Neutron Ray	Wind Direction	Wind Velocity (m/s)
9:40 AM	West Gate	79.7 μ Sv/h	under 0.01 μ Sv/h	west-southwest	1.2
9:30 AM	West Gate	79.5 μ Sv/h	under 0.01 μ Sv/h	west-northwest	1.7
9:20 AM	West Gate	79.5 μ Sv/h	under 0.01 μ Sv/h	west	1.8
9:10 AM	West Gate	79.6 μ Sv/h	under 0.01 μ Sv/h	west-southwest	2.0
9:00 AM	West Gate	79.5 μ Sv/h	under 0.01 μ Sv/h	west	2.2
8:50 AM	West Gate	79.7 μ Sv/h	under 0.01 μ Sv/h	west-northwest	2.1
8:40 AM	West Gate	79.7 μ Sv/h	under 0.01 μ Sv/h	west-northwest	2.3
8:30 AM	West Gate	79.7 μ Sv/h	under 0.01 μ Sv/h	northwest	1.6
8:20 AM	West Gate	79.8 μ Sv/h	under 0.01 μ Sv/h	west	1.7
8:10 AM	West Gate	79.8 μ Sv/h	under 0.01 μ Sv/h	west	2.0
8:00 AM	West Gate	79.8 μ Sv/h	under 0.01 μ Sv/h	west	2.2
7:50 AM	West Gate	79.6 μ Sv/h	under 0.01 μ Sv/h	west-northwest	2.0
7:40 AM	West Gate	80.1 μ Sv/h	under 0.01 μ Sv/h	west-southwest	1.4
7:30 AM	West Gate	79.7 μ Sv/h	under 0.01 μ Sv/h	west-northwest	1.3
7:20 AM	West Gate	80.0 μ Sv/h	under 0.01 μ Sv/h	northwest	0.6
7:10 AM	West Gate	80.0 μ Sv/h	under 0.01 μ Sv/h	northwest	0.9
7:00 AM	West Gate	79.8 μ Sv/h	under 0.01 μ Sv/h	west-southwest	1.1
6:50 AM	West Gate	79.9 μ Sv/h	under 0.01 μ Sv/h	north-northwest	0.7
6:40 AM	West Gate	80.0 μ Sv/h	under 0.01 μ Sv/h	north	1.0
6:30 AM	West Gate	80.2 μ Sv/h	under 0.01 μ Sv/h	northwest	1.0
6:20 AM	West Gate	80.1 μ Sv/h	under 0.01 μ Sv/h	west	1.1
6:10 AM	West Gate	80.0 μ Sv/h	under 0.01 μ Sv/h	west-southwest	1.2
6:00 AM	West Gate	80.2 μ Sv/h	under 0.01 μ Sv/h	northwest	0.9
5:50 AM	West Gate	80.2 μ Sv/h	under 0.01 μ Sv/h	northwest	0.5
5:40 AM	West Gate	80.2 μ Sv/h	under 0.01 μ Sv/h	north-northwest	0.8
5:30 AM	West Gate	80.0 μ Sv/h	under 0.01 μ Sv/h	north-northwest	1.0
5:20 AM	West Gate	80.3 μ Sv/h	under 0.01 μ Sv/h	west-northwest	0.8
5:10 AM	West Gate	80.3 μ Sv/h	under 0.01 μ Sv/h	north-northwest	0.8
5:00 AM	West Gate	80.5 μ Sv/h	under 0.01 μ Sv/h	northwest	0.8
4:50 AM	West Gate	80.5 μ Sv/h	under 0.01 μ Sv/h	west-northwest	1.0
4:40 AM	West Gate	80.5 μ Sv/h	under 0.01 μ Sv/h	northeast	1.0
4:30 AM	West Gate	80.5 μ Sv/h	under 0.01 μ Sv/h	northwest	1.2
4:20 AM	West Gate	80.7 μ Sv/h	under 0.01 μ Sv/h	north-northwest	1.2
4:10 AM	West Gate	80.6 μ Sv/h	under 0.01 μ Sv/h	west	1.0
4:00 AM	West Gate	80.7 μ Sv/h	under 0.01 μ Sv/h	west	0.6
3:50 AM	West Gate	80.7 μ Sv/h	under 0.01 μ Sv/h	west	0.8
3:40 AM	West Gate	80.8 μ Sv/h	under 0.01 μ Sv/h	west-northwest	0.9
3:30 AM	West Gate	80.9 μ Sv/h	under 0.01 μ Sv/h	west	0.7
3:20 AM	West Gate	80.9 μ Sv/h	under 0.01 μ Sv/h	northwest	1.1
3:10 AM	West Gate	80.9 μ Sv/h	under 0.01 μ Sv/h	north-northwest	0.9
3:00 AM	West Gate	81.0 μ Sv/h	under 0.01 μ Sv/h	northwest	0.4
2:50 AM	West Gate	81.0 μ Sv/h	under 0.01 μ Sv/h	north-northwest	1.2
2:40 AM	West Gate	81.1 μ Sv/h	under 0.01 μ Sv/h	west-northwest	1.8
2:30 AM	West Gate	81.3 μ Sv/h	under 0.01 μ Sv/h	north-northwest	0.7
2:20 AM	West Gate	81.1 μ Sv/h	under 0.01 μ Sv/h	north-northeast	0.4
2:10 AM	West Gate	81.2 μ Sv/h	under 0.01 μ Sv/h	west-northwest	0.6
2:00 AM	West Gate	81.2 μ Sv/h	under 0.01 μ Sv/h	west-northwest	0.4
1:50 AM	West Gate	81.2 μ Sv/h	under 0.01 μ Sv/h	north-northeast	0.4
1:40 AM	West Gate	81.1 μ Sv/h	under 0.01 μ Sv/h	northeast	0.7
1:30 AM	West Gate	81.4 μ Sv/h	under 0.01 μ Sv/h	north-northwest	0.8
1:20 AM	West Gate	81.6 μ Sv/h	under 0.01 μ Sv/h	west	0.9
1:10 AM	West Gate	81.4 μ Sv/h	under 0.01 μ Sv/h	north	0.9
1:00 AM	West Gate	81.4 μ Sv/h	under 0.01 μ Sv/h	east-northeast	0.6
0:50 AM	West Gate	81.5 μ Sv/h	under 0.01 μ Sv/h	north-northeast	1.8
0:40 AM	West Gate	81.5 μ Sv/h	under 0.01 μ Sv/h	north-northeast	1.0
0:30 AM	West Gate	81.6 μ Sv/h	under 0.01 μ Sv/h	northeast	0.9
0:20 AM	West Gate	81.8 μ Sv/h	under 0.01 μ Sv/h	north-northwest	1.1
0:10 AM	West Gate	81.9 μ Sv/h	under 0.01 μ Sv/h	northwest	1.1
0:00 AM	West Gate	81.8 μ Sv/h	under 0.01 μ Sv/h	north-northwest	1.8

Radiation Dose measured at Monitoring Post of Fukushima Daiichi Nuclear Power Station (μ Sv/h)

※Until the recovery of automated transfer of measurement data, data will be reported based on visual observation by regular patrol of monitoring posts.

Date of measurement	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8
2011/4/3 13:00-15:00	17	53	57	58	130	190	350	270
2011/4/2 13:00-15:00	18	56	61	62	130	200	370	280
2011/4/1 13:00-15:00	19	59	69	68	150	210	390	300