

Radiation Dose measured at Monitoring Post of Fukushima Daiichi Nuclear Power Station(μ Sv/h)

Date of measurement	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8
2011/4/11 9:00	12	39	38	38	72	114	237	199
2011/4/11 8:50	12	39	38	38	72	114	238	199
2011/4/11 8:40	12	39	38	38	72	114	238	201
2011/4/11 8:30	12	39	38	38	72	114	237	200
2011/4/11 8:20	12	39	38	38	72	114	237	199
2011/4/11 8:10	12	39	38	39	73	114	237	199
2011/4/11 8:00	12	39	38	38	73	114	237	199
2011/4/11 7:50	12	39	38	37	72	114	237	199
2011/4/11 7:40	12	39	38	37	72	114	237	199
2011/4/11 7:30	12	39	38	37	72	114	237	199
2011/4/11 7:20	12	39	38	37	72	114	237	199
2011/4/11 7:10	12	39	38	37	72	114	237	199
2011/4/11 7:00	12	39	38	37	72	114	237	199
2011/4/11 6:50	12	39	38	37	72	114	237	199
2011/4/11 6:40	13	39	38	37	72	114	237	199
2011/4/11 6:30	13	39	38	37	72	114	237	199
2011/4/11 6:20	13	39	38	37	72	114	237	199
2011/4/11 6:10	13	39	38	37	72	114	237	199
2011/4/11 6:00	13	39	38	37	72	114	237	199
2011/4/11 5:50	13	39	38	37	72	114	237	199
2011/4/11 5:40	13	39	38	37	72	114	237	199
2011/4/11 5:30	13	39	38	37	72	114	237	199
2011/4/11 5:20	13	39	38	37	72	114	237	199
2011/4/11 5:10	13	39	38	37	72	114	237	199
2011/4/11 5:00	13	39	38	37	72	114	237	199
2011/4/11 4:50	13	39	38	37	72	114	237	199
2011/4/11 4:40	13	39	38	37	72	114	238	199
2011/4/11 4:30	13	39	38	37	72	114	238	199
2011/4/11 4:20	13	39	38	37	72	114	238	199
2011/4/11 4:10	13	39	38	37	72	114	238	199
2011/4/11 4:00	12	39	38	38	72	114	238	199
2011/4/11 3:50	12	39	38	38	72	114	238	199
2011/4/11 3:40	13	39	38	38	72	114	238	199
2011/4/11 3:30	13	39	38	38	72	114	238	199
2011/4/11 3:20	12	39	38	38	72	114	238	199
2011/4/11 3:10	12	39	38	38	72	115	238	199
2011/4/11 3:00	12	39	38	38	72	115	238	199

Radiation Dose measured at Monitoring Post of Fukushima Daiichi Nuclear Power Station(μ Sv/h)

Date of measurement	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8
2011/4/11 2:50	12	39	38	38	72	115	238	199
2011/4/11 2:40	12	39	38	38	72	115	238	199
2011/4/11 2:30	12	39	38	38	72	115	238	200
2011/4/11 2:20	12	39	38	38	72	115	238	200
2011/4/11 2:10	12	39	38	38	73	115	238	200
2011/4/11 2:00	12	39	39	38	73	115	238	200
2011/4/11 1:50	12	39	39	38	73	115	239	200
2011/4/11 1:40	12	39	39	38	73	115	239	200
2011/4/11 1:30	12	39	39	38	73	115	239	200
2011/4/11 1:20	12	39	39	38	73	115	239	200
2011/4/11 1:10	12	39	39	38	73	115	239	200
2011/4/11 1:00	12	39	39	38	73	115	239	200
2011/4/11 0:50	12	39	39	38	73	115	239	200
2011/4/11 0:40	12	39	39	38	73	115	239	200
2011/4/11 0:30	12	39	39	38	73	115	239	200
2011/4/11 0:20	12	39	39	38	73	115	240	200
2011/4/11 0:10	13	39	39	38	73	115	240	200
2011/4/11 0:00	13	39	39	38	73	115	240	200

Fixed point Monitoring Status by Temporary Monitoring Post at Fukushima Daiichi Nuclear Power Station

Date	Radiation Dose Rate (mSv/h) At the Main Buiding	Radiation Dose Rate (μ Sv/h) At the Main Gate	Radiation Dose Rate (μ Sv/h) At the West Gate
2011/4/11 9:00	0.60	83	36
2011/4/11 8:30	0.60	82	36
2011/4/11 8:00	0.61	84	37
2011/4/11 7:30	0.61	84	35
2011/4/11 7:00	0.61	83	36
2011/4/11 6:30	0.61	82	36
2011/4/11 6:00	0.61	83	36
2011/4/11 5:30	0.61	82	36
2011/4/11 5:00	0.61	83	36
2011/4/11 4:30	0.61	82	36
2011/4/11 4:00	0.61	83	36
2011/4/11 3:30	0.61	82	36
2011/4/11 3:00	0.61	83	36
2011/4/11 2:30	0.61	83	36
2011/4/11 2:00	0.61	83	36
2011/4/11 1:30	0.61	83	35
2011/4/11 1:00	0.61	83	35
2011/4/11 0:30	0.61	83	36
2011/4/11 0:00	0.61	84	36

Monitoring data by a monitoring car* at Fukushima Daiichi Nuclear Power Station

* The car supplements fixed point Monitoring Status by Temporary Monitoring Post

Measurement Date : 04/11/2011

Measurement Time	Measured Place	γ Ray	Neutron Ray	Wind Direction	Wind Velocity (m/s)
9:00 AM	West Gate	45.2 μ Sv/h	under 0.01 μ Sv/h	east	1.6
8:50 AM	West Gate	46.2 μ Sv/h	under 0.01 μ Sv/h	east	2.4
8:40 AM	West Gate	45.4 μ Sv/h	under 0.01 μ Sv/h	east-southeast	1.4
8:30 AM	West Gate	45.4 μ Sv/h	under 0.01 μ Sv/h	east	0.6
8:20 AM	West Gate	45.6 μ Sv/h	under 0.01 μ Sv/h	south-southwest	0.8
8:10 AM	West Gate	45.6 μ Sv/h	under 0.01 μ Sv/h	east-northeast	0.8
8:00 AM	West Gate	46.4 μ Sv/h	under 0.01 μ Sv/h	east	0.7
7:50 AM	West Gate	46.1 μ Sv/h	under 0.01 μ Sv/h	east	0.9
7:40 AM	West Gate	46.1 μ Sv/h	under 0.01 μ Sv/h	east	0.9
7:30 AM	West Gate	46.1 μ Sv/h	under 0.01 μ Sv/h	east	0.6
7:20 AM	West Gate	45.1 μ Sv/h	under 0.01 μ Sv/h	south	0.7
7:10 AM	West Gate	45.1 μ Sv/h	under 0.01 μ Sv/h	north	0.6
7:00 AM	West Gate	44.9 μ Sv/h	under 0.01 μ Sv/h	north	0.7
6:50 AM	West Gate	45.1 μ Sv/h	under 0.01 μ Sv/h	north	0.5
6:40 AM	West Gate	44.9 μ Sv/h	under 0.01 μ Sv/h	west	0.7
6:30 AM	West Gate	45.0 μ Sv/h	under 0.01 μ Sv/h	west	0.6
6:20 AM	West Gate	45.1 μ Sv/h	under 0.01 μ Sv/h	west	0.6
6:10 AM	West Gate	44.8 μ Sv/h	under 0.01 μ Sv/h	west-southwest	0.6
6:00 AM	West Gate	44.8 μ Sv/h	under 0.01 μ Sv/h	west-southwest	0.4
5:50 AM	West Gate	44.9 μ Sv/h	under 0.01 μ Sv/h	west	0.6
5:40 AM	West Gate	45.1 μ Sv/h	under 0.01 μ Sv/h	west-southwest	0.7
5:30 AM	West Gate	45.1 μ Sv/h	under 0.01 μ Sv/h	west	0.7
5:20 AM	West Gate	45.1 μ Sv/h	under 0.01 μ Sv/h	west	0.4
5:10 AM	West Gate	45.1 μ Sv/h	under 0.01 μ Sv/h	southwest	0.3
5:00 AM	West Gate	45.2 μ Sv/h	under 0.01 μ Sv/h	west	0.3
4:50 AM	West Gate	45.1 μ Sv/h	under 0.01 μ Sv/h	west	0.5
4:40 AM	West Gate	45.2 μ Sv/h	under 0.01 μ Sv/h	northwest	0.4
4:30 AM	West Gate	45.1 μ Sv/h	under 0.01 μ Sv/h	west-northwest	0.3
4:20 AM	West Gate	45.2 μ Sv/h	under 0.01 μ Sv/h	south	0.4
4:10 AM	West Gate	45.3 μ Sv/h	under 0.01 μ Sv/h	north-northwest	0.4
4:00 AM	West Gate	45.2 μ Sv/h	under 0.01 μ Sv/h	north	0.5
3:50 AM	West Gate	45.2 μ Sv/h	under 0.01 μ Sv/h	west-northwest	0.6
3:40 AM	West Gate	45.3 μ Sv/h	under 0.01 μ Sv/h	west-southwest	0.8
3:30 AM	West Gate	45.4 μ Sv/h	under 0.01 μ Sv/h	west	0.7
3:20 AM	West Gate	45.4 μ Sv/h	under 0.01 μ Sv/h	west	0.6
3:10 AM	West Gate	45.3 μ Sv/h	under 0.01 μ Sv/h	west	0.6
3:00 AM	West Gate	45.3 μ Sv/h	under 0.01 μ Sv/h	west-southwest	0.7
2:50 AM	West Gate	45.4 μ Sv/h	under 0.01 μ Sv/h	west-southwest	0.8
2:40 AM	West Gate	45.5 μ Sv/h	under 0.01 μ Sv/h	west-southwest	0.6
2:30 AM	West Gate	45.4 μ Sv/h	under 0.01 μ Sv/h	west	0.8
2:20 AM	West Gate	45.4 μ Sv/h	under 0.01 μ Sv/h	west-northwest	0.8
2:10 AM	West Gate	45.5 μ Sv/h	under 0.01 μ Sv/h	west	0.6
2:00 AM	West Gate	45.5 μ Sv/h	under 0.01 μ Sv/h	southwest	0.6
1:50 AM	West Gate	45.7 μ Sv/h	under 0.01 μ Sv/h	west-northwest	0.8
1:40 AM	West Gate	45.5 μ Sv/h	under 0.01 μ Sv/h	west-northwest	0.6
1:30 AM	West Gate	45.6 μ Sv/h	under 0.01 μ Sv/h	west-northwest	0.6
1:20 AM	West Gate	45.5 μ Sv/h	under 0.01 μ Sv/h	west	0.5
1:10 AM	West Gate	45.6 μ Sv/h	under 0.01 μ Sv/h	east-northeast	0.3
1:00 AM	West Gate	45.6 μ Sv/h	under 0.01 μ Sv/h	northwest	0.4
0:50 AM	West Gate	45.7 μ Sv/h	under 0.01 μ Sv/h	north-northeast	0.5
0:40 AM	West Gate	45.6 μ Sv/h	under 0.01 μ Sv/h	northwest	0.5
0:30 AM	West Gate	45.9 μ Sv/h	under 0.01 μ Sv/h	west	0.4
0:20 AM	West Gate	45.6 μ Sv/h	under 0.01 μ Sv/h	south-southeast	0.5
0:10 AM	West Gate	45.8 μ Sv/h	under 0.01 μ Sv/h	northwest	0.4
0:00 AM	West Gate	45.7 μ Sv/h	under 0.01 μ Sv/h	east	0.4