

Nuclide analysis results of ocean soil<1/2>

Reference

(Data summarized on March 17)

Place of Sampling	Around North Discharge Channel of 2F (Around 3,4u Discharge Channel) (approx. 10 km from 1F)	3km offshore of Haramachi-ku	3km offshore of Odaka-ku	8km offshore of Odaka-ku	3 km offshore of Onahama Port
Time of Sampling	Mar 15, 2012 (Not sampled)	Mar 15, 2012 (Not sampled)	Mar 15, 2012 (Not sampled)	Mar 15, 2012 (Not sampled)	Mar 15, 2012 10:40 AM
Detected Nuclides (Half-life)	Radioactivity density (Bq/kg·moist soil)				
I-131 (about 8 days)	-	-	-	-	ND
Cs-134 (about 2 years)	-	-	-	-	210
Cs-137 (about 30 years)	-	-	-	-	290

\* Data of other nuclides are under evaluation.

\* "ND" means the sampled data is below measurable limit.

I-131: approx. 5Bq/kg·moist soil)

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

4 out of 7 samplings were cancelled due to bad weather.

Nuclide analysis results of ocean soil <2/2>

Reference

(Data summarized on March 17)

Place of Sampling	3 km offshore of Ena Port	5 km offshore of Numanouchi			
Time of Sampling	Mar 15, 2012 9:55 AM	Mar 15, 2012 8:15 AM			
Detected Nuclides (Half-life)	Radioactivity density (Bq/kg·moist soil)				
I-131 (about 8 days)	ND	ND			
Cs-134 (about 2 years)	150	41			
Cs-137 (about 30 years)	230	52			

\* Data of other nuclides are under evaluation.


\* "ND" means the sampled data is below measurable limit.

I-131: approx. 4Bq/kg·moist soil)


Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

4 out of 7 samplings were cancelled due to bad weather.

# Radioactivity Density of Ocean Soil 5 km offshore of Numanouchi (Bq/Kg, wet soil)



# Radioactivity Density of Ocean Soil at 3km offshore of Ena (Bq/Kg, wet soil)



# Radioactivity Density of Ocean Soil at 3km offshore of Onahama port (Bq/Kg, wet soil)

